



Date: 24/11/2025

GPCB ID- 84875

To,
The Member Secretary,
Gujarat Pollution Control Board,
Paryavaran Bhavan, Sector 10A,
Gandhinagar-382010.

Subject: Half Yearly Environment Clearance Condition's Compliance Report for the period April' 2025 to September' 2025.

Ref : Environment Clearance letter no. SEIAA/GUI/EC/5(f)/1318/2021 dated 2nd July, 2021.

Respected Sir,

We M/s. Aarti Pharmalabs Limited (Formerly known as M/s. Aarti Industries Limited) is located at Plot No.: R.S.No:39,40,41,42,43,44,45,46,47,48,49, PCPIR, Notified Industrial Area, Village-Atali, Tal-Vagra, Dist-Bharuch, Gujarat.

We are pleased to submit the Compliance Report (monitoring period April' 2025 to September' 2025.) as per condition no. 143 mentioned in environmental clearance letter no. SEIAA/GUI/EC/5(f)/1318/2021 dated 2nd July, 2021.

The compliance report is supported with the required attachments.

Thanking you.

Yours Faithfully,

For Aarti Pharmalabs Ltd

Authorized Signatory



COPY TO:

- 1) The Regional Officer, Gujarat Pollution Control Board, Bharuch.
- 2) Email to The Deputy Director General, Forest (Central), Regional Office- Gandhinagar
- 3) Email to The Regional Officer, Central Pollution Control Board, Vadodara.
- 4) Email to SEIAA, Gujarat.
- 5) Uploaded in Parivesh, MoEF&CC portal.

Post Received
Gujarat Pollution Control Board
BHARUCH

AARTI PHARMALABS LIMITED

www.aarti-pharmalabs.com | CIN : L24100GJ2019PLC110964 | Email : info@aarti-pharmalabs.com

Factory : Atali - R. S. No. 39 To 49, PCPIR Notified Industrial Area, Village - Atali, Tal - Vagra, Dist - Bharuch, PIN 392130 Gujarat, INDIA
Admin Office : 204, Udyog Kshetra, 2nd Floor, Mulund - Goregaon Link Road, Mulund (W), Mumbai, PIN - 400 080, Maharashtra, INDIA, T: +91 22 67976666 | F: +91 22 25653234



Scanned with OKEN Scanner

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch – 392130.

Compliance Report of Environmental Clearance File No. SEIAA/GUJ/EC/5(f)/874/2021 dated 17/06/2021 for the period of April 2025 to September 2025.

Sr. No	Conditions						Compliance Status
	Sr. No.	Name of Products	Qty (MT/ Month)	Chemical Name	CAS No. (Product)	Type/Category of Product (API/Intermediate)	<p>The SEIAA has been granted Environment Clearance for the manufacturing of the API and Intermediate product. Based on that the board had granted CTE on dated 25/10/2021 and CTE-Amendment on dated 21/07/2025 for the manufacturing of granted product.</p> <p>Now based on that, we have granted Partial CCA for the manufacturing of below mentioned product. CCA vide no. AWH-149768 dated on 17/10/2025.</p>
	1	PR-89	3	(S)-boc-3-hydroxypiperidine	143900-44-1	Intermediate	
	2	PR-302	2	5-amino-3-(4-phenoxyphenyl)-1H-pyrazole-4-carbonitrile	330792-70-6	Intermediate	
	3	PR-307	2	3-(4-Phenoxyphenyl)-1H-pyrazole (3,4-d)pyridimine	330786-24-8	Intermediate	
	4	PR-2017-001	3	2,3,4,6-Tetra-O-benzylD--glucopyranose	4132-28-9	Intermediate	
	5	PR-509	1	ethyl-1-C-[4-chloro-3-[(4-ethoxyphenyl)methyl]phenyl]-D-Glucopyranoside	2361307-84-6	Intermediate	
	6	PR-2017-021	-	1-Methylindole	1032452-86-0	Intermediate	
	7	PR412-/PR-414	-	N-[5-[(4-Methylphenyl) sulfonyl]-5H-pyrrolo[2,3-b]pyrazin-2-yl]carbamic acid ethyl ester	1869118-24-0	Intermediate	
	8	FLY-X	2	(2S,3as, 7as)-1-[2-[1-(Ethoxycarbonyl)-(S)-Propyl] Octahydroindole-2-Carboxylic Acid (Benzyl (2S, 3aS, 7aS) Octahydroindole-2-carboxylate, Tosylate salt)	82834-12-6	Intermediate	
	9	FLY-VIII	2	(R)-2-((t-butoxy) carbonylamino)3-methoxy propanoic acid	94062-52-9	Intermediate	
	10	PR-2017-023	5	2-(2-Ethoxyphenyl)-5-methyl-7-propyl-3H-imidazo[5, 1-f][1,2,4]triazin-4-one 2-cyano-N-(2,4-dichloro-5-methoxy phenyl)acetamide	86123-95-7	Intermediate	
	11	PR-201	1	-	224789-21-3	Intermediate	
	12	PR-236	1	-	846023-	Intermediate	

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch – 392130.

				24-3	
13	PR-115	3	SULFOBETAINE	2281-11-0	Intermediate
14	PR-232	5	S-(-)-N,N-dimethyl-3-hydroxy-3-(2-thienyl)propanamine	132335-44-5	Intermediate
15	PR-187	5	1-(3-Methyl-1-phenyl-5-pyrazolyl)piperazine	401566-79-8	Intermediate
16	PR-179	5	3-Hydroxy-N-methyl-3-phenyl-propylamine	42142-52-9	Intermediate
17	PR-427	10	2-fluoro-6-(trifluoromethyl)benzaldehyde	60611-24-7	Intermediate
18	PR-116-III	52	(R)-3-HYDROXYTETRAHYDROFURAN	86087-24-3	Intermediate
19	PR-2017-015	1	Methyl 2-((1H-pyrrolo[2,3-b]pyridin-5-oxy)-4-fluorobenzoate yl)	1235865-75-4	Intermediate
20	PR-502	1	(2-(Trifluoromethyl)pyridin-3-yl)methanamine hydrochloride (1:1)	2089377-97-7	Intermediate
21	PR-306	1	(S)-2-(tert-butoxycarbonylamino)-3-(4-carbamoyl-2,6-dimethylphenyl)propanoic acid	623950-02-7	Intermediate
22	PR-181	5	CHLOROMETHYL CHLORO SULFATE	1186004-10-3	Intermediate
23	TV-INT	3	(Ethyl, 2-(4-Nitrobenzene Sulphonyl)	1338934 4 59-0	Intermediate
24	Perindopril	10	Perindopril	82834-16-0	API
25	Bambuterol	10	Bambuterol	81732-46-9	API
26	Tofacitinib	10	Tofacitinib	540737-29-9	API
27	Canagliflozin	10	Canagliflozin	842133-18-0	API
28	Empagliflozin	10	Empagliflozin	864070-44-0	API
29	Sitagliptin	40	Sitagliptin	486460-32-6	API
30	Defrasirox	10	Defrasirox	201530-41-8	API
31	Rivaroxaban	10	Rivaroxaban	366789-02-8	API

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch – 392130.

32	Dapagliflozin	10	Dapagliflozin	461432-26-8	API
33	Venlafaxine	50	Venlafaxine	93413-69-5	API
34	PR-512	20	Benzyl [(3aS,4R, 6S, 6aR)-6-hydroxy-2,2-dimethyltetrahydro-3aH-cyclopenta[d][1,3]dioxol-4-yl]carbamate	274693-53-7	Intermediate
35	Ticagrelor	20	Ticagrelor	274693-27-5	API
36	Elagolix	20	Elagolix	834153-87-6	API
37	Apixaban	20	1-(4-methoxyphenyl)-7-oxo-6-[4-(2-oxopiperidin-1-yl)phenyl]-1H, 4H,5H,6H,7H-pyrazolo[3,4-c]pyridine-3-carboxamide	503612-47-3	API
38	TV-VII	10	(3S)-3-Amino-2,3,4,5-Tetrahydro-2-oxo-1H-1 Benzazepine-1-acetic acid, Tert butyl ester)	109010-60-8	Intermediate
39	SAF III	2	Diflunisal 4-(2,4 Difluorophenyl)-Phenol	59089-68-8	Intermediate
40	MES-II	10	(2-S-Thiuronium ethane sulphonate)	108710-70-9	Intermediate
41	QN-II	10	(1,2,3,4-Tetrahydro isoquinoline-2-Benzyl Carboxylate PTSA Salt)	77497-97-3	Intermediate
42	FL-II	30	HCL(1-[2-Amino-1(4-Methoxyphenyl) Ethyl] Cyclohexanol Hydrochloride	130198-05-9	Intermediate
43	BA-II	2	(5-methyl-N-[4-(trifluoromethyl phenyl)]isoxazole-4-carboxamide	75706-12-6	Intermediate
44	NCS-IV	10	(11-Piperazin-1-yl-dibenzo[b,f][1,4]thiazepinedihydrochloride monohydrate)	3159-07-07	Intermediate
45	Quetiapinefumarate	5	(Bis[2-[2-[4-(dibenzo [b,f][1,4]thiazepin-11-yl)piperazin-1-yl]ethoxy]ethanol] (2E)-but-2-enedioate).	111974-72-2	API
46	MAP Sulphate	20	alpha-Methylamino-3-hydroxyacetophenone sulfate	679394-62-8	Intermediate
47	PEP	10	(Phenylephrine hydrochloride)	61-76-7	API
48	VP-004	2	(Tert-butyl 4-(6-nitropyridin-3-	571188-	Intermediate

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

			yl)piperazine-1-carboxylate)	59-5	
49	VP-03	2	(4-Chloro-3-nitro phenol)	610-78-8	Intermediate
50	VP-013	2	(Tetrahydropyran-4-one)	29943-42-8	Intermediate
51	VP-002	10	(3-nitro-4-[(tetrahydro-2H-pyran-4-ylmethyl)amino] benzenesulfonamide)	1228779-96-1	Intermediate
52	PR-2017-020	30	(4-Amino-2-fluoro-N-methylbenzamide)	915087-25-1	Intermediate
53	ZEN-I	50	(1-(2-methoxyphenoxy)-2,3 epoxy propane)	2210-74-4	Intermediate
54	ZEN-III	50	[{2,6-Dimethyl phenyl} amino carbonyl methyl] piperazine	5294-61-1	Intermediate
55	Ranolazine	80	Ranolazine	142387-99-3	API
56	PR-203	5	(2-(5-Bromo-2-Methylbenzyl)5(4-Fluorophenyl) Thiophene)	1030825-20-7	Intermediate
57	PR-231	5	(2-(4-Fluorophenyl)-5(5-Iodo-2-Methylbenzyl) Thiophene)	898566-17-1	Intermediate
58	PR-408	2	(2,2'-anhydro-L-Thymidine)	433733-92-7	Intermediate
59	PR-209	10	(2-[2-[3(S)-3[2-(7-chloro-2-quinolinyl)ethenyl]phenyl-3-hydroxypropyl]phenyl]-2-propanol)	287930-77-2	Intermediate
60	PR-148	5	(4-fluoro-2-methoxy-5-nitroaniline)	1075705-01-9	Intermediate
61	VP-024	5	(1-[[2-fluoro-6-(trifluoromethyl)phenyl]methyl]-5-iodo-6-methylpyrimidine-2,4-dione)	830346-47-9	Intermediate
62	PR-219	5	(1-(6-chloropyrimidin-4-yl)-3-(2,6-dichloro-3,5-dimethoxy phenyl)-1-methyl urea)	1802253-30-0	Intermediate
63	Montelukast	5	Montelukast	151767-02-1	API
64	VP-019:	20	N-(Benzyloxycarbonyl)-L-Proline	1148-11-4	Intermediate
65	VP-020	5	(3-Chloropyrazine-2-yl)methanamine hydrochloride	939412-86-9	Intermediate
66	VP-023	2	Benzyl (2S)-2-(8-amino-1-	1420478	Intermediate

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch – 392130.

			bromoimidazo[1,5-a] pyrazin-3-yl)pyrrolidine-1-carboxylate	-87-0		
67	PR419-	70	5-Bromo-1-[2-fluoro-6-(trifluoromethyl)benzyl]-6-methylpyrimidine-2,4(1H,3H)-dion	830346-48-0	Intermediate	
68	VP-016	2	5-[(4-Ethylpiperazine-1-yl)methyl]pyridine-2-amine	1180132-17-5	Intermediate	
69	PR-197	50	Ethyl 2-chloro-2-(2-(4-methoxyphenyl) hydrazono)acetate	27143-07-03	Intermediate	
70	PR-204	5	(3-morpholino-1-(4-nitrophenyl)-5,6-dihydropyridine-2(1H)-one)	503615-03-0	Intermediate	
71	PR-301	10	(1-(4-aminophenyl)-3-morpholino-5,6-dihydropyridin-2(1H)-one)	1267610-26-3	Intermediate	
72	PR-402	5	-	545445-44-1.	Intermediate	
73	EN-II	2	(5,6-Dihydro-3-(4-morpholinyl)-1-[4-(2-oxo-1-piperidinyl)phenyl]-2(1H)-pyridinone) (2- {[3-fluoro-4(methylcarbamoyl)phenyl]amino-2-propanoic acid) methyl	1289942-66-0	Intermediate	
74	(ENZ-IV	2	Methyl[4-cyano-3-(trifluoromethyl) carbamodithioate phenyl]	2341510-75-4	Intermediate	
75	NIL-II	5	(Methyl 4-methyl-3-((4-(pyridin-3-yl)pyrimidin-2-yl) amino)benzoate)	446292-10-0	Intermediate	
76	Sole6	5	((5-Fluoro-2-methyl-1h-inden-3-yl)acetic acid)	32004-66-3	Intermediate	
77	PR-415	20	(3-((1-(1S)-phenylethyl)amino)-1,3,4,5-tetrahydro-2H-1-(3S)-benzazepin-2-one-acetic-2,2 dimethylethyl ester)	1026621-94-2	Intermediate	
78	VP-025	10	(3-Bromo-1,3,4,5-tetrahydro-2H-1-benzazepine-2-one)	86499-96-9	Intermediate	
79	R&D Pilot Products	0.1				
	Total	956.1				
1	PP shall comply conditions of any subsequent amendment or expansion or change in product mix, after the 30th September 2020 considered as per the provisions in force at that time as mentioned in the notification vide s.o. 1223 (E) dated 27/03/2020 .					Noted.
2	PP shall carry out proposed project/activities in respect of active pharmaceutical Ingredients (API) as per the amended EIA notification vide s.o. 1223 (E) dated					Noted.

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

	27/03/2020 and any subsequent amendments.	
3	PP shall submit six monthly compliance report of Environmental clearance without fail and the same shall be critically assessed by the regulatory authority.	Noted & Complied. We consistently maintain and submit six-monthly Environmental Clearance compliance reports in accordance with the prescribed regulatory timeline.
4	<p>a) R & D products shall be of similar chemistry in line with the EIA notification vide s.o. 1223 (E) dated 27/03/2020 and the pollution load shall remain the same as committed.</p> <p>b) Project proponent shall not take continuous/commercial production of the R & D materials. Necessary approvals shall be obtained from the concern authorities prior to commercial production of R & D materials.</p> <p>c) Unit shall submit relevant details of R & D products like raw materials, its safety measures to the regulatory authority well before R & D activity.</p> <p>d) Unit shall submit relevant details of R & D products like different wastes generated (Quantity & Quality) and its management to the regulatory authority within a month of R & D activity.</p>	Noted & Complied.
5	Close loop solvent recovery system with adequate condenser system shall be provided to recover solvent vapours in such a manner that recovery shall be maximum and recovered solvent shall be reused in the process within premises.	Noted & Complied. We assure you that a closed-loop solvent recovery system with an adequate condenser setup will be provided to recover solvent vapours efficiently, ensuring maximum recovery and the recovered solvent will be reused within the process premises
6	Leak detection and repair (LDAR) program shall be prepared and implemented as per the CPCB guidelines. LDAR logbooks shall be maintained.	Noted & Complied. We assure you that a Leak Detection and Repair (LDAR) program will be developed and implemented in accordance with CPCB guidelines, and an LDAR logbook will be duly maintained.
7	PP shall develop green belt within premises (105796 Sq.m i.e. 33% of the total plot area) as mentioned before SEAC. green plant shall be developed with native plant species that are significant and user for the pollution abatement as per the CPCB guidelines. it shall be implemented within 3 years of operation phase in consultation with GPCB.	Being Complied. Unit have provided 33% of greenbelt area of total area.
8	<u>Safety & Health</u>	
	<p>a. Unit shall obtain all required permissions from the Narcotics Control Bureau for storage and handling of Acetic Anhydride & any such chemicals.</p> <p>b. PP shall obtain PESO permission for the storage and handling of hazardous chemicals.</p> <p>c. PP shall provide Occupational Health Centre (OHC) as per the provisions under the Gujarat Factories Rule 68-U.</p> <p>d. PP shall obtain fire safety certificate / Fire No-Objection certificate (NOC) from the concern authority as per the prevailing Rules / Gujarat Fire Prevention and Life Safety Measures Act, 2016.</p>	<ol style="list-style-type: none"> Unit have provided in house Occupational Health Centre (OHC) as per the provisions under the Gujarat Factories Rule 68-U. We would like to state that, we are under process to obtained PESO License for the storage of the hazardous chemicals. NOC for the same is attached here with as Annexure - I. Unit have installed adequate fire hydrant system within premises and separate storage of water for the same. We assure you that, after commissioning of production/plant, we regularly carry out mock drill within the premises as per the prevailing

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

	<p>e. Unit shall adopt functional operations/process automation system including emergency response to eliminate risk associated with the hazardous processes.</p> <p>f. PP shall carry out mock drill within the premises as per the prevailing guidelines of safety and display proper evacuation plan in the manufacturing area in case of any emergency or accident.</p> <p>g. PP shall install adequate fire hydrant system within premises and separate storage of water for the same shall be ensured by PP.</p> <p>h. PP shall take all the necessary steps for control of storage hazards within premises ensuring incompatibility of storage raw material and ensure the storage keeping safe distance as per the prevailing guidelines of the concerned authority.</p> <p>i. PP shall take all the necessary steps for human safety within premises to ensure that no any harm is caused to any worker/employee or labour within premises.</p> <p>j. Flame proof electrical fittings shall be provided in the plant premises, wherever applicable.</p> <p>k. PP shall provide double earthing to solvent storage tanks</p> <p>l. Unit shall never store drum/barrels/carboys of incompatible material/chemical together.</p> <p>m. Unit shall provide effective Isolation for Process area and storage of hazardous chemicals.</p> <p>n. Unit shall provide water sprinkler to the ammonia storage cylinder.</p> <p>o. Unit shall Store Bromine Bottle in cool dry separate area, out of direct sunlight.</p> <p>p. Unit shall provide safety valve & rupture disc as well as auto dump or auto quench/suppress system for nitration vessel safety.</p> <p>q. Unit shall provide adequate safety system such as water sprinklers, water curtain, foam pouring system etc to restrict cascade fire emergency in solvent tank farm.</p>	<p>guidelines of safety. A photograph of the same is attached as Annexure - II.</p> <p>4. The unit takes all necessary measures to ensure the safety of all workers, employees, and labourers within the premises, preventing any harm.</p> <p>5. Unit have provided flame proof electrical fitting in the plant premises.</p> <p>6. Unit have provided double earthing to solvent storage tanks.</p> <p>7. We assure you that, we never store drum/barrels/carboys of incompatible material/chemical together.</p> <p>8. Unit have provided adequate safety system such as water sprinklers, water curtain, foam pouring system etc to restrict cascade fire emergency in solvent tank farm.</p>
9	Unit shall comply with all the orders passed by the Hon'ble National Green Tribunal (NGT), New Delhi in, Original Application No 1038/2018 dated 10/07/2018.	Noted.
10	Unit shall stand in compliance to Office Memorandum (OM) vide Letter No. F. No. 22-22018 -IA.III (Pt) dated 31/10/2019 I regarding Compliance of Hon'ble National Green Tribunal (NGT) order dated 19.08.2019 (Published on 23/08/2019) in Original Application No. 10/07/2018.	The unit complies with the Office Memorandum F. No. 22-2/2018-IA.III (Pt) dated 31/10/2019, issued regarding the Hon'ble NGT order dated 19/08/2019 (published on 23/08/2019) in Original Application No. 10/07/2018."
11	No project/activity in contradiction to the orders passed Hon'ble National Green Tribunal (NGT), New Delhi in Original Application No. 1038/2018 dated 10/07/2018 shall be carried out else the granted Environment clearance shall stand cancelled.	Noted.
12	Close loop solvent recovery system with adequate condenser system shall be provided to recover solvent vapors in such a manner that recovery shall be maximum and recovered solvent shall be reuse in the process within premises. (If there is in- house solvent recovery and in-house distillation)	Noted & Complied.
13	Leak Detection and Repair (LDAR) program shall be prepared and implemented as per, the GPCB guidelines. LDAR Logbooks shall be maintained.	The Leak Detection and Repair (LDAR) program will be prepared and implemented strictly as per GPCB guidelines, and dedicated LDAR Logbooks will be maintained to record all compliance

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

		activities.
14	Unit shall explore the possibilities for environment friendly methods for disposal of Incinerable & land fillable wastes before sending to CHWIF/TSDf sites respectively.	We have obtained respective membership certificate for the handling of hazardous waste and non-hazardous waste management. Membership certificate for the same is attached as Annexure - III
15	Unit shall install CEMS in line to-GPCB directions to all, SPCB vide letter no. B-29016/04/06PCI-1/5401 dated 05.02.2014 for effluent discharge and air/emission as per pollution discharge/emission from- respective project and an arrangement shall also be done for reflecting the online monitoring results on the 'company's server, which can be assessable by the GPCB/CPCB on real time basis. [Whichever (Air emission & Effluent discharge) is applicable as per the prevailing guidelines of GPCB/CPCB].	Noted & Will be Complied.
16	All measures shall be taken to prevent soil and ground water contamination.	Noted & will be taken care to avoid any type of contamination.
17	The National Ambient Air Quality Emission Standards issued by the Ministry vide G. S. R. No. 826 (E) dated 16th November,2009 shall be complied with.	Will be Complied.
18	National Emission Standards for organic chemical manufacturing industry issued by the Ministry vide G. S. R. No. 608 (E) dated 21/07/2010 and amended from time to time shall be followed.	Noted and Will be followed.
19	Unit shall have to adhere to the prevailing 'area specific policies of GPCB with respect to the discharge of pollutants, and shall carry out the project development in accordance & with the same.	Noted & Complied.
20	Unit shall provide CCTV camera strategic, locations within premises with web link facility for the continuous monitoring and recording to ensure that there is no discharge from the premises. (As per the prevailing guidelines of GPCB).	Noted & Complied.
21	Third party monitoring of the functioning of the EMS along with its efficiency shall be carried out once in a year through a GPCB recognized auditors.	Noted. After commissioning of plant, The unit will be conducts annual third-party monitoring of the EMS and its efficiency through GPCB-approved auditors, and implements corrective measures based on the audit findings.
A 2	WATER :	
22	Total water requirement for the project shall not exceed 1723 KLD Unit shall reuse 722 KLD treated industrial effluent within premises. Hence, fresh water requirement shall not exceed 1001 KLD and it shall be met through GIDC water supply only. Prior permission from concerned authority shall be obtained for withdrawal of water.	Noted & Complied. As, we have granted Partial CCA for the manufacturing of below mentioned product. CCA vide no. AWH- 149768 dated on 17/10/2025. Total fresh water consumption shall not exceed 320 KLD.
23	The industrial effluent generation from the project shall not exceed 719.50 KLD.	Noted & Complied. As, we have granted Partial CCA for the manufacturing of below mentioned product. CCA vide no. AWH- 149768 dated on 17/10/2025. Total industrial effluent generation shall not exceed

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch – 392130.

	227 KLD.														
24	Industrial effluent shall be segregated into two streams (1) High COD and TDS effluent (2) low COD and TDS effluent and it shall be manage as below: · High COD and TDS effluent (350 KLD) Ø 350 KLD, High COD and TDS effluent from the process and 125.50 KLD, RO reject shall be treated in MEE followed by the ATFD.280 Kl. MEE condensate shall be treated along with low COD effluent. Ø 163 KLD MEE & ATFD condensate shall be reused within premises. . Low COD and TDS Effluent (575 KLD) Ø 280 KLD, MEE condensate and 295 KLD, Low COD effluent from process, washing, DM Plant & Scrubber shall be treated in ETP consist of primary, Secondary & Tertiary treatment units. 575 KLD treated effluent and 74.50 KLD effluent shall be treated in R0524 KLD RO permeate shall be reused within premises.							Being Complied. Unit have granted Partial CCA for the manufacturing of below mentioned product. CCA vide no. AWH- 149768 dated on 17/10/2025. We assure you that, generated Low COD and TDS effluent shall be treated in to ETP II consist of primary, Secondary & Tertiary treatment units and High COD and TDS effluent shall be treated in to ETP I followed by RO, MVR (MEE) and ATFD. Also, RO permeate, MEE & ATFD condensate shall be reused within premises. Hence, unit will be maintained Zero Liquid Discharge policy.							
25	Complete Zero liquid Discharge (ZLD) status shall be maintained all the time and there shall be no drainage connection from the premises.							Being Complied. Unit will maintain Zero Liquid Discharge all the time.							
26	Unit shall feed wastewater to in-house MEE only after ensuring content of effluent for COD/VOC so as not to get air borne during evaporation in order to achieve no adverse impacts on environment and human health.							Being Complied.							
27	Domestic waste water generation shall not exceed 25 KL/day for proposed project and it shall be treated in STP. It shall not be disposed of through soak pit/ septic tank. Treated sewage shall be utilized for gardening / plantation purpose within premises after achieving on-land discharge norms prescribed by the GPCB or toilet flushing.							Being Complied. Domestic Effluent will be treated in STP plant and reused for gardening purpose within the premises.							
28	During monsoon season when treated sewage may not be required for the plantation / gardening / green belt purpose, it shall be used in cooling tower. There shall be no discharge of waste water outside the premises in any case.							Noted & Will be Complied.							
29	Unit shall provide buffer water storage tank of adequate capacity for storage of treated waste water during rainy days							Noted & Will be Complied.							
30	The unit shall provide metering facility at the inlet and outlet of ETP, RO, MEE & STP and maintain records for the same.							We assure you that; unit shall provide metering facility at the inlet and outlet of ETP, RO, MEE & STP and maintain records for the same.							
31	Proper logbook of ETP, RO, MEE & STP, reuse/recycle treated /untreated effluent chemical consumption in effluent treatment, quantity & quality of treated effluent power consumption etc. shall maintained and shall be furnished to the GPCB from time to time.							We assure you that the unit shall maintain proper logbooks for ETP, RO, MEE, and STP, recording details such as reuse/recycle of treated and untreated effluent, chemical consumption in effluent treatment, quantity and quality of treated effluent, and power consumption, etc.							
A3	AIR														
32	Unit shall not exceed fuel consumption for boilers, Thermo pack, DG Sets as mentioned							Noted & Will be Complied after obtain CCA.							
	Sr.	Source of	Stack	Type of Fuel	Quantity	Type of	Air Pollution Control	Sr No .	Stack attache d to	Required Quantity for	Name of Fuel	Quantit y of Fuel (per	(APCM)	Stack Heigh t in	Parameter & Permissibl

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

	no.	emission With Capacity	Height (meter)		of Fuel MT/Day	emissions i.e. Air Pollutants	Measures (APCM)	(Name of utility)	Partial CCA of utility (MT/Hr or KCal/Hr)	day)		Meter (From G.L.)	e limit		
	1	Boiler-1 (25 TPH)	45	Imported Coal	125	PM, SOx, NOx	ESP + Water Scrubber and Adequate stack height	1	Boiler	7 TPH	Imported Coal/ Briquette s	200 MT/Day	Multi Cyclone+ Bag Filter + Wet Scrubber and Adequate stack height	30 (Each)	PM-150 mg/Nm3, SO2-100 ppm, NOx -50 ppm
	2	Boiler-2 (20TPH)	40	Imported Coal	100		ESP + Water Scrubber and Adequate stack height								
	3	Thermopack (10 Lakhs K cal)	20	Natural gas	4201 SCM/day		Adequate stack height								
	4	Thermopack (6 Lakhs K cal)	20	Natural gas	2521 SCM/day		Adequate stack height								
	5	D.G Set (1010 kVA)	18	Diesel	300 Lit/hr		Adequate Stack Height and Acoustic Enclosure								
	6	D.G Set (1010 kVA)	18	Diesel	300 Lit/hr		Adequate Stack Height and Acoustic Enclosure								
	7	D.G Set (1010 kVA)	18	Diesel	300 Lit/hr		Adequate Stack Height and Acoustic Enclosure								
	8	D.G Set (650 KVA)	11	Diesel	200 Lit/hr		Adequate Stack Height and Acoustic Enclosure								
33	Unit shall provide adequate APCM with flue gas generation sources as mentioned above.							We assure you that, unit will be provided adequate APCM with Flue gas generation sources as Proposed.							
34	Unit shall provide adequate APCM with process gas generation sources as mentioned							We assure you that, unit will be provided adequate APCM with process gas generation sources as Proposed.							
	Sr. no.	Specific Source of emission (Name of the Product & Process)	Type of emission	Stack/Vent Height (meter)	Air Pollution Control Measures (APCM) followed by		Sr. No.	Stack attached to as Partial CCA	Air Pollution Control Measure (APCM)	Stack Height in Meter (From G.L.)	Parameter Permissible limit				
	1	Process Vessel - 1 (Attached to Bromination Process Vessel)	HBr, Br2	20	Water Scrubber followed by Alkali scrubber		1	Process Vessel - 1 (Attached to Bromination Process Vessel)	Water Scrubber followed by Alkali scrubber	20	HBr-30 mg/Nm3, Br2-02 mg/Nm3				
	2	Process Vessel - 2 (Attached to Chlorination Process Vessel)	HCl, Cl2	20	2 Stage Water Scrubber followed by Alkali scrubber		2	Process Vessel - 2 (Attached to Chlorination Process Vessel)	2 Stage Water Scrubber followed by Alkali scrubber	20	HCl-20 mg/Nm3, Cl2-09 mg/Nm3				

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

	3	Process Vessel - 3 (Attached to Sulphonation Process Vessel)	HCl, SO ₂	20	Water Scrubber followed by Alkali scrubber	3	Process Vessel - 3 (Attached to Sulphonation Process Vessel)	Water Scrubber followed by Alkali scrubber	20	SO ₂ -40 mg/Nm ³ , HCl-20 mg/Nm ³
	4	Process Vessel - 4 (Attached to Nitration Process Vessel)	NO _x	20	Two stage Alkali scrubber	4	Process Vessel - 4 (Attached to Nitration Process Vessel)	Two stage Alkali scrubber	20	NO _x -25 ppm
	5	Process Vessel - 5 (Attached to Ammonolysis Process Vessel)	NH ₃	20	Water Scrubber followed by Acid scrubber	5	Process Vessel - 5 (Attached to Ammonolysis Process Vessel)	Water Scrubber followed by Acid scrubber	20	NH ₃ -175 mg/Nm ³
	6	Process Vessel - 6 (Attached to Other Process Vessel)	HCl, Cl ₂ , HBr, SO ₂ , NO _x	20	2 Stage Water Scrubber followed by Alkali scrubber	6	Process Vessel - 6 (Attached to Other Process Vessel)	2 Stage Water Scrubber followed by Alkali scrubber	20	HCl-20 mg/Nm ³ , Cl ₂ -09 mg/Nm ³ , HBr-30 mg/Nm ³ , SO ₂ -40 mg/Nm ³ , NO _x -25 mg/Nm ³
	7	Process Vessel - 7 (Attached to Other Process Vessel)	HCl, Cl ₂ , HBr, SO ₂ , NO _x	20	2 Stage Water Scrubber followed by Alkali scrubber	7	Process Vessel - 7 (Attached to Other Process Vessel)	2 Stage Water Scrubber followed by Alkali scrubber	20	HCl-20 mg/Nm ³ , Cl ₂ -09 mg/Nm ³ , HBr-30 mg/Nm ³ , SO ₂ -40 mg/Nm ³ , NO _x -25 mg/Nm ³
	8	Process Vessel - 8 (Attached to Other Process Vessel)	HCl, Cl ₂ , HBr, SO ₂ , NO _x	20	2 Stage Water Scrubber followed by Alkali scrubber	8	Process Vessel - 8 (Attached to Other Process Vessel)	2 Stage Water Scrubber followed by Alkali scrubber	20	HCl-20 mg/Nm ³ , Cl ₂ -09 mg/Nm ³ , HBr-30 mg/Nm ³ , SO ₂ -40 mg/Nm ³ , NO _x -25 mg/Nm ³
35	<p>The fugitive emission in the work zone environment shall be monitored. The emission shall conform to the standards prescribed by the concerned authorities from time to time. (e.g Directors of industrial safety & health). Following indicative guidelines shall also be followed to reduce the failure emission.</p> <ul style="list-style-type: none"> * internal roads shall be either concreted or asphalted or paved properly to reduce the fugitive emission during vehicular movement. * air shall borne dust shall be controlled with water suitable location s in the plant. * a green belt shall be developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission. 					Noted & Will be Complied.				
36	Regular monitoring of volatile organic compounds (VOCs) shall be carried out in the work zone area and ambient air.					We assure you that, regular monitoring of Volatile Organic Compounds (VOCs) will be carried out in the work zone area and ambient air to ensure compliance with prescribed standards.				

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

37	for control of fugitive emission , VOCs, following step shall be followed: a. closed handling and charging system shall be provided for chemicals. b. reflux condenser shall be provided over Reactors / Vessels. c. pump shall be provided with mechanical seals to prevent leakage. d. air borne dust at all transfers operations/ point shall be controlled either by spraying water or providing enclose.					Noted & Will be Complied.				
38	Solvents management shall be carried out as follow: a. Measure shall be taken to reduce the process vapour emission as far as possible. use of toxic solvents shall be minimum. all venting equipment shall be have vapour recovery system. b. Reactor shall be connected to adequate chilling system to condensate solvents vapours and reduce solvents losses. c. Reactor and solvents handling pump shall have mechanical seal to prevent leakage. d. The condenser shall be provided with sufficient HTA and residence time so as to achieve maximum solvents recovery. e. Solvents shall be stored in separate space specified with all safety measures. f. Proper earthing shall be provided in all electrical equipment wherever solvents handling is done. g. Solvents handling and storage area shall be flame proof . the solvents storage tank shall be provided with breather valve to prevent losses.					Noted & Will be Complied.				
39	Regular monitoring of ground level concentration of PM10, PM2.5, SO2, NOx, HCL, Br2, HBr, NH3 and VOCs shall be carried out in the impact zones and its record shall be maintained. Ambient air quality level shall not exceed the standard stipulated by the GPCB.					After obtaining the CCA, regular monitoring of ground-level concentrations of PM ₁₀ , PM _{2.5} , SO ₂ , NO _x , HCl, Br ₂ , HBr, NH ₃ , and VOCs will be carried out in the identified impact zones, and records will be maintained accordingly. The ambient air quality levels will be ensured not to exceed the standards stipulated by the GPCB.				
A 4	SOLID/HAZARDOUS WASTE :									
40	All the Hazardous/solid waste management shall be taken care as mentioned					The SEIAA has been granted Environment Clearance for the manufacturing of the API and Intermediate product. Based on that the board had granted CTE on dated 25/10/2021 and CTE-Amendment on dated 21/07/2025.				
	Sr. no .	Type/Name of Hazardous waste	Specific Source of generation (Name of the Activity, Product etc.)	Category and Schedule as per HW Rules.	Quantity (MT/Annum)	Management of HW	We have granted Partial CCA for the manufacturing of below mentioned product. CCA vide no. AWH- 149768 dated on 17/10/2025.			
	1	ETP Sludge	ETP	35.3	3600	Collection, Storage, Transportation, Disposal at TSDF.	Proposed hazardous waste and non-hazardous waste generation quantity is as mentioned below.			
	2	MEE Salt	MEE	37.3	11700	Collection, Storage, Transportation, Disposal at TSDF.				
	3	Empty barrels/containers/liners	Packing materials	33.1	300	Collection, Storage, Decontamination				
	Sr. No .	Name of Hazardous Waste	Sch.	Cat e. No.	Require d Quantit y for	Facility & Mode of Disposal				

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

		contaminated with hazardous chemicals				Transportation Disposal by selling to authorized Recycler/TSDF/CHWIF/co-processing.						Partial CCA	
4	Used Oil	lubrication place of Machinery and equipment	5.1	50	Collection, Storage, Transportation, Disposal by selling to registered reprocess.	1	ETP Sludge	Sch. -I	35.3	1470	Collection, Storage, Transportation, and Disposal at TSDF/Co-processing/pre-processing site by use of GPS mounted vehicles and XGN manifest system.		
5	Process Residue and waste	Manufacturing process	28.1	12180	Collection, Storage, Transportation, Disposal by Authorized regenerators/incineration at CHWIF/co-processing.	2	MEE Salt	Sch. -I	37.3	4580	Collection, Storage, Transportation, Disposal at TSDF/Co-processing/pre-processing site by use of GPS mounted vehicles And XGN manifest system.		
6	Spent Catalyst	Manufacturing process	28.2	372	Collection, Storage, transportation and send to its authorized regenerator.	3	Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Sch. -I	33.1	200	Collection, Storage, Decontamination Transportation, Disposal by selling to authorized Recycler by use of GPS mounted vehicles and XGN manifest system.		
7	Spent Solvent / Mix Solvent	Manufacturing process	28.6	33024	Collection, Storage, Transportation, Disposal by Authorized Recyclers (Under Rule 9 Permission) regenerators/ incineration at CHWIF/co-processing.	4	Used Oil	Sch. -I	5.1	30	Collection, Storage, Transportation, Disposal by selling to registered reprocess by use of GPS mounted vehicles and XGN manifest system.		
8	Spent Carbon	Manufacturing process	28.3	1248	Collection, Storage, Transportation, Disposal by Authorized regenerators/incineration at CHWIF/co-processing.	5	Process Residue and waste	Sch. -I	28.1	2200	Collection, Storage, Transportation, Disposal by incineration at CHWIF/for co-Processing/pre-processing site by use of GPS Mounted vehicles and XGN manifest system.		
9	Off specification products	Manufacturing process	28.4	200	Collection, Storage, Transportation, Disposal by Authorized regenerators/incineration at CHWIF/co-processing.	6	Spent Catalyst	Sch. -I	28.2	200	Collection, Storage, Transportation, and Disposal by Authorized regenerators/recyclers/incineration at CHWIF / co-processing/ pre-processing site by use of GPS Mounted vehicles and XGN manifest system.		
10	Date-expired products	Manufacturing process	28.5	5	Collection, Storage, Transportation, Disposal by Authorized regenerators/incineration at CHWIF/co-processing.								
11	Spent Hydrochloric Acid (HCL)	Manufacturing process	B-15	756	Collection, Storage, Transportation, and sell out to its end user who is having valid permission under Rule -9.								
12	Phosphoric Acid	Manufacturing	B-15	1020	Collection, Storage,								

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

	1	STP Sludge as Manure	STP	75	Collection, Storage, Transportation, Disposal as Manure.
	2	Insulation/ Thermocol Waste	Plant and Machinery	50	Collection, Storage, Decontamination Transportation, Disposal to TSDF.
	3	Glass Waste	Laboratory/Plant/Buildings	30	Collection, Storage, Transportation, disposal /sold to scrap processors.
	4	PPE's Waste & Non Recyclable Plastic Waste	Plant and Machinery	30	Collection, Storage, Transportation, Disposal by selling to authorized recyclers.
	5	Batteries Waste	Plant and Machinery	350 Nos.	Collection, Storage, Transportation, Disposal by selling to authorized recyclers.
	6	Office Waste	Admin/Office	20	Collection, Storage, Transportation and disposal to Registered recyclers.
	7	Wooden Waste	Plant and Machinery	40	Collection, Storage, Transportation and disposal as per MSW Rule-2016.
	8	Bio Medical Waste	Occupational Health Centre	1	Collection, Storage, Transportation, Disposal to CBWTF - Incineration.
	9	E-Waste & Electrical Waste	Plant and Machinery	60	Collection, Storage, Transportation, Disposal to authorized recyclers.
12	Phosphoric Acid	Sch. -II	B-15	648	Collection, Storage, Transportation, Disposal who is having valid permission under Rule-9 of Haz. Waste management rule2016 by use of GPS mounted vehicles and XGN manifest system.
13	HBr	Sch. -II	B-15	310	Collection, Storage, Transportation, Disposal who is having valid permission under Rule-9 of Haz. Waste management rule2016 by use of GPS mounted vehicles and XGN manifest system.
14	Maleic Acid	Sch. -II	B-15	102	Collection, Storage, Transportation, Disposal who is having valid permission under Rule-9 of Haz. Waste management rule2016 by use of GPS mounted vehicles and XGN manifest system.
15	Acetic Acid	Sch. -II	B-15	1105	Collection, Storage, Transportation, and Disposal by incineration at CHWIF / Co-processing/pre-processing site by use of GPS mounted vehicles and XGN manifest system.
16	NaBr	Sch. -II	B-15	350	Collection, Storage, Transportation, and Disposal by incineration at CHWIF / Co-processing/pre-processing site by use of GPS mounted vehicles and XGN manifest system.
17	KBr	Sch. -II	B-15	80	Collection, Storage, Transportation, and Disposal by incineration at CHWIF / Co-processing/pre-processing site by use of GPS mounted vehicles and XGN manifest system.
18	RO Membrane			20	Collection, Storage, Transportation, and Disposal

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

10	Fly Ash	Boiler	8000	Sold to Brick Manufactures, Construction activities and other end Users as per Fly Ash handling guideline.					at TSDF/ Co-processing/pre-processing site by use of GPS mounted vehicles and XGN manifest system.
19	Filter Press Cloths		40						Collection, Storage, Transportation, and Disposal at TSDF/ Co-processing/pre-processing site by use of GPS mounted vehicles and XGN manifest system.
20	Spent Resin	Sch. -III	A-3	50					Collection, Storage, Transportation, and Disposal at TSDF/ Co-processing/pre-processing site by use of GPS mounted vehicles and XGN manifest system.
Sr. No.	Specific Source of generation (Name of the Activity, Product etc.)	Name of Non-Hazardous Waste	Required Quantity for Partial CCA	Facility & Mode of Disposal					
1	STP	STP Sludge as Manure	50	Collection, Storage, Transportation, Disposal as Manure.					
2	Plant and Machinery	Insulation/ Thermocol Waste	30	Collection, Storage, Decontamination Transportation, Disposal to TSDF.					
3	Laboratory/Plant/Buildings	Glass Waste	20	Collection, Storage, Transportation, disposal /sold to scrap processors.					
4	Plant and Machinery	PPE's Waste & Non Recyclable Plastic Waste	20	Collection, Storage, Transportation, disposal /sold to scrap processors.					
5	Plant and Machinery	Batteries Waste	200 Nos.	Collection, Storage, Transportation, Disposal by selling					

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

					to authorized recyclers.	
		6	Admin/Office	Office Waste	20	Collection, Storage, Transportation and disposal to Registered recyclers.
		7	Plant and Machinery	Wooden Waste	20	Collection, Storage, Transportation and disposal as per MSW Rule-2016.
		8	Occupational Health Centre	Bio Medical Waste	1	Collection, Storage, Transportation, Disposal to CBWTF - Incineration.
		9	Plant and Machinery	E-Waste & Electrical Waste	30	Collection, Storage, Transportation, Disposal to authorized recyclers.
		10	Boiler	Fly Ash	4500	Sold to Brick Manufactures, Construction activities and other end Users as per Fly Ash handling guideline.
41	Authorized end-users shall have permission from the concerned authorities under the rule 9 of the hazardous and other waste (management and Transboundary movement) rule 2016.	Noted & Will be Complied. We will be sent the hazardous waste only to authorized end-users who have obtained valid permission from the concerned authorities as per Rule 9 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.				
42	Unit shall explore the possibilities for environment friendly methods like co-processing of hazardous waste for disposal of incinerable & land fillable wastes before sending to CHWIF & TSDF sites respectively.	We have obtained respective membership certificate for the handling of hazardous waste and non-hazardous waste management. Membership certificate for the same is attached as Annexure – III.				
43	The unit shall submit the list of authorized end users of hazardous waste along with the MOU signed with them at least two months in advance prior to the commencement of production. In the absence of the potential buyers of these items, the unit shall restrict the production of the respective items.	At the time of Partial CCA-Fresh Application, we have already submitted the list of authorized end users of hazardous waste along with the MOU signed with Partial CCA-Fresh Application Set. The same is attached as Annexure – IV.				
A 5	OTHER :					

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch – 392130.

44	The project proponent shall allocate the separate fund of Rs.5.10 Crore as committed before SEAC. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEF&CC as a part of half yearly compliance report and to district collector .The monitoring report shall be posted on the website of the project proponent.	Noted & Complied.
45	All the environmental protection measures and safeguards proposed in the form-1 & PFR submitted by the project proponent and commitments made in their application the shall be strictly adhered to in letter and spirit.	Noted.
B	GENERAL CONDITIONS :	
B. 1	CONSTRUCTION PHASE	
46	Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.	Noted & Complied.
47	Project proponent shall ensure that surrounding environment shall not be affected due to construction activity. Construction materials shall be covered during transportation and regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.	Noted & Complied.
48	All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.	All required sanitary and hygienic measures are provided before the commencement of construction activities and are maintained throughout the construction phase.
49	First aid box shall be made readily available in adequate quantity at all the times.	First aid boxes are made readily available in adequate quantities at all times.
50	The project proponent shall strictly comply with the Building and other construction works' (Regulation of Employment & Condition of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments. Local bye-laws of concern authority shall be complied in letter and spirit.	Noted & Complied.
51	Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality shall be closely monitored during construction phase.	Noted & Complied.
52	Use of Diesel Generator (DG) sets during construction phase shall be strictly equipped with acoustic enclosure and shall conform to the EPA Rules for air and noise emission standards.	Noted & Complied.
53	Safe disposal of waste water and municipal solid wastes generated during the construction phase shall be ensured.	Noted & Complied.
54	All top soil excavated during construction activity shall be used in horticultural / landscape development within the project site.	Noted & Complied.
55	Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed-off with the approval of the competent authority after taking the	Noted & Complied.

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch – 392130.

	necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighbouring communities.	
56	Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMC] and lead free paints in the project.	The unit uses eco-friendly building materials in the project, including fly ash bricks, fly ash paver blocks, Ready Mix Concrete (RMC), and lead-free paints.
57	Fly ash shall be used in construction wherever applicable as per provisions of Fly Ash Notification under the E.P. Act 1986 and its subsequent amendments from time to time.	Noted.
58	“Wind – breaker of appropriate height i.e. 1/3rd of the building height and maximum up to 10 meters shall be provided. Individual building within the project site shall also be provided with barricades.	The unit provides wind breakers of appropriate height, Individual buildings within the project site are also provided with barricades.
59	“No uncovered vehicles carrying construction material and waste shall be permitted.”	Noted.
60	“No loose soil or sand or construction & demolition waste or any other construction material that cause dust shall be left uncovered. Uniform piling and proper storage of sand to avoid fugitive emissions shall be ensured.”	The unit does not leave any loose soil, sand, construction and demolition waste, or other dust-generating construction material uncovered. It ensures uniform piling and proper storage of sand to prevent fugitive emissions.
61	Roads leading to or at construction site must be paved and blacktopped (i.e. – metallic roads).	Noted.
62	No excavation of soil shall be carried out without adequate dust mitigation measures in place.	Noted.
63	Dust mitigation measure shall be displayed prominently at the construction site for easy public viewing.	Noted.
64	Grinding and cutting of building materials in open area shall be prohibited.	Noted.
65	Construction material and waste should be stored only within earmarked area and road side storage of construction material and waste shall be prohibited.	Noted.
66	Construction and demolition waste processing and disposal site shall be identified and required dust mitigation measures be notified at the site. (if applicable).	Noted.
B 2	OPERATION PHASE :	
B 2.1	WATER :	
67	Industry should provide separate dedicated washing area for hand washing/bathing of worker and the waste water generated from the same should be taken into ETP.	The unit provides a separate, dedicated washing area for hand washing and bathing of workers, and the wastewater generated from this area is directed to the ETP for treatment.
68	The water meter shall be installed and records of daily and monthly water consumption shall be maintained.	The unit installs water meters and maintains records of daily and monthly water consumption.

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

69	All efforts shall be made to optimize water consumption by exploring Best Available Technology (BAT). The unit shall continuously strive to reduce, recycle and reuse the treated effluent.	The unit assures that it will make all efforts to optimize water consumption by implementing Best Available Technology (BAT) and will continuously strive to reduce, recycle, and reuse treated effluent.
B 2.2	AIR :	
70	In case of use of spray dryer, the unit shall provide the adequate & efficient APCMs with spray dryer so that there should not be any adverse impact on human health & environment. Unit shall carry out third party monitoring of the proposed Spray dryer & it's APCM through the credible institutes and study report for impacts on Environment and Human Health shall be submitted to GPCB every year along with half yearly compliance report.	Noted
71	Acoustic enclosure shall be provided to the DG sets (If applicable) to mitigate the noise pollution and shall conform to the EPA Rules for air and noise emission standards.	Noted
72	Stack/Vents (Whichever is applicable) of adequate height shall be provided as per the prevailing norms for flue gas emission/Process gas emission.	The unit provides stacks/vents of adequate height, as applicable, in accordance with prevailing norms for flue gas and process gas emissions.
73	Flue gas emission & Process gas emission (If any) shall conform to the standards prescribed by the GPCB/CPCB/MoEF&CC. At no time, emission level should go beyond the stipulated standards.	Noted & will be Complied.
74	All the reactors / vessels used in the manufacturing process shall be closed to reduce the fugitive emission.	The unit uses closed reactors and vessels in the manufacturing process to minimize fugitive emissions.
75	Adequate Air Pollution Control Measures (APCM) shall be provided.	We assure you that, unit will be provided adequate Air Pollution Control Measures (APCM).
76	The unit shall adhere to sector specific guidelines/ SOP published by GPCB/CPCB from time to time for effective fugitive emission control. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.	Noted & will be Complied.
77	Unit shall take adequate measures to control odour nuisance from the industrial activities which may include measures like- use of masking agent with atomizer system (water curtain), closed / automatic material handling system, containment of the odour vulnerable areas etc.	Noted & will be Complied.
78	Unit shall provide wall to wall carpeting in vehicle movement areas within premises to avoid dusting.	Noted & will be Complied.
B 2.3	HAZARDOUS/SOLID WASTE	

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

79	The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous waste in accordance with the Hazardous and Other Wastes (Management and Trans boundary Movement) Rules 2016, as may be amended from time to time. Authorization of the GPCB shall be obtained for collection / Treatment / storage / disposal of hazardous wastes.	Noted & will be Complied.
80	Hazardous wastes shall be dried, packed and stored in separate designated hazardous waste storage facility with pucca bottom and leachate collection facility, before its disposal.	The unit will dry, pack, and store hazardous wastes in a separate, designated hazardous waste storage facility with a pucca bottom and leachate collection system prior to their disposal.
81	The unit shall obtain necessary permission from the nearby TSDF site and CHWIF. (Whichever is applicable)	Unit have obtained necessary permission for the management of hazardous waste. Membership certificate for the same is attached as Annexure - III.
82	Trucks/Tankers used for transportation of hazardous waste shall be in accordance with the provisions under the Motor Vehicle Act, 1988, and rules made there under.	Noted & will be Complied.
83	The design of the Trucks/tankers shall be such that there is no spillage during transportation.	Noted & will be Complied.
84	All possible efforts shall be made for Co-Processing of the Hazardous waste prior to disposal into TSDF/CHWIF.	Unit have obtained necessary permission for the management of hazardous waste. Membership certificate for the same is attached as Annexure - III.
85	Management of fly ash (if any) shall be as per the fly ash Notification 2009 & its amendment time to time and it shall be ensured that there is 100% utilization of fly ash to be generated from the unit.	Noted.
86	Unit shall carry out transportation of hazardous wastes through GPS mounted vehicles only for disposal at TSDF/CHWF, co-processing and end-users having Rule-9 permission.	The unit carries out the transportation of hazardous wastes using GPS-mounted vehicles only for disposal at TSDF/CHWF, co-processing facilities, or authorized end-users holding Rule-9 permissions.
87	The by-products which fall under the preview of the hazardous and other wastes (Management and Transboundary Movement) Rules 2016 shall be handled as per the said rules and necessary permissions from the concern authority shall be obtained.	Noted & will be Complied.
88	Unit shall submit the list authorized end users of above mentioned wastes along with MoU signed with them at least two months in advance prior to commencement of production. In absence of potential buyers of these items, the unit shall restrict the production of respective item.	The unit has already submitted the list of authorized end users of the above-mentioned wastes, along with the signed MoUs, at the time of the Partial CCA fresh application. Accordingly, production of the respective items is restricted in the absence of potential buyers.
89	Industry shall dispose its hazardous wastes through co-processing, pre-processing to the extent possible prior its disposal to incineration/ landfill as per provisions of hazardous and other wastes (Management and Transboundary movement) Rules,2016.	The unit disposes of its hazardous wastes through BEIL Infrastructure Ltd. and Safe Enviro Private Limited, ensuring that all waste management is carried out in accordance with the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
B	SAFETY :	

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

2.4		
90	The occupier/manager shall strictly comply the provision under the Factories Act 1948 and the Gujarat Factories Rules 1963.	The occupier/manager strictly complies with the provisions of the Factories Act, 1948, and the Gujarat Factories Rules, 1963.
91	The project authorities shall strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules (MSIHC) 1989, as amended time to time and the Public Liability Insurance Act for handling of hazardous chemicals etc. Necessary approvals from the Chief Controller of Explosives and concerned Govt. Authorities shall be obtained before commissioning of the project. Requisite on-site and off-site Disaster management plans have to be prepared and implemented.	The unit strictly complies with the provisions of the Manufacture, Storage, and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended from time to time, and the Public Liability Insurance Act for the handling of hazardous chemicals. Necessary approvals from the Chief Controller of Explosives and other concerned government authorities are obtained prior to commissioning of the project. Requisite on-site and off-site Disaster Management Plans are prepared and implemented.
92	Main entry and exit shall be separate and clearly marked in the facility.	The unit has separate main entry and exit points and clearly marks them within the facility.
93	Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/emergency vehicle around the premises.	The unit maintains sufficient peripheral open passages in the margin areas to allow free movement of fire tenders and emergency vehicles around the premises. Flammable chemicals are stored at a safe distance from the production area.
94	Storage of flammable chemicals shall be sufficiently away from the production area.	Flammable chemicals shall be stored at a safe distance from the production area.
95	Sufficient number of fire extinguishers shall be provided near the plant and storage area.	The unit provides a sufficient number of fire extinguishers near the plant and storage areas. Total extinguishers provided in whole premises: 171 Nos Extinguishers provided in Production plant and storage area: 51 Nos Photographs of the same are attached as Annexure - VI .
96	All necessary precautionary measures shall be taken to avoid any kind of accident during storage and handling of toxic / hazardous chemicals.	Noted & will be Complied.
97	All the toxic/hazardous chemicals shall be stored in optimum quantity and all necessary permissions in this regard shall be obtained before commencing the expansion activities.	The unit assures that all toxic and hazardous chemicals will be stored in optimum quantities, and all necessary permissions will be obtained prior to commencing the expansion activities.
98	The project management shall ensure to comply with all the environment protection measures, risk mitigation measures and safeguards mentioned in the Risk Assessment report.	The unit ensures compliance with all environmental protection measures, risk mitigation measures, and safeguards as recommended in the Risk Assessment Report.
99	Only flame proof electrical fittings shall be provided in the plant premises.	The unit has installed only flame-proof electrical fittings throughout the plant premises to ensure safety.
100	Storage of hazardous chemicals shall be minimized and it shall be in multiple small capacity tanks / containers instead of one single large capacity tank / containers.	Noted & being Complied. Unit have identified and provided dedicated storage area for hazardous chemicals.

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

10 1	All the storage tanks shall be filled with appropriate controls to avoid any leakages. Bond/dyke walls shall be provided for storage tanks for hazardous chemicals.	All storage tanks are filled under appropriate controls to prevent any leakages. Bonded/dyke walls have been provided around storage tanks containing hazardous chemicals to contain any accidental spillage.
10 2	Handling and charging of the chemicals shall be done in closed manner by pumping or by vacuum transfer so that minimal human exposure occurs.	Noted & being Complied. Unit is handling and charging of the chemicals done in closed manner by pumping or by vacuum transfer so that minimal human exposure occurs.
10 3	Tie up shall be done with nearby health care unit / doctor for seeking immediate medical attention in the case of emergency.	The unit has established a tie-up with Apex Health Care Hospital to ensure immediate medical attention and emergency healthcare services for all employees.
10 4	Personal Protective Equipment (PPEs) shall be provided to workers and its usage shall be ensured and supervised.	The unit provides Personal Protective Equipment (PPE) to all workers and ensures its proper usage through regular supervision and monitoring.
10 5	First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.	The unit ensures that First Aid boxes and the required antidotes for all chemicals used are readily available in adequate quantities at appropriate locations.
10 6	Training shall be imparted to all the workers on safety and health aspects of chemicals handling.	The unit provides training to all workers on the safety and health aspects of chemical handling and maintains records of such training.
10 7	Occupational health surveillance of the workers shall be done and its records shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaken as per the Factories Act & Rules.	The unit conducts occupational health surveillance for all workers and maintains proper records. Pre-employment and periodic medical examinations are undertaken for all workers in accordance with the Factories Act and applicable rules.
10 8	Transportation of hazardous chemicals shall be done as per the provisions of the Motor Vehicle Act & Rules.	The unit ensures that the transportation of hazardous chemicals is carried out in accordance with the provisions of the Motor Vehicle Act and its applicable rules.
10 9	The company shall implement all preventive and mitigation measures suggested in the Risk Assessment Report.	The unit implements all preventive and mitigation measures recommended in the Risk Assessment Report to ensure operational safety and environmental compliance.
11 0	Necessary permissions from various statutory authorities like PESO, Factory Inspectorate and others shall be obtained prior to commissioning of the project.	The unit has obtained all necessary permissions from relevant statutory authorities, including PESO, the Factory Inspectorate, and others, prior to the commissioning of the project. NOC for the same is attached as Annexure - I .
11 1	Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be maintained.	The unit conducts pre-employment and routine periodic medical examinations for all employees on a regular basis. Additionally, training on the safe handling of chemicals is provided and properly documented for all employees.
11 2	Effective safety precaution shall be taken for chemical storage, process handling and transportation hazard.	The unit ensures that effective safety precautions are taken for chemical storage, process handling, and transportation to prevent any hazards.

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

11 3	Unit shall prepare and implement SOP for safe operation of the works.	The unit has prepared and implemented Standard Operating Procedures (SOPs) for the safe operation of all processes and works.
11 4	Comply the statutory provision of safety audit & its compliance report.	Being Complied.
11 5	Effective step shall be taken for prevention of fire, explosion & toxic release.	Being Complied.
B 2.5	NOISE	
11 6	The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall confirm to the standards prescribed under The Environment (Protection) Act, 1986 & Rules.	Noted & being Complied.
B 2.6	CLEANER PRODUCTION AND WASTE MINIMISATION:	
11 7	The unit shall undertake the Cleaner Production Assessment study through a reputed institute / organization and shall form a CP team in the company. The recommendations thereof along with the compliance shall be furnished to the GPCB.	Noted.
11 8	The company shall undertake various waste minimization measures such as, a) Metering and control of quantities of active ingredients to minimize waste. b) Reuse of by-products from the process as raw materials or as raw materials substitutes. c) Use of automated and close filling to minimize spillages. d) Use of close feed system into batch reactors. e) Venting equipment through vapour recovery system. f) Use of high pressure hoses for cleaning to reduce wastewater generation. g) Recycling of washes to subsequent batches. h) Recycling of steam condensate. i) Sweeping / mopping of floor instead of floor washing to avoid effluent generation. j) Regular preventive maintenance for avoiding leakage, spillage etc.	Noted & being Complied
B 2.7	GREEN BELT AND OTHER PLANTATION.	
11 9	The unit shall develop green belt within premises as per the CPCB guidelines. However, if the adequate land is not available within the premises, the unit shall take up adequate plantation on road sides and suitable open areas in GIDC estate or any other open areas in consultation with the GIDC / GPCB and submit an action plan of plantation for next three years to the GPCB.	Being Complied. Unit have provided 33% of greenbelt area of total area.
12 0	Drip irrigation / low-volume, low-angle sprinkler system shall be used for the green belt development within the premises.	The unit uses drip irrigation and low-volume, low-angle sprinkler systems for green belt development within the premises.
B 3	OTHER CONDITION :	

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

12 1	Unit shall comply all the applicable standard conditions prescribed in office Memorandum (OM) published by MoEF&CC vide no. f. No. 22-34/2018-IA.III dated 09/08/2018 for pharmaceutical and Chemical industries mentioned at (sr. no. XX).	Noted.
12 2	The provisions of the solid waste Management Rules, 2016, e-Waste (Management) Rules, 2016, the construction and demolition waste management rules, 2016 and the plastics waste management rules, 2016 shall be followed.	Noted & being Complied
12 3	Rain water harvesting (off-site) shall be undertaken to conserve fresh water as well as to recharge ground water. Before recharging the surface run off, pre-treatment must be done to remove suspended matter. (Applicable for units consuming ground water > 50 KLD in line with the prevailing guidelines of SPCB).	Noted & being Complied
12 4	The unit shall join and participate financially and technically for any common environmental facility / infrastructure as and when the same is taken up either by the Industrial Association or GIDC or GPCB or any such authority created for this purpose by the Govt. / GIDC.	Noted.
12 5	Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.	Noted.
12 6	The area earmarked as green area shall be used only for plantation and shall not be altered for any other purpose.	Noted.
12 7	All the commitments / undertakings given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.	Noted.
12 8	The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.	Noted.
12 9	In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.	Noted.
13 0	The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB), State Government and any statutory authority.	The unit strictly adheres to all stipulations and directions issued by the Gujarat Pollution Control Board (GPCB), the State Government, and other relevant statutory authorities.
13 1	During material transfer there shall be no spillages and garland drain shall be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.	The unit ensures that no spillages occur during material transfer. A garland drain has been constructed to prevent accidental spillages from mixing with domestic wastewater or storm water.
13 2	Pucca flooring / impervious layer shall be provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.	The unit has provided pucca flooring and impervious layers in all work areas, chemical storage areas, and chemical handling areas to prevent soil contamination.
13 3	Leakages from pipes, pumps shall be minimal and if occurs, shall be arrested promptly.	Noted & being Complied

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

13 4	No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.	Noted
13 5	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	The unit complies with all the applicable provisions of the Water (Prevention and Control of Pollution) Act, 1974; the Air (Prevention and Control of Pollution) Act, 1981; the Environment (Protection) Act, 1986; the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016; and the Public Liability Insurance Act, 1991, along with all their subsequent amendments and rules. Public Liability Insurance is attached as Annexure - V .
13 6	The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments from time to time in a letter and spirit.	The unit complies with all the conditions mentioned in The Companies (Corporate Social Responsibility Policy) Rules, 2014 and its amendments.
13 7	The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.	Noted & being Complied
13 8	The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Noted & being Complied
13 9	The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of SEIAA/ SEAC/GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.	Noted.
14 0	It shall be mandatory for the project management to submit half yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year.	Noted & being Complied
14 1	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted & being Complied
14 2	The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.	Noted.
14 3	The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.	Noted.

M/s. Aarti Pharmalabs Ltd., R. S. No: 39 to 49, PCPIR Notified Industrial area, Atali, Vagra, Bharuch - 392130.

14 4	The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.	Noted.
14 5	The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted.
14 6	This environmental clearance is valid for seven years from the date of issue.	Noted.
14 7	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
14 8	Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance cancelled.	Noted.

List of Annexures

1	Annexure - I	PESO License
2	Annexure - II	Fire Hydrant System with Water Storage tank
3	Annexure - III	Hazardous Waste Membership Certificate
4	Annexure - IV	MOU (For Hazardous waste disposal)
5	Annexure - V	PLI Policy
6	Annexure - VI	Photographs of Fire Extinguisher



भारत सरकार
Government of India
वाणिज्य और उद्योग मंत्रालय
Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)
Petroleum & Explosives Safety Organisation (PESO)
9वीं मंजिल, पार्क पैराडाइज, वडसर,
वडोदरा- 390012
9th Floor, Park Paradise,
Vadsar,
Vadodara - 390012

E-mail : jtcce.vadodara@explosives.gov.in
Phone/Fax No : 0265 - 2361035

संख्या /No. : P/WB/GJ/15/3086 (P607728)

दिनांक /Dated : 29/09/2025

सेवा में /To,

M/s. AARTI PHARMALABS LIMITED,
Survey no 39 to 49,
Village Atali, PCPIR Zone,,
Village Atali, PCPIR Zone,,
Vagra,
Taluka: Vagra,
District: BHARUCH,
State: Gujarat
PIN: 392130

विषय /Sub : Survey No, 39 to 49, Village Atali, PCPIR Zone,, Village Atali,, Vagra, Taluka: Vagra, District: BHARUCH, State: Gujarat, PIN: 392130 में पेट्रोलियम वर्ग A,B का अधिष्ठापन -अनुज्ञप्ति जारी करने के बारे में ।

Petroleum Class A,B Installation at Survey No, 39 to 49, Village Atali, PCPIR Zone,, Village Atali,, Vagra, Taluka: Vagra, District: BHARUCH, State: Gujarat, PIN: 392130 Grant of License regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक OIN2013690 दिनांक 18/09/2025 का अवलोकन करें ।

Please refer to your letter No. OIN2013690 dated 18/09/2025

विषयान्तर्गत अधिष्ठापन में निम्नलिखित पेट्रोलियम पदार्थों के वर्ग तथा मात्रा के भंडारण के लिए पेट्रोलियम नियम, 2002 के अधीन प्ररूप - XV में स्वीकृत, दिनांक 31/12/2029 तक वैध अनुज्ञप्ति संख्या P/WB/GJ/15/3086 (P607728) दिनांक 29/09/2025 भेजी जा रही है ।

Licence No. P/WB/GJ/15/3086 (P607728) dated 29/09/2025 granted in Form XV under the Petroleum Rules, 2002 and valid till 31/12/2029 for the storage of the following kinds and quantities of Petroleum at the subject installation is forwarded herewith.

पेट्रोलियम का विवरण /Description of Petroleum	किलोलीटरों में अनुज्ञप्त क्षमता /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	980.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	60.00 KL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	1040.00 KL

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें और अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्ति की तारीख या उससे पूर्व इस कार्यालय को प्रेषित करें ।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for further renewal of the licence to this office, so as to reach on or before the date on which licence expires.

यह अनुमोदन/ अनुमति अन्य प्राधिकारियों से आवश्यक अनुमति/क्लीयरन्स प्राप्त करने से या यथा लागू अन्य विधियों से छूट नहीं देती है ।

This approval/permission, however, does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable.

भवदीय /Yours faithfully,

((पी. सी. नीराज)
(P. SEENIRAJ)
संयुक्त मुख्य विस्फोटक नियंत्रक
Jt. Chief Controller of Explosives
वडोदरा/Vadodara

Copy forwarded to :-

1. The Additional District Magistrate, BHARUCH(Gujarat) with reference to his NOC No LSDA NO. P/GJ/BRO/NA/10(N12031) Dated 18/09/2025

Jt. Chief Controller of Explosives
Vadodara

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट <http://peso.gov.in> देखें)
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:-This is system generated document does not require signature.

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.) : **P/WB/GJ/15/3086(P607728)**

फीस रूपए (Fee Rs.) **55500/-** per year

M/s. AARTI PHARMALABS LIMITED, Survey no 39 to 49, Village Atali, PCPIR Zone,, Village Atali, PCPIR Zone,, Vagra, Taluka: Vagra, District: BHARUCH, State: Gujarat, PIN: 392130 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम **1040.00 KL** आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या **P/WB/GJ/15/3086(P607728)** तारीख **29/09/2025** जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to **M/s. AARTI PHARMALABS LIMITED, Survey no 39 to 49, Village Atali, PCPIR Zone,, Village Atali, PCPIR Zone,, Vagra, Taluka: Vagra, District: BHARUCH, State: Gujarat, PIN: 392130** valid only for the importation and storage of **1040.00 KL** Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No **P/WB/GJ/15/3086(P607728)** dated **29/09/2025** attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December **2029** तक प्रवृत्त रहेगी।

The Licence shall remain in force till the 31st day of December **2029**

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	980.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	60.00 KL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C,otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	1040.00 KL

September 29, 2025

Jt. Chief Controller of Explosives
WB, Vadodara

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टां संलग्न अनुमोदित नक्शों में दिखाई गई हैं **Survey No: 39 to 49, Village Atali, PCPIR Zone,, Village Atali,, Vagra, Taluka: Vagra, District: BHARUCH, State: Gujarat, PIN: 392130** स्थान पर अवस्थित है तथा उसमें निम्नलिखित **30 Under Ground tank(s) for CLASS A , 2 Under Ground tank(s) for CLASS B** सम्मिलित हैं।

The licensed premises, the layout , boundaries and other particulars of which are shown in the attached approved plan are situated at **Survey No: 39 to 49, Village Atali, PCPIR Zone,, Village Atali,, Vagra, Taluka: Vagra, District: BHARUCH, State: Gujarat, PIN: 392130** and consists of **30 Under Ground tank(s) for CLASS A , 2 Under Ground tank(s) for CLASS B** together with connected facilities.

Note:-This is system generated document does not require signature.

अनुज्ञप्ति संख्या-(Licence No.) P/WB/GJ/15/3086 (P607728)

नवीनीकरण के पृष्ठांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS





<p>पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या नवीकरण की तारीख उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञप्ति फ़िस में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकेगी।</p>	<p>Date of Renewal</p>	<p>Date of Expiry of license</p>	<p>अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature and office stamp of the licencing authority.</p>
--	----------------------------	--------------------------------------	--

This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चात्तवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Note:-This is system generated document does not require signature.

[illegible][illegible]

PLAN FOR PETROLEUM CLASS A&B
UNDERGROUND STORAGE TANKS
INSTALLATION DETAILS
ON
SURVEY NO. 39 TO 49,
VILLAGE AT ALLI, PCPIR ZONE,
TA VAGRA, DIST. BHARUCH 392130
STATE- GUJARAT.

Notes:-

- ALL DIMENSION ARE IN MILLER
- FE-8 NOS 5 KGS, DOT TYPE FIRE EXTINGUISHER
- 4 NOS COT TYPE FIRE EXTINGUISHER, 4.5 KGS
- F-B-8 NOS 5 X 9 KGS FIRE THE BRACKET
- 3 NOS NO SMOKING BOARD
- 1 TO THE ELECTRICAL PT FOR LIGHTING
- 1 NOS PABICATION CODE AS PER IS 10867
- 1 NOS 1000 WATT 220V 50HZ
- ELECTRICAL MOTORS, LOCAL PUSH BUTTON ARE
- SUIRABLE FOR PLUMBING WORK AS PER IS-1007
- 2 NOS 1/2" 1/4" OF 304/316 OF C-607/92-2006
- FOR TANKER LOADING/UNLOADING ELECTRICAL
- CONTROLLER JOSE PIPE WITH CAM LOCK COUPLING WT
- 1500 IN
- NRV IN ALL LINES

Digitally signed by PERUMALSAMY SEENIRAJ
Reason: Licence No. : P/WB/GJ/15/3086
Location:Vadodara [P607728]
Date:29-09-2025 16:05:50 PM

ANNEXURE – II

Photographs of Fire Hydrant System with Water Storage Tank





**DETOX INDIA**operated by **VEOLIA**

REF No:SEPL/104998/2025/126

Date of Issue: 29.09.2025

TO WHOMSOEVER CONCERN**PROVISIONAL MEMBERSHIP CERTIFICATE**

This is to certify that **M/s. AARTI PHARMALABS LIMITED** (Generator) having its Production Unit at **R.S. NO. 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, PCPIR NOTIFIED INDUSTRIAL AREA, CITY : ATALI, TAL : VAGAR, BHARUCH - 392130,** has approached **M/s. Safe Enviro Pvt. Ltd. (Operator)** for obtaining membership of its Treatment, Storage, and Disposal Facility (T.S.D.F.) at Magnad Site for disposal of Industrial Hazardous Waste **15350 MT/Year** generated from their production activities.

This Provisional Certificate with validity of 06 (Six) months from date of issue has been issued for meeting and complying any immediate requirement of the Regulators.

Final Membership Certificate shall be awarded subject to successful completion of all essential membership formalities.

Note: **Waste disposal activities shall commence post receipt of Final Membership Certificate by the Generator.**

In event of any clarification/discussion, please feel free to contact us at crm@detoxindia.com.

Membership fees will be non-refundable.

Disposal will be possible after the submission of CCA.

Thanks & Regards,

For, Safe Enviro Pvt. Ltd.

(Authorized Signatory)

Safe Enviro Private Limited

Survey No. 868, Village - Magnad, Tal. - Jambusar, Dist. - Bharuch - 392150 (Guj.) INDIA

Corporate Office : Detox House, Opp. Gujarat Samachar Press, Udhna Darwaja, Ring Road, Surat-395 002 (Guj.) INDIA

Ph : +91 261 2351248, 2346181 | E-mail : info.safeenviro@veolia.com | CIN : U51101GJ2015PTC083237



IN-GJ91625007109693X



सत्यमेव जयते

INDIA NON JUDICIAL

Government of Gujarat

Certificate of Stamp Duty

Certificate No. : IN-GJ91625007109693X

Certificate Issued Date : 26-Aug-2025 11:14 AM

Account Reference : CSCACC (GV)/ gjcsceg07/ GJ-VLYAS0441/ GJ-VL

Unique Doc. Reference : SUBIN-GJGJCSCEG0789020988742130X

Purchased by : AARTI PHARMALABS LIMITED

Description of Document : Article 5(h) Agreement (not otherwise provided for)

Description : MEMORANDUM OF UNDERSTANDING

Consideration Price (Rs.) : 0
(Zero)

First Party : AARTI PHARMALABS LIMITED

Second Party : LOKI INDUSTRIES

Stamp Duty Paid By : AARTI PHARMALABS LIMITED

Stamp Duty Amount(Rs.) : 300
(Three Hundred only)

Book No. : 03
Page No. : 63
Serial No. : 1524/2025
Date : 26 AUG 2025



IN-GJ91625007109693X

GG 0001897745

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcliestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority

MEMORANDUM OF UNDERSTANDING

Particulars	Generator	Recycler
Name	M/s. Aarti Pharmalabs Limited	M/s Loki Industries
Address	Plot No.: R.S.No:39,40,41,42,43,44,45,46,47,48,49, PCPIR, Notified Industrial Area, Village-Atali, Tal-Vagra, Dist-Bharuch, Gujarat.- 392130	Plot.No.-C-42, Saykha Industrial Estate, Taluko- Vagra, Dist : Bharuch
CC&A No./ Consent No.	EC to CTE Issued Date : 25/10/2021 Valid up to: 24/10/2028 CCA Applied	AWH-141262 Issued on 29/03/2025 Valid till 25/11/2029
CC&A/Consent Issuer	Gujarat Pollution Control Board, Gujarat.	Gujarat Pollution Control Board, Gujarat.
Name of Hazardous Waste	Spent Solvent	
CC&A/Rule - 9 / Quantity	9945 MT/Year	12000 MT/Year
MOU Quantity	9945 MT/Year	
Validity of MOU	Validity till Expiry of CC&A of either the Generator or the Regenerator/Recycler, whichever earlier	

The particulars of this MOU including terms and conditions between the Generator & the Recycler are mentioned herewith:


That


- As a part of this MOU, the Recycler has agreed to accept the hazardous Waste generated from the various activities of the Generator.
- Hazardous waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
- Generator & Recycler shall ensure entry of consignment details on "Passbook issued by GPCB" before the vehicle leaves the premises.
- Hazardous waste shall be transported through AIS-140 compliant Global Positioning System (GPS) enabled dedicated tankers/trucks only which are registered in the VLTS system of GPCB.
- Both the parties, the Generator and the Recycler, shall install and operate CCTV surveillance systems with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
- The Transporter shall be responsible in case of any illegal disposal of hazardous waste during the transportation and shall safely transport the hazardous waste from the premises of the Generator till the premises of the Recycler.
- Both the parties, the Generator and the Recycler, shall keep record of inventory of hazardous waste generation, reception, recycling (as applicable) as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall make inventory available for inspection.
- Both the parties, the Generator and the Recycler, shall strictly follow CPCB guidelines of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments.
- Transporters shall be responsible for the compliance of Motor Vehicle Act and Rules framed there under for carrying Hazardous Chemicals/waste.
- The Transporter shall ensure that the trucks shall be dedicated for transportation of hazardous wastes and shall not be used for any other purposes.
- The Transporter shall ensure the cleaning of vehicles carrying Hazardous waste shall be carried out at designated places duly authorized by respective Pollution Control Board/Committee.
- Recycler shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to generator as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- Recyclers shall ensure to accept the manifest on GPCB XGN site after receiving the consignment of waste as per GPCB-XGN requirements.

14. Recycler shall ensure return of duly signed and stamped copy of manifest system (Copy-4) to the transporter after accepting the consignment of hazardous waste as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
15. Transporters shall be responsible for maintaining the record of Manifest system-Copy-4 at their end for inspection/verification.
16. Utilizer/end-users shall ensure written communication to Generator through mail for acceptance of consignment and integrity of seal applied on valves/manholes of the vehicles carrying hazardous waste.
17. Any rules and regulations for the said activities prescribed by the pollution control board from time to time need to be followed by the end user and the transporter.

M/s. Aarti Pharmalabs Limited


M/s Loki Industries


Authorized Signatory


Authorized Signatory



ATTESTED BY ME


Bharati D. Chauhan
ADVOCATE & NOTARY
PARDI, TALUKA : PARDI,
DISTRICT : VALSAD
GOVT. OF GUJARAT





IN-GJ08669999277273X



सत्यमेव जयते

INDIA NON JUDICIAL
Government of Gujarat
Certificate of Stamp Duty

₹300

₹300 2002 000 300

Certificate No.

IN-GJ08669999277273X

Certificate Issued Date

19-Sep-2025 10:38 AM

Account Reference

CSCACC (GV)/ gjcsceg07/ GJ-VLYAS0441/ GJ-VL

Unique Doc. Reference

SUBIN-GJGJCSCEG0722535277472563X

Purchased by

AARTI PHARMALABS LIMITED

Description of Document

Article 5(h) Agreement (not otherwise provided for)

Description

AGREEMENT

Consideration Price (Rs.)

0
(Zero)

First Party

AARTI PHARMALABS LIMITED

Second Party

JOHNSON MATTHEY CHEMICALS INDIA PVT LTD

Stamp Duty Paid By

AARTI PHARMALABS LIMITED

Stamp Duty Amount(Rs.)

300
(Three Hundred only)

Book No. :

Page No. :

Serial No. :

Date :

03
91
1746-2025
24 SEP 2025

₹300

IN-GJ08669999277273X

GG 0018256506

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate
3. In case of any discrepancy please inform the Competent Authority.

MEMORANDUM OF UNDERSTANDING

Particulars	Generator	Recycler
Name	M/s. Aarti Pharmalabs Limited	M/s Johnson Matthey Chemicals India Pvt Ltd
Address	Plot No.: R.S.No:39,40,41,42,43,44,45,46,47,48,49, PCPIR, Notified Industrial Area, Village-Atali, Tal-Vagra, Dist-Bharuch, Gujarat.- 392130	Plot.no.-6A, MIDC, Taloja, Dist : Raigad - 410208 Maharashtra.
CC&A No./ Consent No.	EC to CTE Issued Date : 25/10/2021 Valid up to: 24/10/2028 CCA Applied	CCA No. 0000183612/CR/2410002615 Issued on 24/10/2024 Valid till 31/01/2026
CC&A/Consent Issuer	Gujarat Pollution Control Board, Gujarat.	Maharashtra Pollution Control Board, Maharashtra.
Name of Hazardous Waste	Spent Catalyst	
CC&A/Rule - 9 / Quantity	200 MT/Year	1200 MT/Year
MOU Quantity	200 MT/Year	
Validity of MOU	Validity till Expiry of CC&A of either the Generator or the Regenerator/Recycler, whichever earlier	

The particulars of this MOU including terms and conditions between the Generator & the Recycler are mentioned herewith:

That

- As a part of this MOU, the Recycler has agreed to accept the hazardous Waste generated from the various activities of the Generator.
- Hazardous waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
- Generator & Recycler shall ensure entry of consignment details on "Passbook issued by GPCB" before the vehicle leaves the premises.
- Hazardous waste shall be transported through AIS-140 compliant Global Positioning System (GPS) enabled dedicated tankers/trucks only which are registered in the VLTS system of GPCB.
- Both the parties, the Generator and the Recycler, shall install and operate CCTV surveillance systems with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
- The Transporter shall be responsible in case of any illegal disposal of hazardous waste during the transportation and shall safely transport the hazardous waste from the premises of the Generator till the premises of the Recycler.
- Both the parties, the Generator and the Recycler, shall keep record of inventory of hazardous waste generation, reception, recycling (as applicable) as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall make inventory available for inspection.
- Both the parties, the Generator and the Recycler, shall strictly follow CPCB guidelines of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments.
- Transporters shall be responsible for the compliance of Motor Vehicle Act and Rules framed there under for carrying Hazardous Chemicals/waste.
- The Transporter shall ensure that the trucks shall be dedicated for transportation of hazardous wastes and shall not be used for any other purposes.
- The Transporter shall ensure the cleaning of vehicles carrying Hazardous waste shall be carried out at designated places duly authorized by respective Pollution Control Board/Committee.
- Recycler shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to generator as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- Recyclers shall ensure to accept the manifest on GPCB XGN site after receiving the consignment of waste as per GPCB-XGN requirements.



14. Recycler shall ensure return of duly signed and stamped copy of manifest system (Copy-4) to the transporter after accepting the consignment of hazardous waste as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
15. Transporters shall be responsible for maintaining the record of Manifest system-Copy-4 at their end for inspection/verification.
16. Utilizer/end-users shall ensure written communication to Generator through mail for acceptance of consignment and integrity of seal applied on valves/manholes of the vehicles carrying hazardous waste.
17. Any rules and regulations for the said activities prescribed by the pollution control board from time to time need to be followed by the end user and the transporter.

M/s. Aarti Pharmalabs Limited

A. N. N. N.
Authorized Signatory

M/s Johnson Matthey Chemicals
India Pvt Ltd

17/9/2010
Authorized Signatory



ATTESTED BY ME

B. D. Chauhan

Bharati D. Chauhan
ADVOCATE & NOTARY
PARDI, TALUKA : PARDI,
DISTRICT : VALSAD
GOVT. OF GUJARAT





IN-GJ91621651742500X



सत्यमेव जयते

INDIA NON JUDICIAL
Government of Gujarat
Certificate of Stamp Duty

Certificate No.

IN-GJ91621651742500X

Certificate Issued Date

26-Aug-2025 11:13 AM

Account Reference

CSCACC (GV)/ gjcsceg07/ GJ-VLYAS0441/ GJ-VL

Unique Doc. Reference

SUBIN-GJGJCSCEG0789026354241778X

Purchased by

AARTI PHARMALABS LIMITED

Description of Document

Article 5(h) Agreement (not otherwise provided for)

Description

MEMORANDUM OF UNDERSTANDING

Consideration Price (Rs.)

0

(Zero)

First Party

AARTI PHARMALABS LIMITED

Second Party

VIVAAN CHEMICALS

Stamp Duty Paid By

AARTI PHARMALABS LIMITED

Stamp Duty Amount(Rs.)

300

(Three Hundred only)

Book No. : 03

Page No. : 62

Serial No. : 1571/2025

Date : 26 AUG 2025



₹300

IN-GJ91621651742500X

GG 0001897743

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

MEMORANDUM OF UNDERSTANDING

Particulars	Generator	Recycler
Name	M/s. Aarti Pharmalabs Limited	M/s. Vivaan Chemicals
Address	Plot No.: R.S.No:39,40,41,42,43,44,45,46,47,48,49, PCPIR, Notified Industrial Area, Village-Atali, Tal-Vagra, Dist-Bharuch, Gujarat.- 392130	Plot No.C-170,GIDC Saykha, Tal: Viagra, Dist: Bharuch-392140.
CC&A No./ Consent No.	EC to CTE Issued Date : 25/10/2021 Valid up to: 24/10/2028 CCA Applied	Existing CCA AWH-137908 Issued Date : 16/11/2024 Valid up to 09/09/2028
CC&A/Consent Issuer	Gujarat Pollution Control Board, Gujarat.	Gujarat Pollution Control Board, Gujarat
Name of Hazardous Waste	Spent Hydrochloric Acid	
CC&A/Rule - 9 / Quantity	405 MT/Year	12000 MT/Year
MOU Quantity	405 MT/Year	
Validity of MOU	Validity till Expiry of CC&A of either the Generator or the Regenerator/Recycler, whichever earlier	

The particulars of this MOU including terms and conditions between the Generator & the Recycler are mentioned herewith:

That

- As a part of this MOU, the Recycler has agreed to accept the hazardous Waste generated from the various activities of the Generator.
- Hazardous waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
- Generator & Recycler shall ensure entry of consignment details on "Passbook issued by GPCB" before the vehicle leaves the premises.
- Hazardous waste shall be transported through AIS-140 compliant Global Positioning System (GPS) enabled dedicated tankers/trucks only which are registered in the VLTS system of GPCB.
- Both the parties, the Generator and the Recycler, shall install and operate CCTV surveillance systems with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
- The Transporter shall be responsible in case of any illegal disposal of hazardous waste during the transportation and shall safely transport the hazardous waste from the premises of the Generator till the premises of the Recycler.
- Both the parties, the Generator and the Recycler, shall keep record of inventory of hazardous waste generation, reception, recycling (as applicable) as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall make inventory available for inspection.
- Both the parties, the Generator and the Recycler, shall strictly follow CPCB guidelines of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments.
- Transporter shall be responsible for the compliance of Motor Vehicle Act and Rules framed there under for carrying Hazardous Chemicals/waste.
- The Transporter shall ensure that the trucks shall be dedicated for transportation of hazardous wastes and shall not be used for any other purposes.
- The Transporter shall ensure the cleaning of vehicles carrying Hazardous waste shall be carried out at designated places duly authorized by respective Pollution Control Board/Committee.
- Recycler shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to generator as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- Recyclers shall ensure to accept the manifest on GPCB XGN site after receiving the consignment of waste as per GPCB-XGN requirements.

14. Recycler shall ensure return of duly signed and stamped copy of manifest system (Copy-4) to the transporter after accepting the consignment of hazardous waste as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
15. Transporters shall be responsible for maintaining the record of Manifest system-Copy-4 at their end for inspection/verification.
16. Utilizer/end-users shall ensure written communication to Generator through mail for acceptance of consignment and integrity of seal applied on valves/manholes of the vehicles carrying hazardous waste.
17. Any rules and regulations for the said activities prescribed by the pollution control board from time to time need to be followed by the end user and the transporter.

M/s. Aarti Pharmalabs Limited

A.M. Nady
Authorized Signatory

M/s. Vivaan Chemicals

For VIVAAN CHEMICALS

Rounish Patel
Proprietor
Authorized Signatory



ATTESTED BY ME

Boch
Bharati D. Chauhan
ADVOCATE & NOTARY
PARDI, TALUKA : PARDI,
DISTRICT : VALSAD
GOVT. OF GUJARAT





IN-GJ91626122137381X



सत्यमेव जयते

INDIA NON JUDICIAL
Government of Gujarat
Certificate of Stamp Duty

Certificate No.

IN-GJ91626122137381X

Certificate Issued Date

26-Aug-2025 11:14 AM

Account Reference

CSCACC (GV)/ gjcsceg07/ GJ-VLYAS0441/ GJ-VL

Unique Doc. Reference

SUBIN-GJGJCSCEG0789018847137940X

Purchased by

AARTI PHARMALABS LIMITED

Description of Document

Article 5(h) Agreement (not otherwise provided for)

Description

MEMORANDUM OF UNDERSTANDING

Consideration Price (Rs.)

0

(Zero)

First Party

AARTI PHARMALABS LIMITED

Second Party

THURSDAY CHEMICALS

Stamp Duty Paid By

AARTI PHARMALABS LIMITED

Stamp Duty Amount(Rs.)

300

(Three Hundred only)

Book No. : 03
Page No. : 63
Serial No. : 1523/2025
Date : 26 AUG 2025



2300

IN-GJ91626122137381X

GG 0001897746

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

MEMORANDUM OF UNDERSTANDING

Particulars	Generator	Recycler
Name	M/s. Aarti Pharmalabs Limited	M/s Thursday Chemicals
Address	Plot No.: R.S.No:39,40,41,42,43,44,45,46,47,48,49, PCPIR, Notified Industrial Area, Village-Atali, Tal-Vagra, Dist-Bharuch, Gujarat.- 392130	Plot.No. 5/3, GIDC Sarigam, Taluko-Umbergaon, Dist : Valsad - 396155.
CC&A No./ Consent No.	EC to CTE Issued Date : 25/10/2021 Valid up to: 24/10/2028 CCA Applied	AWH-130853 Issued on 19/12/2023 Valid till 31/12/2027
CC&A/Consent Issuer	Gujarat Pollution Control Board, Gujarat.	Gujarat Pollution Control Board, Gujarat.
Name of Hazardous Waste	Spent Phosphoric Acid	
CC&A/Rule - 9 / Quantity	648 MT/Year	1536 MT/Year
MOU Quantity	648 MT/Year	
Validity of MOU	Validity till Expiry of CC&A of either the Generator or the Regenerator/Recycler, whichever earlier	

The particulars of this MOU including terms and conditions between the Generator & the Recycler are mentioned herewith:


That


- As a part of this MOU, the Recycler has agreed to accept the hazardous Waste generated from the various activities of the Generator.
- Hazardous waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
- Generator & Recycler shall ensure entry of consignment details on "Passbook issued by GPCB" before the vehicle leaves the premises.
- Hazardous waste shall be transported through AIS-140 compliant Global Positioning System (GPS) enabled dedicated tankers/trucks only which are registered in the VLTS system of GPCB.
- Both the parties, the Generator and the Recycler, shall install and operate CCTV surveillance systems with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
- The Transporter shall be responsible in case of any illegal disposal of hazardous waste during the transportation and shall safely transport the hazardous waste from the premises of the Generator till the premises of the Recycler.
- Both the parties, the Generator and the Recycler, shall keep record of inventory of hazardous waste generation, reception, recycling (as applicable) as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall make inventory available for inspection.
- Both the parties, the Generator and the Recycler, shall strictly follow CPCB guidelines of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments.
- Transporters shall be responsible for the compliance of Motor Vehicle Act and Rules framed there under for carrying Hazardous Chemicals/waste.
- The Transporter shall ensure that the trucks shall be dedicated for transportation of hazardous wastes and shall not be used for any other purposes.
- The Transporter shall ensure the cleaning of vehicles carrying Hazardous waste shall be carried out at designated places duly authorized by respective Pollution Control Board/Committee.
- Recycler shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to generator as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- Recyclers shall ensure to accept the manifest on GPCB XGN site after receiving the consignment of waste as per GPCB-XGN requirements.

14. Recycler shall ensure return of duly signed and stamped copy of manifest system (Copy-4) to the transporter after accepting the consignment of hazardous waste as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
15. Transporters shall be responsible for maintaining the record of Manifest system-Copy-4 at their end for inspection/verification.
16. Utilizer/end-users shall ensure written communication to Generator through mail for acceptance of consignment and integrity of seal applied on valves/manholes of the vehicles carrying hazardous waste.
17. Any rules and regulations for the said activities prescribed by the pollution control board from time to time need to be followed by the end user and the transporter.

M/s. Aarti Pharmalabs Limited


M/s Thursday Chemicals


Authorized Signatory


Authorized Signatory



ATTESTED BY ME


Bharati D. Chauhan
ADVOCATE & NOTARY
PARDI, TALUKA : PARDI,
DISTRICT : VALSAD
GOVT. OF GUJARAT





IN-GJ91627342244715X



सत्यमेव जयते

INDIA NON JUDICIAL
Government of Gujarat
Certificate of Stamp Duty

Certificate No.

IN-GJ91627342244715X

Certificate Issued Date

26-Aug-2025 11:15 AM

Account Reference

CSCACC (GV)/ gjcsceg07/ GJ-VLYAS0441/ GJ-VL

Unique Doc. Reference

SUBIN-GJGJCSCEG0789015607927329X

Purchased by

AARTI PHARMALABS LIMITED

Description of Document

Article 5(h) Agreement (not otherwise provided for)

Description

MEMORANDUM OF UNDERSTANDING

Consideration Price (Rs.)

0

(Zero)

First Party

AARTI PHARMALABS LIMITED

Second Party

KKRISHNA CHEMICALS

Stamp Duty Paid By

AARTI PHARMALABS LIMITED

Stamp Duty Amount(Rs.)

300

(Three Hundred only)



Book No. : 03
Page No. : 62
Serial No. : 1572/2025
Date : 28 AUG 2025



र300

IN-GJ91627342244715X

GG 0001897747

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcltestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority

MEMORANDUM OF UNDERSTANDING

Particulars	Generator	Recycler
Name	M/s. Aarti Pharmalabs Limited	M/s KKrishna Chemicals
Address	Plot No.: R.S.No:39,40,41,42,43,44,45,46,47,48,49, PCPIR, Notified Industrial Area, Village-Atali, Tal-Vagra, Dist-Bharuch, Gujarat.- 392130	Plot.No.-C1B14, 1st Phase, GIDC, Vapi Taluko- Pardi, Dist : Valsad - 396195.
CC&A No./ Consent No.	EC to CTE Issued Date : 25/10/2021 Valid up to: 24/10/2028 CCA Applied	AWH-138559 Issued on 25.11.2024 Valid till 30.06.2029
CC&A/Consent Issuer	Gujarat Pollution Control Board, Gujarat.	Gujarat Pollution Control Board, Gujarat.
Name of Hazardous Waste	Acetic Acid - 1105 MT/Year & Spent Solvent - 5075 MT/Year	
CC&A/Rule - 9 / Quantity	9945 MT/Year	6180 MT/Year
MOU Quantity	6180 MT/Year	
Validity of MOU	Validity till Expiry of CC&A of either the Generator or the Regenerator/Recycler, whichever earlier	

The particulars of this MOU including terms and conditions between the Generator & the Recycler are mentioned herewith:

That

1. As a part of this MOU, the Recycler has agreed to accept the hazardous Waste generated from the various activities of the Generator.
2. Hazardous waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
3. Generator & Recycler shall ensure entry of consignment details on "Passbook issued by GPCB" before the vehicle leaves the premises.
4. Hazardous waste shall be transported through AIS-140 compliant Global Positioning System (GPS) enabled dedicated tankers/trucks only which are registered in the VLTS system of GPCB.
5. Both the parties, the Generator and the Recycler, shall install and operate CCTV surveillance systems with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
6. The Transporter shall be responsible in case of any illegal disposal of hazardous waste during the transportation and shall safely transport the hazardous waste from the premises of the Generator till the premises of the Recycler.
7. Both the parties, the Generator and the Recycler, shall keep record of inventory of hazardous waste generation, reception, recycling (as applicable) as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall make inventory available for inspection.
8. Both the parties, the Generator and the Recycler, shall strictly follow CPCB guidelines of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments.
9. Transporters shall be responsible for the compliance of Motor Vehicle Act and Rules framed there under for carrying Hazardous Chemicals/waste.
10. The Transporter shall ensure that the trucks shall be dedicated for transportation of hazardous wastes and shall not be used for any other purposes.
11. The Transporter shall ensure the cleaning of vehicles carrying Hazardous waste shall be carried out at designated places duly authorized by respective Pollution Control Board/Committee.
12. Recycler shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to generator as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
13. Recyclers shall ensure to accept the manifest on GPCB XGN site after receiving the consignment of waste as per GPCB-XGN requirements.

14. Recycler shall ensure return of duly signed and stamped copy of manifest system (Copy-4) to the transporter after accepting the consignment of hazardous waste as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
15. Transporters shall be responsible for maintaining the record of Manifest system-Copy-4 at their end for inspection/verification.
16. Utilizer/end-users shall ensure written communication to Generator through mail for acceptance of consignment and integrity of seal applied on valves/manholes of the vehicles carrying hazardous waste.
17. Any rules and regulations for the said activities prescribed by the pollution control board from time to time need to be followed by the end user and the transporter.



M/s. Aarti Pharmalabs Limited

G.M. Nadi
Authorized Signatory

M/s KKrishna Chemicals

M.R. Patel
Authorized Signatory



ATTESTED BY ME

B.D. Chauhan
Bharatl D. Chauhan
ADVOCATE & NOTARY
PARDI, TALUKA : PARDI,
DISTRICT : VALSAD
GOVT. OF GUJARAT





IN-GJ91622854737374X



सत्यमेव जयते

INDIA NON JUDICIAL
Government of Gujarat
Certificate of Stamp Duty

Certificate No. : IN-GJ91622854737374X
Certificate Issued Date : 26-Aug-2025 11:13 AM
Account Reference : CSCACC (GV)/ gjcsceg07/ GJ-VLYAS0441/ GJ-VL
Unique Doc. Reference : SUBIN-GJGJCSCEG0789023191961902X
Purchased by : AARTI PHARMALABS LIMITED
Description of Document : Article 5(h) Agreement (not otherwise provided for)
Description : MEMORANDUM OF UNDERSTANDING
Consideration Price (Rs.) : 0
(Zero)
First Party : AARTI PHARMALABS LIMITED
Second Party : VIVAAN CHEMICALS
Stamp Duty Paid By : AARTI PHARMALABS LIMITED
Stamp Duty Amount(Rs.) : 300
(Three Hundred only)

Book No. : 03
Page No. : 62
Serial No. : 1570/2025
Date : 26 AUG 2025



₹300

IN-GJ91622854737374X

GG 0001897744

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at www.shcilestamp.com or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

MEMORANDUM OF UNDERSTANDING

Particulars	Generator	Recycler
Name	M/s. Aarti Pharmalabs Limited	M/s. Vivaan Chemicals
Address	Plot No.: R.S.No:39,40,41,42,43,44,45,46,47,48,49, PCPIR, Notified Industrial Area, Village-Atali, Tal-Vagra, Dist-Bharuch, Gujarat.- 392130	Plot No.C-170,GIDC Saykha, Tal: Viagra, Dist: Bharuch-392140.
CC&A No./ Consent No.	EC to CTE Issued Date : 25/10/2021 Valid up to: 24/10/2028 CCA Applied	Existing CCA AWH-137908 Issued Date : 16/11/2024 Valid up to 09/09/2028
CC&A/Consent Issuer	Gujarat Pollution Control Board, Gujarat.	Gujarat Pollution Control Board, Gujarat
Name of Hazardous Waste	1)Sodium Bromide 2)Hydrogen Bromide	
CC&A/Rule - 9 / Quantity	1) 350 MT/Year 2) 310 MT/Year	12000 MT/Year
MOU Quantity	660 MT/Year	
Validity of MOU	Validity till Expiry of CC&A of either the Generator or the Regenerator/Recycler, whichever earlier	

The particulars of this MOU including terms and conditions between the Generator & the Recycler are mentioned herewith:

That

- As a part of this MOU, the Recycler has agreed to accept the hazardous Waste generated from the various activities of the Generator.
- Hazardous waste shall be sent with the proper online manifest generated through GPCB XGN site invariably.
- Generator & Recycler shall ensure entry of consignment details on "Passbook issued by GPCB" before the vehicle leaves the premises.
- Hazardous waste shall be transported through AIS-140 compliant Global Positioning System (GPS) enabled dedicated tankers/trucks only which are registered in the VLTS system of GPCB.
- Both the parties, the Generator and the Recycler, shall install and operate CCTV surveillance systems with 24x7 recordings at their factory premises and at least one month's storage of footage be made available for inspection at any given point of time.
- The Transporter shall be responsible in case of any illegal disposal of hazardous waste during the transportation and shall safely transport the hazardous waste from the premises of the Generator till the premises of the Recycler.
- Both the parties, the Generator and the Recycler, shall keep record of inventory of hazardous waste generation, reception, recycling (as applicable) as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall make inventory available for inspection.
- Both the parties, the Generator and the Recycler, shall strictly follow CPCB guidelines of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments.
- Transporter shall be responsible for the compliance of Motor Vehicle Act and Rules framed there under for carrying Hazardous Chemicals/waste.
- The Transporter shall ensure that the trucks shall be dedicated for transportation of hazardous wastes and shall not be used for any other purposes.
- The Transporter shall ensure the cleaning of vehicles carrying Hazardous waste shall be carried out at designated places duly authorized by respective Pollution Control Board/Committee.
- Recycler shall ensure returning of duly signed and stamped copy of manifest system (Copy-6) to generator as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- Recyclers shall ensure to accept the manifest on GPCB XGN site after receiving the consignment of waste as per GPCB-XGN requirements.

14. Recycler shall ensure return of duly signed and stamped copy of manifest system (Copy-4) to the transporter after accepting the consignment of hazardous waste as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
15. Transporters shall be responsible for maintaining the record of Manifest system-Copy-4 at their end for inspection/verification.
16. Utilizer/end-users shall ensure written communication to Generator through mail for acceptance of consignment and integrity of seal applied on valves/manholes of the vehicles carrying hazardous waste.
17. Any rules and regulations for the said activities prescribed by the pollution control board from time to time need to be followed by the end user and the transporter.

M/s. Aarti Pharmalabs Limited

A. N. Nady
Authorized Signatory

M/s. Vivaan Chemicals

For VIVAAN CHEMICALS

Ramsh Patel
Authorized Signatory



ATTESTED BY ME

B. D. Chauhan
Bharati D. Chauhan
ADVOCATE & NOTARY
PARDI, TALUKA : PARDI,
DISTRICT : VALSAD
GOVT. OF GUJARAT





पॉलिसी अनुसूची/ Policy Schedule-Public Liability - Industrial Risks	
पॉलिसी संख्या / Policy Number: 260501492410000029	व्यवसाय स्रोत/ Business Source: 910097
जारीकर्ता कार्यालय/Issuing Office कार्यालय कोड/ Office Code: 260501 कार्यालय पता/ Office Address: MUMBAI BUSINESS OFFICE XI SHEEL CHAMBERS, 3RD FLOOR, 10, CAWASJI PATEL STREET, FORT, - 400001. राज्य कोड/State Code: 27, Maharashtra जीएसटीएन/GSTIN: 27AACN9967E1Z3 संपर्क संख्या/Contact Number: 22 22870669 मोबाइल संख्या /Mobile Number: 0	विक्रय चैनल विवरण/ <u>Sales Channel Details</u> कोड/ Code: 91009700000001 नाम/ Name: TELOS RISK MANAGEMENT AND INSURANCE BROKING SERVICES (P) LTD - HO संपर्क संख्या/Contact Number: 9820258269 Customer Care Toll Free Number: 1800 345 0330 email:customer.support@nic.co.in

Stamp Duty of Rs. _____/- is paid as provided under Article 47(____) of Indian Stamp Act, 1899 and included in Consolidated Stamp Duty Paid to the Government of Maharashtra Treasury vide Order of Addl. Controller of Stamps, Mumbai at General Stamp Office, Fort, Mumbai - 400001, vide his Order No. (LOA/CSD/567/2023/ Validity Period Dt. 18-01-2023 to Dt. 31-12-2024, O/w No. 140, Date 10-01-2023)

ग्राहक का नाम /Customer Name: AARTI PHARMALABS LTD
पता/ Address: ABOVE HARE KRISHNA MOTORS, 204, 2ND FLOOR, UDYOG KSHETRA, GOREGAON MULUND LINK ROAD, MULUND WEST, MUMBAI, शहर/City: MUMBAI, जिला/District: GREATER MUMBAI, राज्य/State: MAHARASHTRA, पिन/PIN: 400080.
सेल/Cell: 1111111111

ग्राहक आईडी /Customer ID: 9702251380
आधार /AADHAR: _____
फोन /Phone: 1111111111
ई-मेल /E-Mail: tejas.bhandary@telosrisk.com

पैन /PAN: AASCA9722G

पॉलिसी: 11/10/2024 के 15:30 से 10/03/2025 की मध्य रात्रि तक प्रभावी /Policy Effective from 15:30 hours, on 11/10/2024 to midnight of 10/03/2025

प्रीमियम/ Premium	₹35,000.00	कवर नोट संख्या और तिथि / Cover Note Number and Date	लागू नहीं /NA
Less:Digital Discount	₹ 0.00		
Total Premium	₹ 35,000.00		
सीजीएसटी/CGST	₹ 3,150.00		
एसजीएसटी/यूटीजीएसटी / SGST/UTGST	₹ 3,150.00	प्रस्ताव संख्या और तिथि/ Proposal Number and Date	8800241014903617 दिनांक/Dt. 14/10/2024
आईजीएसटी/IGST	₹ 0.00		
कम:जीएसटी टीडीएस / Less:GST_TDS	₹ 0.00		
वसूली योग्य योग्य स्टाम्प ड्यूटी /Recoverable Stamp Duty	₹ 1.00	रसीद संख्या और तिथि/ Receipt Number and Date	260501812410003686 दिनांक/Dt. 15/10/2024
कुल राशि /Total Amount	₹ 41,300.00	पिछली पॉलिसी संख्या और समाप्ति तिथि / Previous Policy Number and Expiry Date	लागू नहीं /NA

(रुपए/Rupees Forty One Thousand Three Hundred केवल/Only.)

*सरकारी सस्मिडी Government Subsidy: ₹ 0.00

LocationAddress:

1)NEAR GNAL BOUNDARY WALL,,GIDC, DAHEJ, BHARUCH,Bharuch - District Others,Bharuch,Gujarat,392130.

SL. No	Coverage	Coverage Description	Sum Insured
1	Basic Cover	Loss or damage to gas pipeline and/or other property including loss of gas, third party claims and consequential losses to GSPL. &/or their customers while crossing in the course of laying pipeline	2,50,00,000.00

Additional Information: Territory :As per location mentioned in Demand letter by GSPL

Clauses	As per Annexure I
---------	-------------------



नेशनल इन्श्योरेंस कंपनी लिमिटेड
National Insurance Company Limited
CIN:U10200WB1906G01001713
IRDA Registration No. 58

पंजीकृत एवं प्रधान कार्यालय : विभागायतम नंबर 18-0374, प्लॉट नंबर गीवीडी - 81, न्यू टाउन, कोलकाता - 700156
Registered & Head Office : Premises No.18-0374, Plot No. CBD - 81, New Town, Kolkata - 700156
P No : 033 - 22831705 - 06 Fax : 033 - 22831712
email : website.administrator@nic.co.in

For any information please contact the Policy Issuing Office or visit our website at www.nationalinsuranceindia.com

Applicable to Receipts and Policies : In case of dishonour of Cheque / DD For Premium, the Policy / Receipt stands cancelled "ABINITIO"

पॉलिसी अनुसूची/ Policy Schedule-Public Liability - Industrial Risks	
पॉलिसी संख्या / Policy Number: 260501492410000029	व्यवसाय स्रोत/ Business Source: 910097
जारीकर्ता कार्यालय/Issuing Office कार्यालय कोड/ Office Code: 260501 कार्यालय पता/ Office Address: MUMBAI BUSINESS OFFICE XI SHEEL CHAMBERS, 3RD FLOOR, 10, CAWASJI PATEL STREET, FORT, - 400001. राज्य कोड/State Code: 27, Maharashtra जीएसटीएन/GSTIN: 27AAACN9967E1Z3 संपर्क संख्या/Contact Number: 22 22870669 मोबाइल संख्या /Mobile Number: 0	विक्रय चैनल विवरण/ Sales Channel Details कोड/ Code: 910097000000001 नाम/ Name: TELOS RISK MANAGEMENT AND INSURANCE BROKING SERVICES (P) LTD - HO संपर्क संख्या/Contact Number: 9820258269 Customer Care Toll Free Number: 1800 345 0330 email:customer.support@nic.co.in

FINANCIER DETAILS

जिसकी गवाही में 15/October/2024 को उपरोक्त उल्लिखित कार्यालय पते पर अधोहस्ताक्षरी को विधिवत अधिकृत किया जा रहा है उसके हाथ निर्धारित किए जाएं। यह अनुसूची, संलग्न पॉलिसी, खण्ड, पृष्ठानक और पॉलिसी शब्दों, जो कंपनी वेबसाइट <https://nationalinsurance.nic.co.in> पर उपलब्ध है, को एक अनुबंध के रूप में एक साथ पढ़ा जाए तथा कोई भी शब्द या अभिव्यक्ति जिसके लिए यह विशिष्ट अर्थ पॉलिसी या अनुसूची के किसी भी हिस्से में संलग्न किया गया हो, एक ही अर्थ बहन करेगा चाहे जहाँ भी उल्लिखित हो। यह आश्वासन दिया जाता है कि प्रीमियम चेक की अस्वीकृति के मामले में, यह दस्तावेज स्वतः आरंभ से ही निरस्त मानी जाएगी। //IN WITNESS WHEREOF, the undersigned being duly authorized hereunto set his/ her hand at the office address mentioned above, this 15/October/2024. This schedule, the attached policy, the clauses, the endorsements and policy wordings as available in the website <https://nationalinsurance.nic.co.in> shall be read together as one contract and any word or expression to which the specific meaning has been attached in any part of this policy or of the schedule shall bear the same meaning wherever it may appear. It is warranted that IN CASE OF DISHONOUR OF THE PREMIUM CHEQUE, THIS DOCUMENT STANDS AUTOMATICALLY CANCELLED 'AB-INITIO'.

इन्श्योरेंसइंडियालिमिटेड ओम्बड्समैन का विवरण/Ombudsman Details: Office of the Insurance
Ombudsman, 3rd Floor, Jeevan Seva Annexe, S. V. Road, Santacruz
(W), Mumbai - 400 054.
Tel.: 69038821 / 23 / 24 / 25 / 26 / 27 / 28 / 29 / 30/31
Email: bimalokpal.mumbai@cioins.co.in

Office of the Insurance Ombudsman, Jeevan Darshan Bldg., 3rd Floor, CT.S.
No.s. 195 to 198, N.C. Kelkar Road, Narayan Peth, Pune - 411 030.
Tel.: 020-41312555
Email: bimalokpal.pune @cioins.co.in

स्टॉप ड्यूटी
Stamp
Duty:
(₹ 1.00)

कृते नेशनल इन्श्योरेंस कंपनी लिमिटेड/
For and on behalf of National
Insurance Company Limited
अधिकृत हस्ताक्षरकर्ता/ Authorized Signatory

पॉलिसी अनुसूची/ Policy Schedule-Public Liability - Industrial Risks	
पॉलिसी संख्या / Policy Number: 260501492410000029	व्यवसाय स्रोत/ Business Source: 910097
जारीकर्ता कार्यालय/Issuing Office कार्यालय कोड/ Office Code: 260501 कार्यालय पता/ Office Address: MUMBAI BUSINESS OFFICE XI SHEEL CHAMBERS, 3RD FLOOR, 10, CAWASJI PATEL STREET, FORT, - 400001. राज्य कोड/ State Code: 27, Maharashtra जीएसटीएन/ GSTIN: 27AAACN9967E1Z3 संपर्क संख्या/ Contact Number: 22 22870669 मोबाइल संख्या / Mobile Number: 0	विक्रय चैनल विवरण/ Sales Channel Details कोड/ Code: 91009700000001 नाम/ Name: TELOS RISK MANAGEMENT AND INSURANCE BROKING SERVICES (P) LTD - HO संपर्क संख्या/ Contact Number: 9820258269 Customer Care Toll Free Number: 1800 345 0330 email:customer.support@nic.co.in



अनुलग्नक I / ANNEXURE I- लागू खंडों की सूची/ List of Applicable Clauses

क्लॉज सं./ Clause No.	शीर्षक/Title
	<p>POLICY COVERAGES : Coverage</p> <p>1) Material damage i.e.destruction / damage / loss to tangible property including cost of Gas/LPG/ OFC 2) Third party death/bodily injury 3) Damage to GSPL Pipeline and may lead to disruption in supply 4) consequential losses to the entity whose pipeline is being crossed &/or their customers and third party claims. 5) Property under care/custody/control of Aarti Pharmalabs Limited</p> <p>Location : NEAR GNAL BOUNDARY WALL, GIDC, DAHEJ, BHARUCH</p> <p>TOTAL PIPELINES :- 1 no.</p> <p>Sum Insured - Rs.2,50,00,000/- (Per crossing)</p> <p>Deductible - 0.5% of AOA Limit subject to minimum of Rs. 25,000/- and maximum of Rs. 2,50,000/- for each and every loss</p> <p>Additional Insured :- GSPL</p> <p>Waiver of Subrogation against GSPL</p> <p>PROJECT DETAILS 24" AMBOJI DAHEJ PIPELINE CHAINAGE: 34.127 KM SURVEY NO.N.A. GSPL PIPELINE DEPTH : 1.45(Mtr.)</p> <p>Terms & conditions are as per NIC standard Public Liability Policy. Policy to exclude "Communicable Diseases" (COVID 19 Exclusion) Any claims related to violation of NDMA Act and Epidemic Act will be excluded.</p> <p>Other exclusions : a) Consequential loss other than covered under the Policy b) Fines and Penalties c) Any kind of government or regulatory orders d) Known Acts, Reported Losses and Pending Litigations e) Employers Liability f) Terrorism g) Lack of skill and care while undertaking any activities involved in the project h) Criminal Acts i) Intentional and Wilful Acts</p> <p>Other exclusions as per HO circular HO/TECH/MISC/15/001 dated 5/6/2014 Other Terms & conditions are as per NIC standard Public Liability Policy. Any claims related to violation of NDMA Act and Epidemic Act will be excluded. Policy to exclude "Communicable Diseases" (COVID 19 Exclusion) Exclusion of known or reported losses, Prior Acts and Pending Litigation Policy LOL and Deductible to be applied for each project separately. NO Domino effect or ripple effect liabilities are admissible.</p>



पॉलिसी अनुसूची/ Policy Schedule-Public Liability - Industrial Risks	
पॉलिसी संख्या / Policy Number: 260501492410000029	व्यवसाय स्रोत/ Business Source: 910097
जारीकर्ता कार्यालय/Issuing Office कार्यालय कोड/ Office Code: 260501 कार्यालय पता/ Office Address: MUMBAI BUSINESS OFFICE XI SHEEL CHAMBERS, 3RD FLOOR, 10, CAWASJI PATEL STREET, FORT, - 400001. राज्य कोड/State Code: 27, Maharashtra जीएसटीएन/GSTIN: 27AAACN9967E1Z3 संपर्क संख्या/Contact Number: 22 22870669 मोबाइल संख्या /Mobile Number: 0	विक्रय चैनल विवरण/ Sales Channel Details कोड/ Code: 91009700000001 नाम/ Name: TELOS RISK MANAGEMENT AND INSURANCE BROKING SERVICES (P) LTD - HO संपर्क संख्या/Contact Number: 9820258269 Customer Care Toll Free Number: 1800 345 0330 email:customer.support@nic.co.in

कृते नेशनल इन्श्योरेन्स कंपनी लिमिटेड/
For and on behalf of National Insurance Company
Limited

अधिकृत हस्ताक्षरकर्ता/ Authorized Signatory



नेशनल इन्श्योरेन्स कंपनी लिमिटेड
National Insurance Company Limited
CIN:U10200WB1906G01001713
IRDA Registration No. 58

पंजीकृत एवं प्रधान कार्यालय : पिनकोड नंबर 18-0374, प्लॉट नंबर सीबीडी - 81, न्यू टाउन, कोलकाता - 700156
Registered & Head Office : Premises No.18-0374, Plot No. CBD - 81,
New Town, Kolkata - 700156
P No : 033 - 22831705 - 06 Fax : 033 - 22831712
email : website.administrator@nic.co.in

For any information please contact the Policy Issuing Office or visit our website at www.nationalinsuranceindia.com

Applicable to Receipts and Policies : In case of dishonour of Cheque / DD For Premium, the Policy / Receipt stands cancelled "ABINITIO"

टैक्स इनवॉयस/TAX INVOICE

इनवॉयस क्र./Invoice Serial No: 30945L4PE0000029

इनवॉयस तिथि/Invoice Date: 15/10/2024

आपूर्तिकर्ता का विवरण/Details of Supplier:

नेशनल इन्श्योरेंस कंपनी लिमिटेड/National Insurance Company Limited.,

MUMBAI BUSINESS OFFICE XI SHEEL CHAMBERS, 3RD FLOOR, 10, CAWASJI PATEL STREET, FORT, - 400001

राज्य/State : 27, Maharashtra

जीएसटीआईएन नंबर/GSTIN No : 27AAACN9967E1Z3

प्राप्तकर्ता का विवरण/Details Of Receiver : AARTI PHARMALABS LTD

पता/Address : ABOVE HARE KRISHNA MOTORS, 204, 2ND FLOOR, UDYOG KSHETRA, GOREGAON MULUND LINK ROAD, MULUND WEST, MUMBAI

शहर/City : MUMBAI,

ज़िला/District: GREATER MUMBAI,

राज्य/State: MAHARASHTRA,

पिन/PIN: 400080.

आपूर्ति का स्थान/Place Of

Supply State : Maharashtra

राज्य कोड/State Code : 27

जीएसटीआईएन नंबर/GSTIN No : 27AASCA9722G2Z8

सैंक कोड/SAC Code	सेवा का विवरण/Description of Service	कुल/Total(₹)	छूट/Discount	टैक्स योग्य/मूल्य/Taxable Value(₹)	सीजीएसटी की राशि/CGST		एसजीएसटी/यूटीजीएसटी/SGST/UTGST		आईजीएसटी/IGST		Kerala Flood Cess
					दर/Rate	राशि/Amount(₹)	दर/Rate	राशि/Amount(₹)	दर/Rate	राशि/Amount(₹)	
997139	Other non-life insurance services (excluding reinsurance services)	35,000	0%	35,000	9%	3,150	9%	3,150	0%	0	0
TOTAL		35,000		35,000		3,150		3,150		0	0

कुल इनवॉयस मूल्य (अंकों में) Total Invoice Value (In figures) : ₹ 41,300

कुल इनवॉयस मूल्य (शब्दों में) Total Invoice Value (In words) : रूपए/Rupees Forty One Thousand Three Hundred केवल/Only.

रिवर्स चार्ज के अधीन टैक्स की राशि/ Amount of Tax Subject to Reverse Charge : No

E.&O.E

कृते नेशनल इन्श्योरेंस कंपनी लिमिटेड

For and on behalf of National Insurance Company Limited

अधिकृत हस्ताक्षरकर्ता/Authorized Signatory



वसूली रसीद/Collection Receipt

जारीकर्ता कार्यालय कोड/Issuing Office Code : 260501	
जारीकर्ता कार्यालय का नाम व पता/Name and Address of Issuing Office :	
MUMBAI BUSINESS OFFICE XI SHEEL CHAMBERS, 3RD FLOOR, 10, CAWASJI PATEL STREET, FORT, - 400001	
राज्य कोड/State Code : 27, राज्य का नाम/State Name : Maharashtra	
जीएसटीआईएन/GSTIN : 27AAACN9967E1Z3	
संपर्क संख्या/Contact Number : 22 22870669	
रसीद सं./Receipt No :	स्कॉल सं. (यदि कोई हो)/Scroll No(if any) :
260501812410003686	8821241015000826
रसीद की तिथि व समय/Receipt Date & Time :	स्कॉल तिथि (यदि कोई हो)/Scroll Date(if any) :
15/10/2024. 17:26:33 hours	11/10/2024

श्री AARTI PHARMALABS LTD से के रूप में रुपये Rs. 41,300.00 निम्नलिखित लेनदेन के अनुसार धन्यवाद सहित प्राप्त हुआ/उपकरण स्कॉल किया गया है।

Received with thanks from AARTI PHARMALABS LTD a sum of Rs. 41,300.00 (Rupees Forty One Thousand Three Hundred Only) by way of EFT/UPI/Bharat QR Code towards the following transactions. The instrument is scrolled.

भुगतान विवरण/Paymode Details :

भुगतान मोड का नाम/Paymode Name : EFT/UPI/Bharat QR Code	
संदर्भ सं./Ref NO :	संदर्भ तिथि/Ref Date : 11/10/2024
CITIN24539015337	
बैंक का नाम (यदि कोई हो)/Bank Name(if any) :	बैंक शाखा (यदि कोई हो)/Bank Branch(if any) :
Citi Bank	CIT-Mumbai

क्र. सं./ S. No	विभाग/ Dept	पॉलिसी/ पृष्ठांकन Policy/Endorsement	व्यव. स्रोत कोड/ Biz Source Code	व्यव. का वर्ग/ विवरण / Class of Business/Narration	राशि ₹. / Amount Rs.
लेन-देन कोड/ Tr Cd	वर्ष/ Year	संख्या/ Number	विक्रय चैनल/ Sales Channel	लेखा विवरण/ Account Description	
I 59 11	2024	260501492410000029	910097 91009700000001	Public Liability - Industrial Risks Direct Premium CGST SGST Stamp Duty Recoverable Bank Charges Total	35,000.00 3,150.00 3,150.00 1.00 -1 41,300.00

रोकड़िया/Cashier :

कृते नेशनल इन्श्योरेंस Co. Ltd,

प्राधिकृत हस्ताक्षर




नेशनल इन्श्योरेंस कंपनी लिमिटेड
National Insurance Company Limited
CIN:U10200WB1906G01001713
IRDA Registration No. 58

पंजीकृत एवं प्रधान कार्यालय : पिमायसेस नंबर 18-0374, प्लॉट नंबर सीबीडी - 81, न्यू टाउन, कोलकाता - 700156
Registered & Head Office : Premises No.18-0374, Plot No. CBD - 81,
New Town, Kolkata - 700156
P No : 033 - 22831705 - 06 Fax : 033 - 22831712
email : website.administrator@nic.co.in

For any information please contact the Policy Issuing Office or visit our website at www.nationalinsuranceindia.com

Applicable to Receipts and Policies : In case of dishonour of Cheque / DD For Premium, the Policy / Receipt stands cancelled "ABINITIO"



चेक द्वारा भुगतान किए जाने की स्थिति में रसीद चेक द्वारा भुगतान की प्रतीति के बाद ही जारी किया जाएगा। सभी प्रभावों में उपयोगकर्ता वर्गित पोलिसी जारी करने वाले कार्यालय के पते पर दस्तावेज शिष्टता व पोलिसी का धर्म संग्रह संख्या उद्धृत किया जाता चाहिए। जब राशि 5000/- रूपए या उससे अधिक होगी तो राजस्व टिकट विभागाध्यक्ष आदेशों के तहत।

Receipt is subject to realisation of cheque when payment is made by cheque. Our document number and Date, Policy year and Number should be quoted in all correspondence with us only to the Policy issuing office address mentioned above. Revenue stamp has to be affixed when the amount is or above Rs. 5000.

We hereby declare that though our aggregate turnover in any preceding financial year from 2017-18 onwards is more than the aggregate turnover notified under sub-rule (4) of rule 48, we are not required to prepare an invoice in terms of the provisions of the said sub-rule.

ANNEXURE VI

Photographs of Fire Extinguisher

