



Date: 10/05/2025

To,
The Deputy Director-General of Forests (C),
Ministry of Environment Forest and Climate Change,
Regional Office (WCZ), Ground Floor,
East Wing, New Secretariat Building, Civil Lines,
Nagpur- 440001.

Subject: Regarding the Half-Yearly EC condition compliance report for the period of Oct-2024 to March-2025

Reference: Environment Clearance obtained from MoEF&CC of India IA/MH/IND2/206004/2021 dated 27 May 2021

Respected Sir,

In reference to the above mentioned subject, we are enclosing herewith the EC condition compliance report for the period of **Oct-2024** to **March-2025** with respect to the above mentioned reference of Environmental Clearance for proposed expansion of an industrial project at Plot. No. D-53. MIDC, Phase-II, Dombivli East, Thane. SEAC-I considered the project under screening category 5(f) B of EIA Notification 2006.

The Compliance report to the EC conditions is enclosed along with supported documents as per EC conditions

Thanking you,

Yours Faithfully,

for, Aarti Pharmalabs Ltd. (formerly known as Aarti Industries Ltd.)
Plot N0 D-53

Authorized Signatory

Encl :

- 1. EC conditions compliance report**
- 2. Copy of EC -Annexure-I**
- 3. MPCB Consent to Operate - Annexure-II**
- 4. Six Monthly MoEFCC approved lab analysis results - Annexure-III.**
- 5. Six Monthly Air Monitoring report through MoEFCC approved lab - Annexure IV.**
- 6. Noise Monitoring reports- Annexure-V**



AARTI PHARMALABS LIMITED



www.aartipharmalabs.com | CIN: U24100GJ2019PLC110964 | Email : info@aartipharmalabs.com

Factory : Unit-I, Plot No D-53, M.I.D.C., Phase-II, Kalyan-Shil road, Dombivli (East), District: Thane - 421 204, Maharashtra, INDIA, T : +91 251 2870710 / 2871851

Admin Office : 204, Udyog Kshetra, 2nd Floor, Mulund Goregaon Link Road, Mulund (W), Mumbai, PIN - 400 080, Maharashtra, INDIA, T : +91 22 67966666 | F : +91 22 25653234

Registered Office : Plot No. 22-C/1 & 22-C/2, 1st Phase, G.I.D.C., VAPI - 396195, District - Valsad, Gujarat, INDIA

CC:

- 1. The Regional Directorate,
Central Pollution Control Board,
Raw House No. 1, Sanjivani Nisarg,
Balewadi, Pune- 411045.**
 -  **2. The Sub-Regional Office,
Maharashtra Pollution Control Board,
Kalyan-I, Thane.**
 -  **3. The Regional Office,
Maharashtra Pollution Control Board,
Kalyan, Thane.**
-

BLUE DART	SHIPMENT/CASH RECEIPT
SHIPMENT FROM:	SHIPMENT TO:
GSTIN: AARTI PHARMALABS LIMITED NIKHIL DIGAMBAR CHOUDHARI PLOT NO D 53 MIDC PHASE II KALYAN SHILL ROAD DOMBIVLI E DOMBIVALI 421204, MAHARASHTRA Tel: +91-09011211673 Mobile No: +91-9011211673 AJITKUMAR.MORE@AARTIPHARMALABS.COM	MINISTRY OF ENVIRONMENT FOREST AND CLIMATE CHANGE THE DEPUTY DIRECTOR GENERAL OF FOREST C REGIONAL OFFICE (WCZ) GROUND FLOOR EAST WING NEW SECRETARIATE BUILDING CIVIL LINES NAGPUR NAGPUR 440001, MAHARASHTRA Tel: Mobile No: +91-1111111111

SHIPMENT DETAILS			
Date Of Shipment:	21/05/2025	PAN No:	AABCD3611Q
Cash Customer No.:		DHL GSTIN:	27AABCD3611Q1ZI
DHL AWB No.:	9982237226	BlueDart AWB No.:	39950561011
Product:	DP	No. Of Packages:	1
Gross Weight:	0.5	Volumetric Weight:	0.5
Length:	10	Width:	10
Height:	10	SVC Code:	VSO
DOMESTIC INFORMATION			
BD Route Code			
BILLING INFORMATION:			
Payment Code:	CASHIN050	Bank Name:	VAIBHAVCOOLWANTED@AXL Bank Branch: UPI SALE
Payment Type:	ONLINE PAYMENT	Card/Transaction/UTR No:	844852045273 Date: 21/05/2025
Payment Amt:	550	Bank Name:	Bank Branch:
Payment Type 2:		Card/Transaction/UTR No:	Date:
Payment Amt 2:			
DESCRIPTION OF CONTENTS: ORIGINAL DOCS --URGENT DELIVERY			

TARRIF CHARGES:							
FREIGHT AMOUNT:	381.36	AWB FEE:	0	INS. PREMIUM:	0	INS. ADMIN CHARGES:	0
RAS:	0	OCTROI:	0	FUEL CHARGE:	0	CURR. ADJ. FACTOR:	0
TDD:	84.75	DISCOUNT:	0	HANDLING CHARGE:	0	ACK. DLV. CHALAN:	0
DELIVERY TYPE:		EDL CHARGE:	0	OTHER CHARGE:	0	PASSPORT DISC.:	0
TDS:	0	Adjustment:					
NET AMOUNT:	466.11	GST Tax:	83.9	FINAL PAYMENT:	550		

BLUE DART DHL Standard terms and conditions apply. Warsaw Convention may also apply. For more information visit www.BLUEDART.com
18602331234


DHL Staff Signature

If you have provided GSTIN, than a GSTIN invoice will be emailed to you within 3 weeks. In case of any queries kindly email to RetailGST@dhl.com.

DHL EXPRESS INDIA PVT. LTD.
 3rd Floor, 4, Nirmal Chetty Road,
 Gaundewi, Mumbai
 Road, Dombivli (East)
 Phone - 421 201
 Tel.: 0251-2439059



We understand your world

HDFC UPI

DOM

SHOP NO 4 KIRPAL CHAWA CHS NEAR GARDEN
MUMBAI

DATE : 2025-05-21 TIME : 13:43:28
CLIENT ID : 9118831 MID : 204000016309076
BATCH ID : 11026 RID : 104
RIN : 375167245470
PIN : 477668976
INVOICE NUM : 09263788

Transaction Successful

MERCHANT VPA : dhlexpress.41875334@hdfcbank
PAYMENT MODE : UPI
BILL NUM : 09263788
ORIG BILL NUM : 09263788
TXN ID : 20381274002418
PAYER A/C Type : SAVINGS

TXN AMOUNT : Rs 550.00

ibha***@axl

Please deliver goods/services to customer

I agree to sale transaction as per

Terms and conditions.

CUSTOMER COPY

V.01.00.00

Powered by Pine Labs

PRIVACY POLICY AS ON <https://www.pinelabs.com/privacy-policy> APPLY.

pine labs

BLUE DART**SHIPMENT/CASH RECEIPT****SHIPMENT FROM:****GSTIN:**

AARTI PHARMALABS LIMITED
 VAIBHAV HANMANT BHOSALE
 PLOT NO D 53 MIDC PHASE II
 KALYAN SHILL ROAD DOMBIVLI E
 DOMBIVALI 421204, MAHARASHTRA
 Tel: +91-08830101407 Mobile No: +91-8830101407
 AJITKUMAR.MORE@AARTIPHARMALABS.COM

SHIPMENT TO:

CENTRAL POLLUTION CONTROL BOARD
 THE REGIONAL DIRECTORATE
 ROW HOUSE NO 1 SANJIVANI NISARG VIHAR
 BALEWADI PUNE
 PUNE 411045, MAHARASHTRA
 Tel: Mobile No: +91-1111111111

SHIPMENT DETAILS

Date Of Shipment:	21/05/2025	PAN No:	AABCD3611Q
Cash Customer No.:		DHL GSTIN:	27AABCD3611Q1ZI
DHL AWB No.:	9982236961	BlueDart AWB No.:	39950560764
Product:	DP	No. Of Packages:	1
Gross Weight:	0.5	Volumetric Weight:	0.5
Length:	10	Width:	10
Height:	10	SVC Code:	VSO

DOMESTIC INFORMATION

BD Route Code

BILLING INFORMATION:

Payment Code:	CASHIN050	Bank Name:	VAIBHAVCOOLWANTED- 1@OKHDFCBANK	Bank Branch:	UPI SALE
Payment Type:	ONLINE PAYMENT	Card/Transaction/UTR No:	105162509854	Date:	21/05/2025
Payment Amt:	500	Bank Name:		Bank Branch:	
Payment Type 2:		Card/Transaction/UTR No:		Date:	
Payment Amt 2:					

DESCRIPTION OF CONTENTS: ORIGINAL DOCS ---URGENT DELIVERY**TARIFF CHARGES:**

FREIGHT AMOUNT:	338.98	AWB FEE:	0	INS. PREMIUM:	0	INS. ADMIN CHARGES:	0
RAS:	0	OCTROI:	0	FUEL CHARGE:	0	CURR. ADJ. FACTOR:	0
TDD:	84.75	DISCOUNT:	0	HANDLING CHARGE:	0	ACK. DLV. CHALAN:	0
DELIVERY TYPE:		EDL CHARGE:	0	OTHER CHARGE:	0	PASSPORT DISC:	0
TDS:	0	Adjustment:					
NET AMOUNT:	423.73	GST Tax:	76.27	FINAL PAYMENT:	500		

BLUE DART DHL Standard terms and conditions apply. Warsaw Convention may also apply. For more information visit www.BLUEDART.com
 18602331234

DHL Staff Signature

If you have provided GSTIN, than a GSTIN invoice will be emailed to you within 3 weeks. In case of any queries kindly email to RetailGST@dhl.com.

DHL EXPRESS INDIA PVT. LTD.
 Shop No.4, Nirmal Chhaya CHS.
 Near Gaondevi Mandir,
 Manpada Road, Dombivli (East)
 Thane - 421 201
 Tel. : 0251-2439959



We understand your world

HDFC UPI

DOM
SOP NO 4 BIRMAI CURETA CUS HIRAN GANDREVI
MUMBAI

DATE : 2026-05-21 TIME : 13:30:10
CLIENT ID : 917881 MID : HDFC00016309076
BATCH ID : 11026 NOC : 102
BRN : 10516260905A
PTRN : 477847867
INVOICE NUM : 09944648

Transaction Successful

MERCHANT VPA : dhlexpress.41875334@hdfcbank
PAYMENT MODE : UPI
BILL NUM : 09944648
CRIG BILL NUM : 09944648
TXN ID : 203B1274002416
PAYER A/C Type : SAVINGS

TXN AMOUNT : Rs 500.00

ibha***@okb

dfcbank

Please deliver goods/services to customer

I agree to sale transaction as per

Terms and conditions.

CUSTOMER COPY

₹.01.00.00

Powered by Pine Labs


PRIVACY POLICY AS ON <https://www.pinelabs.com/privacy-policy> APPLY.

pine labs

Aarti D-53 EC Letter Conditions

A. Specific Conditions

- i. The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the PFR/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented. - **Complied**
- ii. Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out. - **Complied**
- iii. Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.- **Complied**
- iv. As already committed by the project proponent, Zero Liquid Discharge (ZLD) shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture purpose.- **Complied**
- v. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms. - **Complied**
- vi. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees. - **Complied**
- vii. Total fresh water requirement shall not exceed 42 m³/day will be met from MIDC. Prior permission in this regard shall be obtained from the concerned regulatory authority. - **Noted**



- viii. Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rainwater in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.- **Complied**
- ix. Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (if applicable).-**Noted**
- x. Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space provided with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valves to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation. - **Complied**
- xi. Process organic residue and spent carbon, if any, shall be sent to Cement or other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSEF. There shall be commitment from the brick manufacturer to take the fly ash from the plant. The Unit is to be started after getting the commitment from the brick manufacturer/ cement plant. - **Noted**
- xii. The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure water for equipment cleaning to reduce wastewater generation. - **Noted**



xiii. The green belt of at least 5-10 m width shall be developed in at least 40% of the total project area, mainly along the plant periphery/ additional land. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map. Trees have to be planted with spacing of 2m x 2m and number of trees have to be increased accordingly. The plant species can be selected that will give better carbon sequestration. All trees must be planted within first year. - **Complied**

xiv. The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented. - **Noted**

xv. A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. - **Complied**

A handwritten signature in black ink, consisting of a stylized 'M' followed by a checkmark-like stroke.


B. General Conditions

- i. No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment Forest and Climate Change/SEIM, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIM, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any. - **Noted**
- ii. The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts. - **Noted**
- iii. The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment. - **Complied**
- iv. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time) - **Complied**
- v. The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment. - **Noted**
- vi. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein.



The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose. - Noted

- vii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. - Noted
- viii. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company. - Noted
- ix. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail. - Complied
- x. The project proponent shall inform the public that the project has been accorded Environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which the plant is in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry. - Noted
- xi. The project authorities shall inform the Regional Office as well as the Ministry the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project. - Noted



F. No. IA- J-11011/140/2021-IA.II (I)
Government of India
Ministry of Environment, Forest and Climate Change
Impact Assessment Division

By Speed Post/Online

Indira Paryavaran Bhavan,
Vayu Wing, 3rd Floor, Aliganj,
Jor Bagh Road, New Delhi-110 003

Dated: 27th May, 2021

To,

M/s Aarti Industries Limited,
71, Udyog Kshetra, 2nd Floor,
Mulund Goregaon Link Road, Mulund (W),
Thane, Maharashtra - 421204

Email: narendra.salvi@aarti-industries.com

Sub: Expansion of Active Pharmaceutical Ingredient (API) facility from 0.135 TPM to 1.875 TPM located at Plot No. D-53, MIDC Dombivali Phase II, District Thane, Maharashtra by M/s Aarti Industries Limited - Environmental Clearance – reg.

Sir,

This has reference to your online proposal No. IA/MH/IND2/206004/2021 dated 25th March, 2021 for environmental clearance to the above-mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for Expansion of Active Pharmaceutical Ingredient (API) facility from 0.135 TPM to 1.875 TPM located at Plot No. D-53, MIDC Dombivali Phase II, District Thane, Maharashtra.

3. The project is covered under Category B of item 5(f) 'Synthetic, Organic Chemicals Industry' of the Environment Impact Assessment (EIA) Notification, 2006. However, due to applicability of general condition, the project requires appraisal at Central level by the Sectoral Expert Appraisal Committee (EAC) in the Ministry. It was informed that no litigation is pending against the proposal.

4. The details of products and capacities are as under:

S. No.	Product name	Quantity in TPM			CAS No.	Therapeutic use
		Existing	Proposed	Total		
1	Venlafaxine Hydrochloride	0.03	-0.03	0	99300-78-4	Antidepressant
2	Bambuterol Hydrochloride	0.025	0.175	0.2	81732-46-9	Bronchodilator
3	Fluticasone propionate	0.01	0.015	0.025	80474-14-2	Glucocorticoid
4	Budesonide (TTR)	0.02	0.18	0.2	51333-22-3	Glucocorticoid

TPH LDO fired boiler. It is proposed to install 1.5 TPH LDO fired boiler. Existing boiler will be discontinued from operation & new boiler of 1.5 TPH will be installed. Adequate stack height of 30 m will be provided for proposed boiler. Particulate emissions of 150 mg/Nm³ will be maintained.

11. Details of Process emissions generation and its management:

Parameter	Process Scrubber	
	Acidic scrubber	Alkali scrubber
Scrubbing media	Water/ NaOH	HCl/H ₂ SO ₄
Packing type	Pall Ring 2"Dia	Pall Ring 2"Dia
Temp	Ambient	Ambient
Diameter	770 mm	550 mm
MOC	PPFRP	PPFRP
Shape	Round	Round
Height	7.2 m	7.2 m
Duty	Continuous	Continuous
Control Equipment	2 stage scrubber equipped with Temperature/ Pressure transmitter/ pH sensor	2 stage scrubber equipped with Temperature/ Pressure transmitter/ pH sensor

12. Details of Solid waste & Hazardous waste generation and its management:

S. No.	Description	Quantity in TPM	Disposal
1.	Metal, Wood & paper scrap	0.1	Sale
2.	Pallets	0.1	Reuse/sale to authorized party
3.	E-Waste	0.05	Sell to Authorized party

S. No.	Cat. No. as per HW Rules	Type of Waste	Unit	Existing Quantity	Proposed Quantity	Total Quantity	Disposal
1.	35.3	Chemical Sludge from waste treatment water	TPM	0.01	2.5	2.51	CHWTSDF
2.	28.1	Process residue	TPM	-	3.0	3.0	CHWTSDF
3.	20.3	Distillation residue	TPM	-	1.2	1.2	CHWTSDF
4.	28.2	Spent Catalyst	TPM	-	2.1	2.1	CHWTSDF
5.	28.3	Spent Carbon (Process)	TPM	-	11.7	11.7	CHWTSDF/ Sale to authorized party

CO2	H2	NH3	O2	N2	HBr	HCl (acid mist)	(CH3)2NH	CH3Cl	HF	SO2
Nil	Nil	35	Nil	Nil	Nil	95	Nil	Nil	Nil	73

14. The proposal was considered by the EAC (Industry-3 Sector) in its 9th meeting held during 12-13 April, 2021. The project proponent and their consultant M/s Aditya Environmental Services Pvt. Ltd, made a detailed presentation through Video Conferencing (VC) and have presented the PFR/EMP report.

The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, examined the proposal submitted by the Project Proponent in desired form along with PFR & EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent.

The EAC noted that the Project Proponent has given an undertaking that the data and information given in the application and enclosures are true to the best of their knowledge and belief and no information has been suppressed in the PFR & EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

It was further informed the EAC that the Ministry has recently issued an Office Memorandum dated 28.01.2021 and inter-alia requested that EAC shall clearly recommend the permissible pollution load i.e. quantity and quality, including composition, of emissions, discharge and solid waste generation. In compliance of this OM, PP has submitted the pollution load and the EAC also deliberated on the pollution load as estimated by the PP/Consultant.

The Committee noted that the PFR/EMP report reflects the present environmental concerns and the projected scenario for all the environmental components. The Committee deliberated on the action plan and budget allocation for green belt development and suggested to increase the allocated amount accordingly PP submitted commitment to plant 230 saplings within six months and increased the allocated amount for green belt development. The committee deliberated mitigation measure towards Air, Water, Noise and Soil pollutions. The Committee also suggested that the storage of toxic/explosive raw material/products shall be undertaken with utmost precautions and following the safety norms and best practices. The committee was of firm opinion that effluent from this unit shall not be discharged to other unit as it may create difficulty in monitoring.

The EAC also deliberated the request of PP to use the facility of other plot, after detailed discussion the Committee did not agree as the same cannot be monitored. Committee suggested PP to amalgamate all the plot and take one EC for better implementation of the project.

The EAC deliberated on the proposal with due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC also found the proposal in order and recommended for the grant of environmental clearance.

15. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe

- (ix) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (if applicable).
- (x) Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space provided with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valves to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
- (xi) Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF. There shall be commitment from the brick manufacturer to take the fly ash from the plant. The Unit is to be started after getting the commitment from the brick manufacturer / cement plant.
- (xii) The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (xiii) The green belt of at least 5-10 m width shall be developed in at least 40% of the total project area, mainly along the plant periphery/ additional land. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map. Trees have to be planted with spacing of 2m x 2m and number of trees have to be increased accordingly. The plant species can be selected that will give better carbon sequestration. All trees must be planted within first year.
- (xiv) The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented.
- (xv) A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

B. General Conditions:

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry

with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

- (xi) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xii) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

17. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

18. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

19. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

20. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

21. This issues with the approval of the competent authority.

(Dr. R. B. Lal)

Scientist 'E'/Additional Director

Tele-fax: 011- 24695362

Email: rb.lal@nic.in

(Dr. R. B. Lal)
Scientist 'E'/Additional Director
Ministry of Environment, Forest and Climate Change
Government of India
New Delhi

Copy to:-

1. The Secretary, Environment and Forests Department Secretariat, Government of Maharashtra, MECL Building, Dr. Ambedkar Bhawan, Seminary Hills, Civil Lines, Nagpur-440006 (Maharashtra)

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24020781/24014701

Fax : 24023516/24024068/24044531

Email : ast@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Kalptaru point, 2nd, 3rd & 4th Floor,

Opp. Cine Planet,

Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent Order No: Format1.0/UAN No. 0000009399/Amend- 2302000053

Date: 28/02/2023

Amendment of Consent

Sub: Amendment in Consent to Operate for change in name of

M/s. Aarti Industries Ltd.

Plot No. D-53, MIDC Phase II, Dombivali East,

Tal. Kalyan, Dist. Thane,


Ref: 1. Consent granted by Board vide No.: Format1.0/AS(T)/UAN No. 0000145814/CO/2302000197 dtd: 03/02/2023 valid upto 31/10/2027.

2. Hon'ble National Company Law Tribunal Order dtd: 21/09/2022

The Consent to Operate granted under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is granted to M/s. Aarti Industries Ltd. Plot No. D-53, MIDC Phase II, Dombivali East, Tal. Kalyan, Dist. Thane, is hereby amended as:

1. The name of the Industry shall be read as:
M/s. Aarti Pharmalabs Ltd.,
Plot No. D-53, MIDC Phase II, Dombivali East,
Tal. Kalyan, Dist. Thane
2. This amendment for change in name is issued pursuant to the order issued by Hon'ble National Company Law Tribunal referred at Sr. No. 2.
3. All other conditions of the consent referred above at Sr. No. 1 shall be remain unchanged.
4. The Amendment is valid only along with the consent referred at Ref. No. 1.

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. J. B. Sangewar)

Assistant Secretary (Technical)

To,
M/s. Aarti Pharmalabs Ltd.,
Plot No. D-53, MIDC Phase II, Dombivali East,
Tal. Kalyan, Dist. Thane

Copy to:

1. Regional Officer - Kalyan / SRO - Kalyan - I, MPCB
2. Chief Accounts Officer, M.P.C. Board, Mumbai

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
6	R-salbutamol Sulphate	0.013	0.487	0.5	Ton/M
7	Ipratropium Bromide	0.008	-0.008	0	Ton/M
8	Deferiprone	0.025	0.475	0.5	Ton/M
9	Perindopril Erbumine	0	0.2	0.2	Ton/M
10	Sitagliptin	0	0.05	0.05	Ton/M
11	Montelukast Sodium	0	0.2	0.2	Ton/M

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	11	As per Schedule-I	Recycle 100% to achieve ZLD
2.	Domestic effluent	4	As per Schedule-I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S1	DG Set (250 KVA)	1	As per Schedule -II
2	S2	Boiler (1.5 TPH)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Glass	100	No/M	Sale	Sale to authorized party
2	Metal, Wood & paper scrap	0.1	Ton/M	Sale	Sale to authorized party
3	Pallets	0.1	Ton/M	Sale	Sale to authorized party
4	Food Waste	0.05	Ton/M	Composting	Used as mannure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	20.3 Distillation residues	1.2	MT/M	Incineration	CHWTSDF
2	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	200	No/M	Recycle*	Sale to authorised party / CHWTSDF
3	35.3 Chemical sludge from waste water treatment	2.51	Ton/M	Landfill after treatment	CHWTSDF
4	28.1 Process Residue and wastes	3	Ton/M	Incineration	CHWTSDF

16. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter F. No. IA-J-11011/140/2021-IA.II (I), dated 27/05/2021.
17. This consent is issued as per the Office Order for Consent Management of the Board No. 12/2020 dtd. 23.12.2020.
18. Industry shall ensure online monitoring system i.e. IP Camera and flow meter to ensure the Zero Liquid Discharge and its connectivity to the MPCB server. Industry shall also install separate energy meter to the pollution control devices.
19. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	250000.00	TXN2208001422	12/08/2022	Online Payment

Copy to:

1. Regional Officer, MPCB, Kalyan and Sub-Regional Officer, MPCB, Kalyan I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	30.00
2.	Domestic purpose	5.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	5.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	2.00
5.	Gardening	13

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

- k. Use of automatic filling to minimize spillage.
- l. Use of close feed system into batch reactors.
- m. Venting equipment through vapour recovery system.

SCHEDULE-III
Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R (Existing to be extended)	Rs. 5 Lakh	15 days	Towards O & M of pollution control systems	31/10/2027	30/04/2028
2	C to E (Existing to be extended)	Rs. 3 Lakh	15 days	Towards compliance of consent conditions	31/10/2027	30/04/2028

****Existing BG obtained for above purpose if any, may be extended for period of validity as above.**

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						


BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

2. **Storage for other components and residues:** Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with them.
3. **Balances :** WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste". The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.
4. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDF.
5. Ferrous and nonferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.
6. CFCs should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDF.
7. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
8. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDF.
9. Mercury recovery and lead recycling facilities from batteries fall under the Hazardous & Other Wastes (M & TM) Rules, 2016.
10. Existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDF.
11. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.
10. The Energy source for lighting purpose shall preferably be LED based
11. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
12. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

26. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
27. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
28. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
29. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
30. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
31. The industry should not cause any nuisance in surrounding area.
32. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
33. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
34. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
35. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
36. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
37. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
38. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.

Environmental Cell, Unit-I API Dombivli



ULR:TC515025000004179F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivli
 (E).421204.,
 Maharashtra

REPORT No. : SAL/MSP19/FM03/02/WW(24-25-1379)
 REPORT DATE : 28/02/2025
 CUSTOMER REF : 4580073549
 REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION No. : 02/WW(24-25-1379)	LOCATION : D-53 STP Outlet
SAMPLING PLAN & METHOD No.: IS 3025 Part 1	SAMPLE SPECIFICATION : Waste Water
SAMPLING DATE : 21/02/2025	SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)
SAMPLING TIME : 13:30:00	SAMPLE QUANTITY : 1Ltr.
ANALYSIS START DATE : 22/02/2025	SAMPLE PACKING : Sealed
ANALYSIS COMPLETE DATE : 27/02/2025	

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Oil & Grease	mg/L	BDL(<5)	10.0	IS 3025 (Part 39)
2	pH	-	6.67	5.5-9.0	IS 3025 (Part 11)
3	Total Suspended Solids (TSS)	mg/L	18	100	IS 3025 (Part 17)
4	Chemical Oxygen Demand	mg/L	63	250	IS 3025 (Part 58)
5	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	16	30	IS 3025 (Part 44)
6	Total Dissolved Solids	mg/L	612	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.


Note : NA

Analyzed By


 Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Bhat Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000004177F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
Plot No. D-53-60, MIDC Phase II, Kalyan Shil Road, Dombivli
(E).421204.,
Maharashtra

REPORT No. : SAL/MSP19/FM03/02/WWW(24-25-1377)
REPORT DATE : 28/02/2025
CUSTOMER REF : 4580073549
REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION No. : 02/WWW(24-25-1377) LOCATION : D-53 ETP Outlet
SAMPLING PLAN & METHOD No.: IS 3025 Part 1 SAMPLE SPECIFICATION : Waste Water
SAMPLING DATE : 21/02/2025
SAMPLING TIME : 13:10:00 SAMPLE COLLECTED BY : Mr. Pramod Sudakar (Skylab)
ANALYSIS START DATE : 22/02/2025 SAMPLE QUANTITY : 1Ltr.
ANALYSIS COMPLETE DATE : 27/02/2025 SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norm#	Reference Method
1	Oil & Grease	mg/L	BDL(<5)	10.0	IS 3025 (Part 39)
2	pH	-	6.63	5.5-9.0	IS 3025 (Part 11)
3	Total Suspended Solids (TSS)	mg/L	BDL(<5)	100	IS 3025 (Part 17)
4	Chemical Oxygen Demand	mg/L	42	250	IS 3025 (Part 58)
5	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	10	30	IS 3025 (Part 44)
6	Chloride, as Cl	mg/L	33	600	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	1.0	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	8	1000	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	162	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.


Note : NA

Analyzed By


Tejashri Chavan
Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


Dr. Bha. Bhadhare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000004175F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT No. : SAL/MSP19/FM03/02/WW(24-25-1375)
 REPORT DATE : 28/02/2025
 CUSTOMER REF : 4580073549
 REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION No. : 02/WW(24-25-1375) LOCATION : D-53 STP Inlet
 SAMPLING PLAN & METHOD No.: As per Reference Method SAMPLE SPECIFICATION : Waste Water
 SAMPLING DATE : 21/02/2025
 SAMPLING TIME : 13:20:00 SAMPLE COLLECTED BY : Mr.Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 22/02/2025 SAMPLE QUANTITY : 1Ltr.
 ANALYSIS COMPLETE DATE : 27/02/2025 SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	Oil & Grease	mg/L	7.2	IS 3025 (Part 39)
2	pH	-	6.68	IS 3025 (Part 11)
3	Total Suspended Solids (TSS)	mg/L	220	IS 3025 (Part 17)
4	Chemical Oxygen Demand	mg/L	886	IS 3025 (Part 58)
5	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	258	IS 3025 (Part 44)
6	Total Dissolved Solids	mg/L	1236	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. #: NA

Opinion/Observation: NA

Note: NA

Analyzed By


 Tejashti Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000004170F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shil Road, Dombivali
 (E), 421204.,
 Maharashtra

REPORT No. : SAL/MSP19/FM03/02/WWW(24-25-1370)
 REPORT DATE : 28/02/2025
 CUSTOMER REF : 4580073549
 REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION No. : 02/WWW(24-25-1370) LOCATION : D-53 ETP Inlet
 SAMPLING PLAN & METHOD No.: As per Reference Method SAMPLE SPECIFICATION : Waste Water
 SAMPLING DATE : 21/02/2025
 SAMPLING TIME : 12:30:00 SAMPLE COLLECTED BY : Mr. Pramod Sudokar (SkyLab)
 ANALYSIS START DATE : 22/02/2025 SAMPLE QUANTITY : 1Ltr.
 ANALYSIS COMPLETE DATE : 27/02/2025 SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	Oil & Grease	mg/L	6.8	IS 3025 (Part 39)
2	pH	-	6.84	IS 3025 (Part 11)
3	Total Suspended Solids (TSS)	mg/L	58	IS 3025 (Part 17)
4	Chemical Oxygen Demand	mg/L	688	IS 3025 (Part 58)
5	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	201	IS 3025 (Part 44)
6	Chloride, as Cl	mg/L	49	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	38	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	276	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. #: NA

Opinion/Observation: NA


Note : NA

Analyzed By

Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Tejal Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl. Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob.: 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC51502500004437F

Sky Lab

ANALYTICAL LABORATORY

Accredited by NABL as per ISO/IEC 17025:2017
 Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018
 Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi
 • ENVIRONMENT • FOOD • TEXTILE

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmed Labs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivli
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/02/MM(24-25-1631)
 REPORT DATE : 03/03/2025
 CUSTOMER REF : 4580073549
 REF DATE : 01/02/2025

SAMPLE TYPE: Workplace Air

SAMPLE REGISTRATION NO. : 02/MM(24-25-1631)	LOCATION : D-53 Nr.SSR-23
SAMPLING PLAN & METHOD NO. As per Reference Method	COORDINATES : NA
SAMPLING DATE : 21/02/2025	SAMPLING DURATION : 15Minutes
SAMPLING TIME : 16:05:00	SAMPLE COLLECTED BY : Mr.Akshay Patil (SkyLab)
ANALYSIS START DATE : 24/02/2025	AMBIENT TEMPERATURE : 29°C To 33°C
ANALYSIS COMPLETE DATE : 28/02/2025	HUMIDITY : 63% To 68%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Sulphur Dioxide	mg/m3	0.030	5	IS 5182 (Part 2)
2	Nitrogen Oxides	mg/m3	0.049	6	IS: 5182, (Part-6)
3	Suspended Particulate Matter	mg/m3	0.052	10	IS 5182 (Part 4)
4	Volatile Organic Compound (VOC)	ppm	0.2	NS	EPA Method No.21

ND: Not Detected. NS: Not Specified. # : # As per Factories Act.

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per Factories Act.

Note : NA

Analyzed By

Atul Shahane
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mahadhare
 (Authorized Signatory)

END OF REPORT

- This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
- This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000004406F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shil Road, Dombivli
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/02/SSM(24-25-1619)
 REPORT DATE : 03/03/2025
 CUSTOMER REF : 4580073549
 REF DATE : 01/02/2025

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 02/SSM(24-25-1619) LOCATION : Scrubber Stack D-53
 SAMPLING PLAN & METHOD NO: As per Reference Method SAMPLE COLLECTED BY : Mr.Akshay Patil (Skylab)

SAMPLING DATE : 21/02/2025 STACK HEIGHT FROM GROUND : 13 Meters
 SAMPLING TIME : 14:20:00 SHAPE OF STACK : Round
 ANALYSIS START DATE : 24/02/2025 MATERIAL OF STACK : MS
 ANALYSIS COMPLETE DATE : 28/02/2025 FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	40	NA	IS - 11255 (Part 1)
4	Velocity	m/s	6.5	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1571	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	13.5	150	IS - 11255 (Part 1)
7	Acid Mist	mg/Nm ³	8.2	35	EPA Method No.8

ND: Not Detected. NS: Not Specified.#: As per MPCB Consent.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.


Note : NA

Analyzed By

Atul Shahane
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Bala Manishare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502500004407F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/02/SSM(24-25-1620)
 REPORT DATE : 03/03/2025
 CUSTOMER REF : 4580073549
 REF DATE : 01/02/2025

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 02/SSM(24-25-1620) LOCATION : Scrubber Stack D-55
 SAMPLING PLAN & METHOD NO: As per Reference Method SAMPLE COLLECTED BY : Mr.Akshay Patil (Skylab)
 SAMPLING DATE : 21/02/2025 STACK HEIGHT FROM GL : 15 Meters
 SAMPLING TIME : 14:40:00 SHAPE OF STACK : Round
 ANALYSIS START DATE : 24/02/2025 MATERIAL OF STACK : MS
 ANALYSIS COMPLETE DATE : 28/02/2025 FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	41	NA	IS - 11255 (Part 1)
4	Velocity	m/s	6.7	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1612	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	20.1	150	IS - 11255 (Part 1)
7	Acid Mist	mg/Nm ³	10.3	35	EPA Method No.8

ND: Not Detected. NS: Not Specified.#: As per MPCB Consent.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note : NA

Analyzed By

Atul Shrivane
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Shrivane

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000004404F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shift Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/02/DSM(24-25-161)
 REPORT DATE : 03/03/2025
 CUSTOMER REF : 4580073549
 REF DATE : 01/02/2025

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 02/DSM(24-25-1611) LOCATION : D. G. Stack (250 kVA) D-53

SAMPLING PLAN & METHOD NO: As per Reference Method SAMPLE COLLECTED BY : Mr.Akshay Patil (Skylab)

SAMPLING DATE : 21/02/2025 STACK HEIGHT FROM GL : 6 Meters

SAMPLING TIME : 13:30:00 SHAPE OF STACK : Round

ANALYSIS START DATE : 24/02/2025 MATERIAL OF STACK : MS

ANALYSIS COMPLETE DATE : 28/02/2025 FUEL USED(CONSUMPTION) : Diesel(15Lit/hr)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.15	NA	-
2	C/s area of Stack	m ²	0.018	NA	-
3	Temperature	°C	114	NA	IS - 11255 (Part 1)
4	Velocity	m/s	7.8	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	381	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	27.7	50	IS - 11255 (Part 1)
7	Sulphur Dioxide	mg/Nm ³	32.8	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	Kg/Day	0.30	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	mg/Nm ³	46.2	NS	IS 11255 (Part 7)
10	Nitrogen Oxides	ppm	22.5	NS	IS: 11255, (Part 7)

ND: Not Detected. NS: Not Specified.#: As per MPCB Consent.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note : NA

Analyzed By

Atul Shahane

Sr Analyst



For SKYLAB ANALYTICAL LABORATORY



Dr.Data Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharamalabs Ltd.,
 Plot No. D-53-60, MIDC Phase II, Kalyan Shil Road, Dombivli
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM07/02/DIL(24-25-1616)

REPORT DATE : 11/03/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: DG Insertion Loss

SAMPLE REGISTRATION NO. : 02/DIL(24-25-1616)

SAMPLE COLLECTED BY : Mr.Akshay Patil (Skylab)

SAMPLING PLAN & METHOD NO.: As per Reference Method

CAPACITY of DG : DG - 4, D-53 (250KVA)

SAMPLING DATE : 21/02/2025

SAMPLING TIME : 13:30:00

Sr. No.	Location Name	Unit	Result(DG ON TIME)		Insertion Loss
			Enclosure Open	Enclosure Close	
1	East	dB (A)	94.2	68.7	25.5
2	North	dB (A)	92.8	67.1	25.7
3	South	dB (A)	93.4	67.8	25.6
4	West	dB (A)	91.1	65.6	25.5

Opinion/Observation: Noise Level is meeting requirements as per MPCB Consent.

Note : Insertion Loss due to Acoustic Enclosure shall be more than 25 dB (A).

Analyzed By

Atul Shahane
 Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000004400F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E) 421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/02/BSM(24-25-1607)
 REPORT DATE : 03/03/2025
 CUSTOMER REF : 4580073549
 REF DATE : 01/02/2025

SAMPLE TYPE: Boiler Stack

SAMPLE REGISTRATION NO. : 02/BSM(24-25-1607) LOCATION : Boiler Stack (D-53)
 SAMPLING PLAN & METHOD NO: As per Reference Method SAMPLE COLLECTED BY : Mr.Akshay Patil (Skylab)
 SAMPLING DATE : 21/02/2025 STACK HEIGHT FROM GL : 30Meters
 SAMPLING TIME : 12:10:00 SHAPE OF STACK : Round
 ANALYSIS START DATE : 24/02/2025 MATERIAL OF STACK : MS
 ANALYSIS COMPLETE DATE : 28/02/2025 FUEL USED(CONSUMPTION) : Biofuel

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.6	NA	
2	C/s area of Stack	m ²	0.283	NA	
3	Temperature	°C	115	NA	IS - 11255 (Part 1)
4	Velocity	m/s	7.0	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	5471	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	19.7	50	IS - 11255 (Part 1)
7	Sulphur Dioxide	Kg/Day	2.15	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	mg/Nm ³	16.4	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	mg/Nm ³	22.1	NS	IS 11255 (Part 7)
10	Nitrogen Oxides	ppm	10.76	NS	IS: 11255, (Part 7)

ND: Not Detected. NS: Not Specified.#: As per MPCB Consent.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.


Note : NA

Analyzed By

Atul Shahane
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Atul Shahane
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.





Sky Lab
OUR GOAL POLLUTION CONTROL

Sky Lab

ANALYTICAL LABORATORY

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

• ENVIRONMENT • FOOD • TEXTILE

ULR:TC51502500004119F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivli
(E).421204.,
Maharashtra

REPORT NO : SAL/MSP19/FM01/02/AM(24-25-1602)
REPORT DATE : 27/02/2025
CUSTOMER REF : 4580073549
REF DATE : 01/02/2025

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 02/AM(24-25-1602) LOCATION : Plot No.D-53 Nr. Main Gate
SAMPLING PLAN & METHOD NO. As per Reference Method COORDINATES : NA
SAMPLING DATE : 21/02/2025 SAMPLING DURATION : 24 HRS
SAMPLING TIME : 11:15:00 SAMPLE COLLECTED BY : Mr.Akshay Patil (SkyLab)
ANALYSIS START DATE : 24/02/2025 AMBIENT TEMPERATURE : 24°C To 37°C
ANALYSIS COMPLETE DATE : 27/02/2025 HUMIDITY : 64% To 78%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m ³	77.5	100	IS 5182 (Part-23)
2	Particulate Matter PM 2.5	µg/m ³	41.3	60	IS:5182, (Part 24)
3	Sulphur Dioxide	µg/m ³	19.3	80	IS 5182 (Part 2)
4	Nitrogen Oxides	µg/m ³	32.5	80	IS: 5182, (Part-6)
5	Ozone	µg/m ³	BDL(<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition
6	Ammonia	µg/m ³	26.9	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m ³	BDL(<0.1)	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m ³	BDL(<1)	1	IS 5182 (Part 12)
9	Lead	µg/m ³	BDL(<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m ³	BDL(<1)	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m ³	BDL(<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
12	Carbon Monoxide	ppm	0.51	NS	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified.#: As per NAAQMS Guidelines 2009.

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines.

Note : NA

Analyzed By

Atul Shahane

Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


Atul Shahane
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shil Road, Dombivli
 (E). 421204.,
 Maharashtra

REPORT No. : SAL/MSP19/FM03/02/DW(24-25-1381)

REPORT DATE : 26/02/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Drinking Water

SAMPLE REGISTRATION No. : 02/DW(24-25-1381)

SAMPLING PLAN & METHOD No.: IS 3025 Part 1

SAMPLING DATE : 21/02/2025

SAMPLING TIME : 13:00:00

ANALYSIS START DATE : 22/02/2025

ANALYSIS COMPLETE DATE : 26/02/2025

LOCATION : Canteen

SAMPLE SPECIFICATION : Drinking Water

SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)

SAMPLE QUANTITY : 2Ltrs.

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Taste	-	Agreeable	Agreeable	APHA 24th Ed. 2160A
2	Mineral Oil	mg/L	BDL(<0.5)	0.5	IS 3025 (Part 39)
3	Hexavalent Chromium, as Cr+6	mg/L	BDL(<0.05)	0.05	IS 3025 (Part 52)
4	Poly nuclear Aromatic Hydrocarbons (PAH)	mg/L	ND	0.0001	APHA 24th Ed. 6440 B
5	Pesticides	mg/L	ND	Absent	APHA 24th Ed. 6440 B

ND: Not Detected. NS: Not Specified. #: As per IS 10500:2012.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note : NA

Analyzed By

Atul Shahane

Sr Analyst

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Marudhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000003839F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharamlabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM12/02/MSA(24-25-1382

REPORT DATE : 24/02/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Water Analysis

SAMPLE REGISTRATION NO. : 02/MSA(24-25-1382)

LOCATION : Canteen

SAMPLING PLAN & METHOD NO: As Per Reference Method

SAMPLE SPECIFICATION : Drinking Water (02/DW
 1381)

SAMPLING DATE : 21/02/2025

SAMPLING TIME : 13:00:00

SAMPLE COLLECTED BY : Mr.Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 22/02/2025

SAMPLE QUANTITY : 2Ltrs.

ANALYSIS COMPLETE DATE : 24/02/2025

SAMPLE SEALED : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	E. Coli	/100 ml	ABSENT	Absent	IS 15185
2	Total Coliform	/100ml	ABSENT	Absent	IS 15185

ND: Not Detected. NS: Not Specified #: As per IS 10500:2012.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By

Ashrah

Ashrah Ansari

Microbiologist



TC-5150

For SKYLAB ANALYTICAL LABORATORY



(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000004040F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shil Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT No. : SAL/MSP19/FM03/02/DW(24-25-1381)
 REPORT DATE : 26/02/2025
 CUSTOMER REF : 4580073549
 REF DATE : 01/02/2025

SAMPLE TYPE: Drinking Water


SAMPLE REGISTRATION No. : 02/DW(24-25-1381) LOCATION : Canteen
 SAMPLING PLAN & METHOD No.: IS 3025 Part 1 SAMPLE SPECIFICATION : Drinking Water
 SAMPLING DATE : 21/02/2025
 SAMPLING TIME : 13:00:00 SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)
 ANALYSIS START DATE : 22/02/2025 SAMPLE QUANTITY : 2Ltrs.
 ANALYSIS COMPLETE DATE : 26/02/2025 SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Colour	Hazen	BDL(<5)	5	IS 3025 (Part 4)
2	Odour	mg/L	Agreeable	Agreeable	IS 3025 (Part 5)
3	pH	Units	6.60	6.5-8.5	IS 3025 (Part 11)
4	Turbidity	NTU	BDL(<1)	1	IS 3025 (Part 10)
5	Total Dissolved Solids	mg/L	148	500	IS 3025 (Part 16)
6	Anionic detergents, as MBAS	mg/L	BDL(<0.02)	0.2	IS 13428 (Annex K)
7	Boron, as B	mg/L	BDL(<0.1)	0.5	IS 3025 (Part 2)
8	Calcium, as Ca	mg/L	18	75	IS 3025 (Part 40)
9	Copper, as Cu	mg/L	BDL(<0.05)	0.05	IS 3025 (Part 2): 2019
10	Fluoride, as F	mg/L	BDL(<0.1)	1	IS 3025 (Part 60): 2008
11	Free residual chlorine	mg/L	0.2	>0.2	IS 3025 (Part 26)
12	Iron, as Fe	mg/L	BDL(<0.1)	0.3	IS 3025 (Part 2)
13	Magnesium, as Mg	mg/L	3	30	IS 3025 (Part 46)
14	Manganese, as Mn	mg/L	BDL(<0.05)	0.1	IS 3025 (Part 2)
15	Nitrate, as NO3	mg/L	BDL(<0.1)	45	IS 3025 (Part 34)
16	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	0.001	IS 3025 (Part 43)
17	Selenium, as Se	mg/L	BDL(<0.01)	0.01	IS 3025 (Part 2)
18	Sulphate, as SO4	mg/L	4.2	200	IS 3025 (Part 24)
19	Hardness (total)	mg/L	48	200	IS 3025 (Part 21)
20	Zinc, as Zn	mg/L	BDL(<0.05)	5	IS 3025 (Part 2)
21	Cyanide, as CN	mg/L	BDL(<0.02)	0.05	IS 3025 (Part 27): 1986
22	Chloride, as Cl	mg/L	26	250	IS 3025 (Part 32)
23	Total Alkalinity, as CaCO3	mg/L	24	200	IS 3025 (Part 23)
24	Aluminium, as Al	mg/L	BDL(<0.01)	0.03	IS 3025 (Part 2)
25	Arsenic, as As	mg/L	BDL(<0.01)	0.01	IS 3025 (Part 2)
26	Cadmium, as Cd	mg/L	BDL(<0.003)	0.003	IS 3025 (Part 2)
27	Lead, as Pb	mg/L	BDL(<0.01)	0.01	IS 3025 (Part 2)
28	Mercury, as Hg	mg/L	BDL(<0.001)	0.001	IS 3025 (Part 48)

ND: Not Detected. NS: Not Specified. #: As per IS 10500:2012.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note : NA



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515025000004040F

SAMPLE REGISTRATION No. : 02/DW(24-25-1381)
SAMPLING PLAN & METHOD No.: IS 3025 Part 1

LOCATION : Canteen
SAMPLE SPECIFICATION : Drinking Water

SAMPLING DATE : 21/02/2025
SAMPLING TIME : 13:00:00
ANALYSIS START DATE : 22/02/2025
ANALYSIS COMPLETE DATE : 26/02/2025

SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLE QUANTITY : 2Ltrs.
SAMPLE PACKING : Sealed

Analyzed By

Atul Shahane
Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


Datta Manohare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000004120F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivli
 (E) 421204
 Maharashtra

REPORT NO : SAL/MSP19/FM01/02/AM(24-25-1603)
 REPORT DATE : 27/02/2025
 CUSTOMER REF : 4580073549
 REF DATE : 01/02/2025

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 02/AM(24-25-1603) LOCATION : Near Main Gate
 SAMPLING PLAN & METHOD NO. As per Reference Method COORDINATES : NA
 SAMPLING DATE : 21/02/2025 SAMPLING DURATION : 24 HRS
 SAMPLING TIME : 11:10:00 SAMPLE COLLECTED BY : Mr. Akshay Patil (Skylab)
 ANALYSIS START DATE : 24/02/2025 AMBIENT TEMPERATURE : 24°C To 37°C
 ANALYSIS COMPLETE DATE : 27/02/2025 HUMIDITY : 64% To 78%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m3	79.6	100	IS 5182 (Part-23)
2	Particulate Matter PM 2.5	µg/m3	45.7	60	IS:5182, (Part 24)
3	Sulphur Dioxide	µg/m3	22.3	80	IS 5182 (Part 2)
4	Nitrogen Oxides	µg/m3	37.5	80	IS: 5182, (Part-6)
5	Ozone	µg/m3	BDL(<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition
6	Ammonia	µg/m3	29.4	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m3	BDL(<0.1)	5	IS 5182 (Part 11)
8	Benz[a]Pyrene	ng/m3	BDL(<1)	1	IS 5182 (Part 12)
9	Lead	µg/m3	BDL(<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m3	BDL(<1)	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m3	BDL(<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
12	Carbon Monoxide	ppm	0.45	NS	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified. #: As per NAAQMS Guidelines 2009.

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines.

Note : NA

Analyzed By

Atul Shahane
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY

(Signature)
 M.D.C.
 Datta Mandhare
 27301

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Ashta Texpa, Addl. Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515024000030244F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
(E).421204.,
Maharashtra

REPORT NO : SAL/MSP19/FM01/11/WM(24-25-1329)
REPORT DATE : 28/11/2024
CUSTOMER REF : 4580065273
REF DATE : 15/10/2024

SAMPLE TYPE: Workplace Air

SAMPLE REGISTRATION NO. : 11/WM(24-25-1329)	LOCATION : D-53 Nr.SSR-23
SAMPLING PLAN & METHOD NO. As per Reference Method	COORDINATES : NA
SAMPLING DATE : 21/11/2024	SAMPLING DURATION : 15Minutes
SAMPLING TIME : 16:20:00	SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)
ANALYSIS START DATE : 23/11/2024	AMBIENT TEMPERATURE : 29°C To 32°C
ANALYSIS COMPLETE DATE : 28/11/2024	HUMIDITY : 63% To 68%


Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Sulphur Dioxide	mg/m3	0.016	5	IS 5182 (Part 2)
2	Nitrogen Oxides	mg/m3	0.027	6	IS: 5182, (Part-6)
3	Suspended Particulate Matter	mg/m3	0.051	10	IS 5182 (Part 4)
4	Volatile Organic Compound (VOC)	ppm	0.3	NS	EPA Method No.21

ND: Not Detected. NS: Not Specified.#: As per Factories Act.


Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per Factories Act.

Note : NA

Analyzed By


Atul Shahane
Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


Dr.Datta Mandhare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



SALAC24230906215

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist., Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivli
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/11/AM(24-25-1312)
 REPORT DATE : 29/11/2024
 CUSTOMER REF : 4580065273
 REF DATE : 15/10/2024

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 11/AM(24-25-1312)
 SAMPLING PLAN & METHOD NO. As per Reference Method
 SAMPLING DATE : 21/11/2024
 SAMPLING TIME : 10:30:00
 ANALYSIS START DATE : 23/11/2024
 ANALYSIS COMPLETE DATE : 28/11/2024

LOCATION : Plot No.D-53 Nr. Main Gate
 COORDINATES : NA
 SAMPLING DURATION : 24 HRS
 SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)
 AMBIENT TEMPERATURE : 26°C To 37°C
 HUMIDITY : 48.1% To 82.4%


Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m3	62.3	100	IS 5182 (Part-23)
2	Particulate Matter PM 2.5	µg/m3	33.2	60	IS:5182, (Part 24)
3	Sulphur Dioxide	µg/m3	15.4	80	IS 5182 (Part 2)
4	Nitrogen Oxides	µg/m3	28.6	80	IS: 5182, (Part-6)
5	Ozone	µg/m3	<20	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition
6	Ammonia	µg/m3	22.6	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m3	<0.1	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m3	<1	1	IS 5182 (Part 12)
9	Lead	µg/m3	<0.1	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m3	<1	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m3	<0.5	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
12	Carbon Monoxide	ppm	0.43	NS	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified.#: As per NAAQMS Guidelines 2009.


Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines.

Note : NA

Analyzed By


 Atul Shahane
 Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

- This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
- This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515024000030237F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
(E).421204.,
Maharashtra

REPORT NO : SAL/MSP19/FM02/11/DSM(24-25-1321)

REPORT DATE : 28/11/2024

CUSTOMER REF : 4580065273

REF DATE : 15/10/2024

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 11/DSM(24-25-1321) LOCATION : D. G. Stack (250 kVA) D-53

SAMPLING PLAN & METHOD NO: As per Reference Method

SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)

SAMPLING DATE : 21/11/2024

STACK HEIGHT FROM GL : 6 Meters

SAMPLING TIME : 15:05:00

SHAPE OF STACK : Round

ANALYSIS START DATE : 23/11/2024

MATERIAL OF STACK : MS

ANALYSIS COMPLETE DATE : 28/11/2024

FUEL USED(CONSUMPTION) : Diesel(15Lit/hr)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.15	NA	-
2	C/s area of Stack	m ²	0.018	NA	-
3	Temperature	°C	117	NA	IS - 11255 (Part 1)
4	Velocity	m/s	8.0	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	389	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	30.3	50	IS - 11255 (Part 1)
7	Sulphur Dioxide	mg/Nm ³	28.7	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	Kg/Day	0.27	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	ppm	19.6	NS	IS: 11255, (Part 7)
10	Nitrogen Oxides	mg/Nm ³	40.2	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified.#: As per MPCB Consent.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.


Note : NA

Analyzed By


Atul Shahane

Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515024000030233F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
(E). 421204.,
Maharashtra

REPORT NO : SAL/MSP19/FM02/11/BSM(24-25-1317)
REPORT DATE : 28/11/2024
CUSTOMER REF : 4580065273
REF DATE : 15/10/2024

SAMPLE TYPE: Boiler Stack

SAMPLE REGISTRATION NO. : 11/BSM(24-25-1317) LOCATION : Boiler Stack (D-53)
SAMPLING PLAN & METHOD NO: As per Reference Method SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 22/11/2024 STACK HEIGHT FROM GL : 30Meters
SAMPLING TIME : 12:00:00 SHAPE OF STACK : Round
ANALYSIS START DATE : 23/11/2024 MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 28/11/2024 FUEL USED(CONSUMPTION) : Biofuel


Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.6	NA	-
2	C/s area of Stack	m ²	0.283	NA	-
3	Temperature	°C	120	NA	IS - 11255 (Part 1)
4	Velocity	m/s	7.4	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	5678	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	23.5	50	IS - 11255 (Part 1)
7	Sulphur Dioxide	Kg/Day	1.68	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	mg/Nm ³	12.3	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	ppm	11.73	NS	IS: 11255, (Part 7)
10	Nitrogen Oxides	mg/Nm ³	24.1	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent.


Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note : NA

Analyzed By


Atul Shahane
Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


Dr. Datta Mandhare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



SALAC24230906189

ULR:TC515024000030195F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT No. : SAL/MSP19/FM03/11/WWW(24-25-1185)
 REPORT DATE : 28/11/2024
 CUSTOMER REF : 4580065273
 REF DATE : 15/10/2024

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION No. : 11/WWW(24-25-1185)
 SAMPLING PLAN & METHOD No.: IS 3025 Part 1
 SAMPLING DATE : 21/11/2024
 SAMPLING TIME : 13:10:00

LOCATION : D-53 STP Inlet
 SAMPLE SPECIFICATION : Waste Water
 SAMPLE COLLECTED BY : Mr.Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 22/11/2024
 ANALYSIS COMPLETE DATE : 27/11/2024

SAMPLE QUANTITY : 1 ltr
 SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	6.13	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	290	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	393	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	109	IS 3025 (Part 44)
5	Oil & Grease	mg/L	6.8	IS 3025 (Part 39)
6	Total Dissolved Solids	mg/L	2150	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. #: NA

Opinion/Observation: NA

Note : NA

Analyzed By


 Tejashri Chavan
 Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

- This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
- This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



SALAC24230906223

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist.. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515024000030196F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
(E).421204.,
Maharashtra

REPORT No. : SAL/MSP19/FM03/11/WW(24-25-1186)
REPORT DATE : 28/11/2024
CUSTOMER REF : 4580065273
REF DATE : 15/10/2024

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION No. : 11/WW(24-25-1186) LOCATION : D-53 STP Outlet
SAMPLING PLAN & METHOD No.: IS 3025 Part 1 SAMPLE SPECIFICATION : Waste Water
SAMPLING DATE : 21/11/2024
SAMPLING TIME : 13:20:00
ANALYSIS START DATE : 22/11/2024
ANALYSIS COMPLETE DATE : 27/11/2024
SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)
SAMPLE QUANTITY : 1 ltr
SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms	Reference Method
1	pH	-	6.76	5.5 - 9.0	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	BDL(<5)	100	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	30	250	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	8	30	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	10.0	IS 3025 (Part 39)
6	Total Dissolved Solids	mg/L	182	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent.


Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note : NA

Analyzed By


Tejasri Chavan
Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


Dr.Datta Mandhare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



SALAC24230906224

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist., Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515024000030085F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT No. : SAL/MSP19/FM03/11/WW(24-25-1183)

REPORT DATE : 26/11/2024

CUSTOMER REF : 4580065273

REF DATE : 15/10/2024

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION No. : 11/WW(24-25-1183)

SAMPLING PLAN & METHOD No.: IS 3025 Part 1

SAMPLING DATE : 21/11/2024

SAMPLING TIME : 13:05:00

ANALYSIS START DATE : 22/11/2024

ANALYSIS COMPLETE DATE : 26/11/2024

LOCATION : D-53 ETP Outlet

SAMPLE SPECIFICATION : Waste Water

SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)

SAMPLE QUANTITY : 1 ltr

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms	Reference Method
1	pH	-	6.64	5.5-9.0	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	14	100	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	60	250	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	15	30	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	10.0	IS 3025 (Part 39)
6	Chloride, as Cl	mg/L	51	600	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	1.0	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	3.3	1000	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	152	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note : NA

Analyzed By


 Tejashri Chavan
 Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



SALAC24230906221

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist., Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515024000030227F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.

Plot No. D-53-60, MIDC Phase II, Kalyan Shil Road, Dombivli

(E).421204.,

Maharashtra

REPORT No. : SAL/MSP19/FM03/11/WW(24-25-1178)

REPORT DATE : 28/11/2024

CUSTOMER REF : 4580065273

REF DATE : 15/10/2024

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION No. : 11/WW(24-25-1178)

SAMPLING PLAN & METHOD No.: IS 3025 Part 1

SAMPLING DATE : 21/11/2024

SAMPLING TIME : 12:30:00

LOCATION : D-53 ETP Inlet

SAMPLE SPECIFICATION : Waste Water

SAMPLE COLLECTED BY : Mr.Pramod Sudokar
(Skylab)

ANALYSIS START DATE : 22/11/2024

ANALYSIS COMPLETE DATE : 28/11/2024

SAMPLE QUANTITY : 1 ltr

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	6.26	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	56	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	7159	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	2088	IS 3025 (Part 44)
5	Oil & Grease	mg/L	7.4	IS 3025 (Part 39)
6	Chloride, as Cl	mg/L	84	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	11	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	612	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. #: NA

Opinion/Observation: NA

Note : NA

Analyzed By

Tejashri Chavan

Sr Analyst

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515024000030239F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
(E).421204.,
Maharashtra

REPORT NO : SAL/MSP19/FM02/11/SSM(24-25-1323)
REPORT DATE : 28/11/2024
CUSTOMER REF : 4580065273
REF DATE : 15/10/2024

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. :	11/SSM(24-25-1323)	LOCATION :	Scrubber Stack D-53
SAMPLING PLAN & METHOD NO.:	As per Reference Method	SAMPLE COLLECTED BY :	Mr.Pramod Sudokar (Skylab)
SAMPLING DATE :	22/11/2024	STACK HEIGHT FROM GL :	13 Meters
SAMPLING TIME :	10:55:00	SHAPE OF STACK :	Round
ANALYSIS START DATE :	23/11/2024	MATERIAL OF STACK :	MS
ANALYSIS COMPLETE DATE :	28/11/2024	FUEL USED(CONSUMPTION) :	NA


Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	38	NA	IS - 11255 (Part 1)
4	Velocity	m/s	6.0	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1456	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	16.9	150	IS - 11255 (Part 1)
7	Acid Mist	mg/Nm ³	6.2	35	EPA Method No.8

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note : NA

Analyzed By


Atul Shahane
Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


Dr.Datta Manthare
(Authorized Signatory)

END OF REPORT

- This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
- This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



SALAC24230906210

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist., Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515024000030210F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivli
(E).421204.,
Maharashtra

REPORT NO : SAL/MSP19/FM07/11/DIL(24-25-1333)

REPORT DATE : 28/11/2024

CUSTOMER REF : 4580065273

REF DATE : 15/10/2024

SAMPLE TYPE: DG Insertion Loss

SAMPLE REGISTRATION NO. : 11/DIL(24-25-1333)

SAMPLING PLAN & METHOD NO: As per Reference Method

SAMPLING DATE : 21/11/2024

SAMPLE COLLECTED BY : Mr.Pramod Sudokar

CAPACITY of DG : DG - 4, D-53 (250KVA)


SAMPLING TIME : 15:05:00

Sr. No.	Location Name	Unit	Result(DG ON TIME)		Insertion Loss
			Enclosure Open	Enclosure Close	
1	East	dB (A)	95.4	70.1	25.3
2	North	dB (A)	94.6	69.5	25.1
3	South	dB (A)	95.8	70.2	25.6
4	West	dB (A)	96.2	70.8	25.4


Opinion/Observation: Noise Level is meeting requirements as per MPCB Consent.

Note : Insertion Loss due to Acoustic Enclosure shall be more than 25 dB (A).

Analyzed By


Atul Shahane
Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


Dr. Daya Mandhare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



SALAC24230906193

202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist., Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

Page 1 of 1

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivli
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/11/CA(24-25-1344)
 REPORT DATE : 29/11/2024
 CUSTOMER REF : 4580065273
 REF DATE : 15/10/2024

SAMPLE TYPE: Compressed Air

SAMPLE REGISTRATION NO. : 11/CA(24-25-1344) LOCATION : D-53
 SAMPLING PLAN & METHOD NO. As per Reference Method SAMPLE SPECIFICATION : Breathing Air Compressor
 SAMPLING DATE : 21/11/2024 SAMPLING DURATION : 15 Minutes
 SAMPLING TIME : 14:50:00 SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)
 ANALYSIS START DATE : 25/11/2024
 ANALYSIS COMPLETE DATE : 28/11/2024


Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Oxygen	%	20.6	19.5-23.5	OSHA METHOD 6601
2	Oil Mist	mg/m ³	<0.05	5	NIOSH 5026
3	Moisture	g/ m ³	3.7	67	ISO 8573-3
4	Carbon Dioxide (CO ₂)	ppm	294	1000	Instrumental
5	Carbon Monoxide	ppm	0.63	10	IS 5182 (part-10)
6	Dew Point	°F	-42	-50°F	ISO 8573 P-3

ND: Not Detected. NS: Not Specified.#: As Per CGA G-7.1 Grade D breathing Air standard.

Opinion/Observation: Analyzed parameters in above tested sample are complying with CGA G-7.1 Grade D breathing Air standard

Note : NA

Analyzed By


 Atul Shahane
 Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

- This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
- This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.

