

Date: 10/11/2025

To,
The Deputy Director-General of Forests (C),
Ministry of Environment Forest and Climate Change,
Regional Office (WCZ), Ground Floor,
East Wing, New Secretariat Building, Civil Lines,
Nagpur- 440001.

Subject: Regarding the Half-Yearly EC condition compliance report for the period of April-2025 to Sept-2025

Reference: Environment Clearance obtained from Maharashtra SEIAA-EC-00000002290
dated 3rd July 2020.


Respected Sir,

In reference to the above mentioned subject, we are enclosing herewith the EC condition compliance report for the period of **April-2025** to **Sept-2025** with respect to the above mentioned reference of Environmental Clearance for proposed expansion of an industrial project at Plot. No. D-55, 56, 57, 59, 60. MIDC, Phase-II, Dombivli East, Thane. SEAC-I considered the project under screening category 5(f) B of EIA Notification 2006.

The Compliance report to the EC conditions is enclosed along with supported documents as per EC conditions

Thanking you,
Yours Faithfully,

for, Aarti Pharmalabs Ltd. (formerly known as Aarti Industries Ltd.)
Plot. No. D-55, 56, 57, 59, 60



Authorized Signatory

Encl :

- 1. EC conditions compliance report**
- 2. Copy of EC -Annexure-I**
- 3. MPCB Consent to Operate - Annexure-II**
- 4. Six Monthly MoEFCC approved lab analysis results - Annexure-III.**
- 5. Six Monthly Air Monitoring report through MoEFCC approved lab - Annexure IV.**
- 6. Noise Monitoring reports through MoEFCC approved lab- Annexure-V**



AARTI PHARMALABS LIMITED

www.aartipharmalabs.com | CIN : U24100GJ2019PLC110964 | Email : info@aartipharmalabs.com



Factory : Plot No. D - 55,56,57,59,60, M.I.D.C., Phase-II, Kalyan Shil Road, Dombivli (East), District : Thane, PIN 421 204, Maharashtra, INDIA, T : +91 251 2870710 | M : +91 8422881151
Admin Office : 204, Udyog Kshetra, 2nd Floor, Mulund - Goregaon Link Road, Mulund (W), Mumbai, PIN - 400 080, Maharashtra, INDIA, T : +91 22 67976666 | F : +91 22 25653234
Regd. Office : Plot No. 22-C/1 & 22-C/2, 1st Phase, G.I.D.C., Vapi 396 195, District - Valsad, Gujarat, INDIA T : +91 260 2400467, +91 99099 94655

CC:

1. The Regional Directorate,
Central Pollution Control Board,
Row House No. 1, Sanjivani Nisarg Vihar,
Balewadi, Pune-411045
2. The Regional Office,
Maharashtra Pollution Control Board.
Siddhivinayak Sankul, Near Oak Baug,
Station Road, Kalyan (W)-421 301
3. The Sub-Regional Office Kalyan-I,
Maharashtra Pollution Control Board.
Siddhivinayak Sankul, Near Oak Baug,
Station Road, Kalyan (W)-421 301



11/11/25, 12:57 PM

Admin | Cash Receipt

CASH MEMO	 <p>Cash, Gold, Silver, Diamond & Liquid are not accepted by us. NOTE: CONSIGNMENT ISSUED BY FRANCHISEE</p>		 162100936434								
			ORIGIN	DESTINATION	DATE AND TIME	CARRIER					
			MUMBAI	NAGPUR	11/11/2025 12:57 PM	SHREE TIRUPATI COURIER					
CONSIGNOR	AARTI PHARMALABS PLOT NO 55.56.57.59.60 Mo: 8422881151 DOMBIVALI					CONSIGNEE	THE DEPUTY DIRECTOR GENERAL OF FORESTS Mo: NAGPUR				
PACKAGE TYPE	VALUE	WEIGHT	BOXES	CHARGE	FR. CHARGE	INS.	CGST	SGST	TOTAL CHARGE		
DOCUMENT		100		60	0				60		
CONSIGNOR SIGNATURE <i>I warrant that all details given herein are true and correct</i>						REMARK					
						CONSIGNEE SIGNATURE & RUBBER STAMP					
						NAME: DATE: Received in good order and condition A.M./P.M.					
TRACK YOUR SHIPMENT ON http://shreetirupaticourier.net			Shop No 4 Krushanai Bldg Nr Shiv Sena Office Next To Hanuman Mandir Manpada Road Sagaon Dombivli(E), MUMBAI - 9004113555				RECEIVED BY SHIV ENTERPRISE				

11/11/25, 12:56 PM

Admin | Cash Receipt


CASH MEMO	 <p>Cash, Gold, Silver, Diamond & Liquid are not accepted by us. NOTE: CONSIGNMENT ISSUED BY FRANCHISEE</p>		 162100936433								
			ORIGIN	DESTINATION	DATE AND TIME	CARRIER					
			MUMBAI	PUNE	11/11/2025 12:56 PM	SHREE TIRUPATI COURIER					
CONSIGNOR	AARTI PHARMALABS PLOT NO 55.56.57.59.60 Mo: 8422881151 DOMBIVALI					CONSIGNEE	THE REGIONAL DIRECTORATE Mo: BALEWADI PUNE				
PACKAGE TYPE	VALUE	WEIGHT	BOXES	CHARGE	FR. CHARGE	INS.	CGST	SGST	TOTAL CHARGE		
DOCUMENT		100		60	0				60		
CONSIGNOR SIGNATURE <i>I warrant that all details given herein are true and correct</i>						REMARK					
						CONSIGNEE SIGNATURE & RUBBER STAMP					
						NAME: DATE: Received in good order and condition A.M./P.M.					
TRACK YOUR SHIPMENT ON http://shreetirupaticourier.net			Shop No 4 Krushanai Bldg Nr Shiv Sena Office Next To Hanuman Mandir Manpada Road Sagaon Dombivli(E), MUMBAI - 9004113555				RECEIVED BY SHIV ENTERPRISE				

General Conditions:

I.	(i) PP to achieve Zero Liquid Discharge; PP shall ensure that there is no increase in the effluent load to CETP.	Complied. We had calculated and ensured that there is no increase in the effluent load and unit is ZLD. CETP is not applicable.
II.	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.	Noted.
III.	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.	Noted.
IV.	Proper Housekeeping programmers shall be implemented.	Complied. Proper Housekeeping is in place.
V.	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.	Noted
VI.	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable.)	Complied.
VII.	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.	Complied.
VIII.	Arrangement shall be made that effluent and storm water does not get mixed.	Complied.
IX.	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	Noted.
X.	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall he provided.	Complied. Acoustic enclosures are provided along with necessary PPE's to people working in the area.
XI.	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.	Noted.
XII.	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Complied.



XIII.	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.	Complied.
XIV.	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories act.	Complied.
XV.	The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	Complied.
XVI.	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.	Complied.
XVII.	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes/ improvements required, if any, in the on-site management plan shall be ensured.	Complied.
XVIII.	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Complied.
XIX.	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should be reported to the MPCB & this department.	Complied.
XX.	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in	Complied.



XXI.	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1 June & 1st December of each calendar year.	Complied.
XXII.	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions /representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Noted.
XXIII.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely, SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectorial parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Noted.
XXIV.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Complied.
XXV.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Complied.



Specific Conditions:

I	PP to ensure to submit yearly motioning on compliance of EC conditions through third party audit.	Noted.
II	PP to prepare safety related training modules in Marathi and Hindi and impart training to all concern staff so as to increase its effectiveness.	Complied. Effective safety related training module Is in place and delivered to all employees in Marathi and Hindi.
III	PP to prepare and implement CER plan (Rs. 44 Lakhs) for creating social infrastructures like sanitation facilities, clean drinking water and solar energy to the Z.P.Schools within the study area in consultation with the District Collector.	Noted.
IV	PP to ensure strict compliance of the stringent conditions as stipulated in the OM issued by MoEF&CC dated 31.10.2019.	Complied.
V	PP has submitted the plan layout to MIDC, if there is any change plan layout PP have to take revised EC.	Noted.
VI	PP to ensure that CER plan gets approved from District Collector.	Noted.
VII	PP to submit MIDC approval.	Noted.
VIII	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF & CC dated 9th August, 2018.	Noted.





STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: July 3, 2020

To,
Mr. Narendra Salvi
at Plot No. D- 55, 56, 57, 59 & 60

Subject: Environment Clearance for Aarti Industries Limited . Plot No. 55, 56, 57, 59 & 60 M.I.D.C. phase II
Dombivali, Dist.- Thane

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 182nd -Day-1st meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 198th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category 5 (f) B (1) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Proposed expansion project of manufacturing of API intermediates and Specialty Chemicals
2.Type of institution	Private
3.Name of Project Proponent	Mr. Narendra Salvi
4.Name of Consultant	Goldfinch Engineering Systems Private Limited, Thane
5.Type of project	Not applicable
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	No
8.Location of the project	Plot No. D- 55, 56, 57, 59 & 60
9.Taluka	Kalyan
10.Village	Sagarli
11.Whether in Corporation / Municipal / other area	Municipal corporation
12.IOD/IOA/Concession/Plan Approval Number	NA IOD/IOA/Concession/Plan Approval Number: NA Approved Built-up Area: 1914
13.Note on the initiated work (If applicable)	Nil
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15.Total Plot Area (sq. m.)	3760 m2
16.Deductions	Not applicable
17.Net Plot area	Not applicable

SEIAA Meeting No: 198 Meeting Date: May 27, 2020 (SEIAA-STATEMENT-000000588)
SEIAA-MINUTES-0000003216
SEIAA-EC-0000002290

Page 1 of 14

Shri. Anil Diggikar (Member Secretary SEIAA)

18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.):
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval:
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	322800000



Government of Maharashtra

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Bambuterol Hydrochloride	00	0.42	0.42
2	R-Salbutamol Sulphate	00	0.83	0.83
3	Deferiprone	00	0.42	0.42
4	Ranolazine	0.2	(-)0.2	00
5	Phenylpherine Hydrochloride	0.4	0.85	1.25
6	Budesonode (TTR)	0.03	(-)0.03	00
7	PAN-IV (18,16?,17?,21-Tetrahydroxy pregna-1,4-dine-3,20-dione.)	0.03	(-)0.03	00
8	FLY -X (N-[(S)-1-Carboxy-1-butyl]- (S)-alanine)	0.03	0.29	0.32
9	BA - III (N-[4-cyano-3-(trifluoromethyl)phenyl]-2-methyl[(4-fluorophenyl)-thio]-2-hydroxy-2-methylpropanamide)	0.03	(-)0.03	00
10	TV-INT (Ethyl, R-(+)-(4-nitrobenzenesulfonyloxy)-4-phenyl butyrate)	0.03	0.47	0.5
11	Peridopril Erbumine	00	0.17	0.17
12	TTR IV ((18,16?,17?,21-Tetrahydroxy pregna-1,4-dine-3,20-dione.)	00	0.1	0.1
13	FLY VIII (Benzyl(2S,3aS,7aS)-Octahydro-1H- Indole-2-carboxylate 4-Methylbenzenesulfonate)	00	0.43	0.43
14	PR-38 - 4-[2-(1-Azepanyl)Ethoxy] Benzyl Chloride Hydrochloride	--	--	--
15	PR-86 - t-butyl-hydroxycyclohexyl methacrylate	--	--	--
16	PR-88 - (2,3,4,6-TETRA-O-BENZYL-D-GALACTOSE)	--	--	--
17	PR-89 - ((S)-1-BOC-3-HYDROXY PIPERIDINE)	--	--	--
18	PR-91 - (S)-2-AMINO-5-METHOXYTETRALINE HYDROCHLORIDE	--	--	--
19	PR-92 - (S)-1,2,3,4-Tetrahydro-5-methoxy -N-propyl-2-naphthalenamine hydrochloride	--	--	--
20	PR-115 (N-Decyl-N,N-Dimethyl-3- Ammonio-1 -propane- Sulphonate)	--	--	--
21	PR-116 (S)-(TETRAHYDROFURAN-3-YL) HYDRAZINE HYDROCHLORIDE	--	--	--
22	PR-156 - (2-Bromo-4-nitro imidazole)	--	--	--
23	PR-178 - (S,S)-2,8-Diazabicyclo[4.3.0]nonane	--	--	--
24	PR-179-(3-HYDROXY-N-METHYL-3-PHENYL-PROPYLAMINE	--	--	--
25	PR-181 - CHLOROMETHYL CHLORO SULFATE	--	--	--
26	Note - Combine production capacity of PR-38,PR-86,PR-88,PR-89,PR-91, PR-92, PR-115,PR-116,PR-156,PR-178,PR-179,PR-181, will be 2.25 TPM	00	2.25	2.25
27	Total	0.748	5.922	6.67

23. Total Water Requirement

Dry season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable

Wet season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Details of Swimming pool (If any)	Not applicable	

Government of Maharashtra

24.Details of Total water consumed									
Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
Water Requirement	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	5.5	13	18.5	1.1	2.9	4	4.4	10.1	14.5
Industrial Process	21	14	35	8.6	5.8	14.4	12.4	8.2	20.6
Cooling tower & thermopack	4	1.5	5.5	3.2	1.2	4.4	0.8	0.3	1.11
Gardening	2	4	6	2	4	6	0	0	0
Fresh water requirement	32.5	37.5	65	14.9	13.9	28.8	17.8	18.6	36.2
25.Rain Water Harvesting (RWH)	Level of the Ground water table:		will submit in EIA report						
	Size and no of RWH tank(s) and Quantity:		will submit in EIA report						
	Location of the RWH tank(s):		will submit in EIA report						
	Quantity of recharge pits:		will submit in EIA report						
	Size of recharge pits :		will submit in EIA report						
	Budgetary allocation (Capital cost) :		will submit in EIA report						
	Budgetary allocation (O & M cost) :		will submit in EIA report						
	Details of UGT tanks if any :		1. Methanol (25 KL) 2. IPA (25 KL) 3. Toluene (25 KL) 4. Acetone (25 KL) 5. Ethyl Acetate (25 Kl)						
26.Storm water drainage	Natural water drainage pattern:		Provided by MIDC						
	Quantity of storm water:		NA						
	Size of SWD:		NA						

27.Sewage and Waste water	Sewage generation in KLD:	20
	STP technology:	Conventional technology will be used
	Capacity of STP (CMD):	1 No. 25 CMD
	Location & area of the STP:	Near ETP
	Budgetary allocation (Capital cost):	Rs 2500000
	Budgetary allocation (O & M cost):	100000



Government of Maharashtra

28.Solid waste Management		
Waste generation in the Pre Construction and Construction phase:	Waste generation:	Nil
	Disposal of the construction waste debris:	Nil
Waste generation in the operation Phase:	Dry waste:	NA
	Wet waste:	NA
	Hazardous waste:	kindly refer point no. 45
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	250 kg
	Others if any:	NA
Mode of Disposal of waste:	Dry waste:	NA
	Wet waste:	NA
	Hazardous waste:	CHWTSDF, MWML, Taloja
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	Will be use as manure for gardening
	Others if any:	NA
Area requirement:	Location(s):	Production Area, Raw Material & Products Storage Area, Office Building, STP & ETP , Parking
	Area for the storage of waste & other material:	Dedicated area is allocated near ETP
	Area for machinery:	1914 m2
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs 342300000
	O & M cost:	Rs 3400000

Government of
Maharashtra

29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	-	7-8	ZLD	5.5-9.0
2	BOD	mg/lit	2500-3500	ZLD	<100
3	COD	mg/lit	5000-6000	ZLD	<250
4	TDS	mg/lit	2000-300	ZLD	<2100
5	Oil & Grease	mg/lit	<20	ZLD	<10
Amount of effluent generation (CMD):		21.7 CMD			
Capacity of the ETP:		35 CMD			
Amount of treated effluent recycled :		35 CMD			
Amount of water sent to the CETP:		ZLD			
Membership of CETP (if require):		Yes			
Note on ETP technology to be used		Primary, Secondary, Tertiary , MEE & ZLD			
Disposal of the ETP sludge		CHWTSDF			

**Government of
Maharashtra**

30.Hazardous Waste Details						
Serial Number	Description	Cat	UOM	Existing	Proposed	Method of Disposal
1	Spent Carbon	28.2	MTPA	6.18	00	CHWTSDF
2	Spent Mother Liquor	28.4	MTPA	12	6	Sale to authorized party
3	ETP Sludge	34.3	MTPA	8.6	8.1	CHWTSDF
4	MEE Salts	37.3	MTPA	90	179	CHWTSDF
5	Distillation Residue	20.3	MTPA	0	1.2	CHWTSDF
6	Process Waste & Residue	28.1	MTPA	0	3	CHWTSDF
7	Contaminated Filter Bags	36.1	MTPA	0	1.2	CHWTSDF
8	Used/spent oil	5.1	MTPA	0	5.4	Sale to authorized party
31.Stacks emission Details						
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Boiler (one stand by & one operating)	FO = 2.04 T/Day	01 combined stack	30	0.4	125 deg. C
2	Thermo pack (one stand by & one operating)	LDO = 510 lit/day	01 combined stack	22	0.25	150 deg. C
3	DG Sets (no 02)	HSD = 600 lit/month	042separate stack	4.2-5	0.15	135 deg. C
32.Details of Fuel to be used						
Serial Number	Type of Fuel	Existing	Proposed	Total		
1	L.D.O	150 lit/day	360 lit/day	510 lit/day		
2	FO	00	2040 kg/day	2040 Kg/day		
3	HSD	420 lit/month	180 lit/month	600 lit/month		
33.Source of Fuel		Oil companies				
34.Mode of Transportation of fuel to site		By Road				
35.Energy						

Power requirement:	Source of power supply :	MSEDCL
	During Construction Phase: (Demand Load)	NA
	DG set as Power back-up during construction phase	NA
	During Operation phase (Connected load):	Existing : 500 KW ;Proposed : 1060 KW
	During Operation phase (Demand load):	Existing : 350 KW; Proposed : 750 KW
	Transformer:	Existing : 515 KVA ;Proposed : 1130 KVA
	DG set as Power back-up during operation phase:	Existing 02 DG with capacity 250 KVA (2 No.) ; 200 KVA (1 no); 250 KVA Replaced by 380 KVA
	Fuel used:	HSD
	Details of high tension line passing through the plot if any:	No high tension line passing through through the plot

Energy saving by non-conventional method:

Nil

36.Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	NA	NA

37.Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Air	Stack of adequate height	Stack of adequate height
Water	ETP ,RO and MEE	ETP ,RO and MEE
Noise	Acoustic enclosure	Acoustic enclosure
Solid Waste	Disposal to MWML	Disposal to MWML

Budgetary allocation (Capital cost and O&M cost):	Capital cost:	35 lac
	O & M cost:	7 lac

38.Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	NA	NA	NA

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air pollution control	2 no. stacks	10	0.5

2	Water Pollution	ETP	340	16
3	Domestic Effluent	STP	20	1
4	Noise	Acoustic enclosures	5	nil
5	Process emissions	3 no. Scrubbers	16.5	3.3

39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Methanol	Liquid	Under Ground	25 KL	25 KL	20	Local	Road
IPA	Liquid	Under Ground	25 KL	25 KL	10	Local	Road
Toluene	Liquid	Under Ground	25 KL	25 KL	5	Local	Road
Acetone	Liquid	Under Ground	25 KL	25 KL	20	Local	Road
Ethyl Acetate	Liquid	Under Ground	25 KL	25 KL	5	Local	Road
Ammonia	Liquid	Tank farm	5 KL	5 KL	1	Local	Road
MDC	Liquid	Tank Farm	5 KL	5 KL	2	Local	Road
Acetic Anhydride	Liquid	Tank Farm	5 KL	5 KL	1	Local	Road

40.Any Other Information

No Information Available

Government of
Maharashtra

	CRZ/ RRZ clearance obtain, if any:	NA
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	no protected area in 10 km circle
	Category as per schedule of EIA Notification sheet	5 (f) B (1)
	Court cases pending if any	Nil
	Other Relevant Informations	NA
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its 198th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to ensure to submit yearly motioning on compliance of EC conditions through third party audit.
II	PP to prepare safety related training modules in Marathi and Hindi and impart training to all concern staff so as to increase its effectiveness.
III	PP to prepare and implement CER plan (Rs. 44 Lakhs) for creating social infrastructures like sanitation facilities, clean drinking water and solar energy to the Z.P.Schools within the study area in consultation with the District Collector.
IV	PP to ensure strict compliance of the stringent conditions as stipulated in the OM issued by MoEF&CC dated 31.10.2019.
V	PP has submitted the plan layout to MIDC, if there is any change plan layout PP have to take revised EC.
VI	PP to ensure that CER plan gets approved from District Collector.
VII	PP to submit MIDC approval.
VIII	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF& CC dated 9th August, 2018.

General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmers shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.
IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.

X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. REGIONAL OFFICE MIDC TARAPUR
10. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
11. COLLECTOR OFFICE PALGHAR

MAHARASHATRA POLLUTION CONTROL BOARD

Phone : 24010437/24020781/24014701

Fax : 24023516/24024068/24044531

Email : ast@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Kalptaru point, 2nd, 3rd & 4th Floor,

Opp. Cine Planet,

Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent Order No: Format1.0/UAN No. 0000009400/Amend- 2302000053

Date: 28/02/2023

Amendment of Consent

Sub: Amendment in Consent to Operate for change in name of
M/s. Aarti Industries Ltd.

Plot No.-D-55, 56, 57, 59, 60 MIDC Phase II, Kalyan Shill Road,
Dombivli, Dist. Thane

Ref: 1. Consent granted by Board vide No.: Format1.0/AS(T)/UAN No.: 0000113142/CR-
2108000848 dtd: 14/18/2021 valid upto 30/06/2026


2. Hon'ble National Company Law Tribunal Order dtd: 21/09/2022

The Consent to Operate granted under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is granted to M/S. Aarti Industries Ltd. Plot No.-D-55, 56, 57, 59, 60 MIDC phase II, Kalyan Shill Road, Dombivli, Dist. Thane

is hereby amended as:

1. The name of the Industry shall be read as:
M/s. Aarti Pharmalabs Ltd.,
Plot No.-D-55, 56, 57, 59, 60 MIDC phase II, Kalyan Shill Road,
Dombivli, Dist. Thane
2. This amendment for change in name is issued pursuant to the order issued by Hon'ble National Company Law Tribunal referred at Sr. No. 2.
3. All other conditions of the consent referred above at Sr. No. 1 shall be remain unchanged.
4. The Amendment is valid only along with the consent referred at Ref. No. 1.

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. J. B. Sangewar)

Assistant Secretary (Technical)

To,

M/s. Aarti Pharmalabs Ltd.,

Plot No.-D-55, 56, 57, 59, 60 MIDC Phase II, Kalyan Shill Road,
Dombivli, Dist. Thane

Copy to:

1. Regional Officer - Kalyan / SRO - Kalyan - I, MPCB
2. Chief Accounts Officer, M.P.C. Board, Mumbai



Maharashtra Pollution Control Board

611bb94ba1afd24da82ecefc

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: ast@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I (R22)

Date: 14/8/2021

No:- Format1.0/AS(T)/UAN No.0000113142/CR-2108060848

To,
Aarti Industries Ltd.,
Plot No-D- 55, 56, 57, 59 & 60, MIDC Phase II,
Kalyan Shill Road, Dombivli - East, Dist - Thane



Your Service is Our Duty

Sub: Grant of Renewal of Consent to Operate under Auto Renewal Scheme

Ref:

1. Consent to Operate granted vide No. Format 1.0/CC/UAN No. 0000093208/CO-2102000337 dated 05/2/2021
2. Environmental Clearance granted vide No. SEIAA-EC-0000002290 dated 03/7/2020
3. Board Circular dated 03/12/2015

Your application No.MPCB-CONSENT-0000113142 Dated 24.04.2021

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent to renewal is granted for a period up to 30/06/2026
2. The capital investment of the project is Rs.39.55 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 39.55 Crs)
3. Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	UOM
Products			
1	Bambuterol Hydrochloride	0.42	MT/M
2	R-Salbutamol Sulphate	0.83	MT/M
3	Deferiprone	0.42	MT/M
4	Phenylpherine Hydrochloride	1.25	MT/M
5	FLY -X (N-[(S)-1-Carbethoxy-1-butyl]-(S)-alanine)	0.32	MT/M
6	TV-INT (Ethyl, R-(+)-(4-nitrobenzenesulfonyloxy)-4-phenyl butyrate)	0.5	MT/M
7	Peridopril Erbumine	0.17	MT/M



Maharashtra Pollution Control Board

611bb94ba1afd24da82ecefc

Sr No	Product	Maximum Quantity	UOM
8	TTR IV ((1B,167,177,21-Tetrahydroxy pregna-1,4-dine-3,20-dione.)	0.1	MT/M
9	FLY VIII (Benzyl(2S,3aS,7aS)-Octahydro-1H- Indole-2-carboxylate 4-Methylbenzenesulfonate)	0.43	MT/M
10	PR-38 - 4-[2-(1-Azepanyl)Ethoxy] Benzyl Chloride Hydrochloride	2.25	MT/M
	PR-86 - t-butyl-hydroxycyclohexyl methacrylate		
	PR-88 - (2,3,4,6-TETRA-O-BENZYL-D-GALACTOSE)		
	PR-89 - ((S)-1-BOC-3-HYDROXY PIPERIDINE)		
	PR-91 - (S)-2-AMINO-5-METHOXYTETRALINE HYDROCHLORIDE		
	PR-92 - (S)-1,2,3,4-Tetrahydro-5-methoxy -N-propyl-2-naphthalenamine hydrochloride		
	PR-115 (N-Decyl-N,N-Dimethyl-3- Ammonio-1 -propane-Sulphonate)		
	PR-116 (S)-(TETRAHYDROFURAN-3-YL) HYDRAZINE HYDROCHLORIDE		
	PR-156 - (2-Bromo-4-nitro imidazole)		
	PR-178 - (S,S)-2,8-Diazabicyclo[4.3.0]nonane		
	PR-179-(3-HYDROXY-N-METHYL-3-PHENYL-PROPYLAMINE		
	PR-181 - CHLOROMETHYL CHLORO SULFATE		

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	21.71	As per Schedule-I	Recycle 100% to achieve ZLD
2.	Domestic effluent	14.5	As per Schedule-I	Partly recycle 6.5 CMD & partly gardening 8 CMD

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	Diesel Generator	1	As per Schedule -II
2	S-2	Diesel Generator	1	As per Schedule -II
3	S-3	Boiler (02 Nos)	1	As per Schedule -II
4	S-4	Thermopack (02 Nos)	1	As per Schedule -II
5	S-5	Process Reactor Vent-I	1	As per Schedule -II
6	S-6	Process Reactor Vent-II	1	As per Schedule -II
7	S-7	Process Reactor Vent-III	1	As per Schedule -II



Maharashtra Pollution Control Board

611bb94ba1afd24da82ecefc

6. Non-Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	2	MT/A	Used as manure	Used as manure for gardening
2	Segregating ferrous and nonferrous metals, electrical cable, wood, colour paints,	100	MT/A	Sale	Sale to authorized party
3	Waste paper, Sweeping material, plastic scrap Etc.	0.5	MT/M	Sale	Sale to authorized party
4	Garbage, papers	10	MT/M	Sale	Sale to authorized party
5	Pallet, Ms & HDPE drums	1000	Pcs/M	Sale	Sale to authorized party
6	Glass bottles	150	Pcs/M	Sale	Sale to authorized party

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	90	MT/A	Recycle*	Sale to authorised party
2	20.3 Distillation residues	90	MT/A	Incineration	CHWTSDF
3	28.1 Process Residue and wastes	40	MT/A	Incineration	CHWTSDF
4	28.2 Spent catalyst	40	MT/A	Recycle*	Sale to authorised party
5	28.3 Spent carbon	50	MT/A	Incineration	CHWTSDF
6	28.6 Spent solvents	1600	MT/A	Recycle*	Sale to authorised party
7	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	2500	Nos./Y	Recycle*	Sale to authorised party
8	35.3 Chemical sludge from waste water treatment	47	MT/A	Incineration	CHWTSDF
9	37.3 Concentration or evaporation residues	269	MT/A	Incineration	CHWTSDF

* Sale to Authorized Party having permission under Rule 9 of H&OW Rule

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.




Maharashtra Pollution Control Board

611bb94ba1afd24da82ecefc

10. This Consent is issued subject to an order passed or may be passed by Hon'ble National Green Tribunal in application no. 1038/2018
11. This consent is pursuant to the CPCB letter No. CPCB/PPC-VII/CEPI/NGT/2019 dated 25/10/2019
12. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. SEIAA-EC-0000002290 dated 03/7/2020 and ensure uploading of six monthly compliance report on their official website
13. This consent is issued under the Auto Renewal consent Policy of the Board vide letter dated 03/12/2015 as per the self-certificate submitted by Mr. Narendra J. Salvi (Director), Authorized Signatory
14. The applicant shall inform the Board in each financial year about the change in Capital Investment of the industry. In case, if Capital Investment is increased by an amount 10% then industry shall make payment of the corresponding fee for Consent to Establish and also difference in Consent to Operate fees for the corresponding block year. In case, if there is increase in Capital Investment over 10% then the industry shall submit a fresh application in prescribed form
15. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.
16. This consent is issued as per the delegation of powers to HOD vide Office Order No. 12/2020 dated 23/12/2020

For and on behalf of the
Maharashtra Pollution Control Board.


(P.K. Mirashe)

Assistant Secretary (Tech.)

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	7500.00	TXN2104002204	27/04/2021	Online Payment
2	17500.00	TXN2107002513	26/07/2021	Online Payment

Copy to:

1. Regional Officer, MPCB, Kalyan and Sub-Regional Officer, MPCB, Kalyan I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) As per your application, you have segregated trade effluent into weak stream & strong stream and provided Effluent Treatment Plant (ETP) comprising of:
 - i) **Strong COD/TDS stream of 11.77 CMD** - Treatment system comprising of Primary, Stripper, Multi effect evaporator (3 stage) with design capacity of 20 CMD followed by ATFD. The MEE condensate is treated in weak stream ETP.
 - ii) **Weak COD/TDS stream of 9.94 CMD** - Treatment system comprising of Primary (Collection tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter), Advance treatment (Reverse osmosis, Multi Effective Evaporator (3 stage), ATFD) with design capacity of 35 CMD.
- B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.
- C) The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 15 CMD for the treatment of 14.5 CMD of sewage.
- B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	BOD (3 days 27°C)	Not to exceed	30 mg/l
2	Total Suspended solids	Not to exceed	100 mg/l

- C) The treated sewage 6.5 CMD shall be recycled for flushing purpose and remaining 08 CMD shall be used on land for gardening within premise after confirming above standards. In no case, sewage shall find its way outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



Maharashtra Pollution Control Board

611bb94ba1afd24da82ecefc

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	5.50
2.	Domestic purpose	18.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	35.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	6

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant Standard	
S-1	DG Set	Acoustic Enclosure	4.50	Diesel 400 Ltr/M	1.2	TPM	50 Mg/Nm ³
						SO ₂	0.4 Kg/Day
S-2	DG Set	Acoustic Enclosure	3.50	Diesel 200 Ltr/M	1.2	TPM	50 Mg/Nm ³
						SO ₂	0.2 Kg/Day
S-3	Boiler (02 Nos)	Scrubber	35.00	Furnace Oil 2.04 MT/Day	4.5	TPM	50 Mg/Nm ³
						TPM	18.36 Kg/Day
S-4	Thermopac (02 Nos)	Stack	22.00	LDO 510 Lit/Day	1.80	TPM	50 Mg/Nm ³
						SO ₂	18.36 Select
S-5	Process Reactor Vent-I	Scrubber	11.00	-	-	Acid Mist	20 Mg/Nm ³
S-6	Process Reactor Vent-II	Scrubber	11.00	-	-	Acid Mist	20 Mg/Nm ³

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-7	Process Reactor Vent-III	Scrubber	11.00	-	-	Acid Mist	20 Mg/Nm ³

* Industry shall adopt cleaner fuel instead of Furnace Oil or install wet scrubber with 90% SO₂ removal efficiency as per Board Circular dated 05/2/2020

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	5.0 Lakh	Existing	Towards O&M of Pollution Control System and Compliance of Consent Conditions	30/6/2026	31/10/2026

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
1	C to R	5.0 Lakh	Towards O&M of Pollution Control System	5.0 Lakh



SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.



Maharashtra Pollution Control Board

611bb94ba1afd24da82ecefc

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. The PP shall provide personal protection equipment as per norms of Factory Act
14. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.



Maharashtra Pollution Control Board

611bb94ba1afd24da82ecefc


26. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

For and on behalf of the
Maharashtra Pollution Control Board.


(P.K. Mirashe)

Assistant Secretary (Tech.)

Environmental Cell, Unit-I API Dombivli



बलयाच्या	अर्धशेकाला	राती
देण्यासाठी तेव्हा सकाळी निरधमगळे		
राय सयकरी मेळवा प्रणालीवर		
शिथिलीतला आणली आहे साहजिकच		
यामुळे सर्वसाधारणच क्रायली		
देवेंद्र चव्हाण याच झाले असून		
समसंस्थानांनी सरकार द्यायची		
काये अर्ध येवत आणली राय सयकरी		
अर्धशेकाला राणीची वाढवण्यात		
जतन आहे राय मंगारयात सकाळी		
कार्यवाणिनाथी ससलेली १५ टक्के		
लक्ष्मणयाची डाकिल्ली वाढवून		
लक्ष्मणयाची ३० ते ३५ टक्के वाढवून		
नेपात येणार असल्याने खाजिनायक		
पुढाकार घेऊन कळते.		
कोरोना झेप लोकांकडूनमळे राय		

सर्वसामान्यांची कामे अड नयेत यासाठी निर्णय

सरकारने सरकारी कार्यालयातील
कर्मचाऱ्यांच्या उपस्थितीवर बरीच भर्यादा
धानी होती लोखंडात जाहीर झाला

पर्यावरणीय मंजरी

आहे कि या दृष्टिकोनातून खालील
विद्यार्थ्यांचा अनुसूचितपणे विद्यार्थ्यांना
अर्थ देण्यात येतो व त्यातील
दोघांना समाजातील धार्मिक, भूमिगत
माध्यमांच्या अभिप्रायात येतो.

transfer of his shares
the interest of the
Property of the
Company if Mr Kun Alka
Adhyaksh B-407/Aha
Member of the
Co-operative Housing
Limited trading
at flatment No B
at Sankar Nagar
Road No 6, Co
Studio, Corporation

[illegible]

सीलबंद दारुविक्रीस
मदतवाढ

पर्यटन : राज्याचे कायदे विधेयक १२२ सदन पासण्यास
 कलून सौरभचंद बालगोपाल हे विधेयक नमूद पावल्यानंतर
 हिंदीभाषी लोकाने अनेक प्रश्न उपस्थित केले. सुनंदराव भोसले यांनी
 १९ एप्रिल १९०० सालच्या ६६ व्या सभेत हे अनेक प्रश्न विचारले
 आणि त्यावर उत्तर देण्यात आले. त्यातून काही प्रश्नांची यादी
 खालीलप्रमाणे आहे :

१. मराठीभाषी लोक यावेळी कायदा बनवत
 असताना त्यांच्यातून कोणत्या व्यक्तींना निवडून घेतले जाईल ?
 २. मराठीभाषी लोक यावेळी कायदा बनवत असताना
 त्यांच्यातून कोणत्या व्यक्तींना निवडून घेतले जाईल ?
 ३. मराठीभाषी लोक यावेळी कायदा बनवत असताना
 त्यांच्यातून कोणत्या व्यक्तींना निवडून घेतले जाईल ?
 ४. मराठीभाषी लोक यावेळी कायदा बनवत असताना
 त्यांच्यातून कोणत्या व्यक्तींना निवडून घेतले जाईल ?
 ५. मराठीभाषी लोक यावेळी कायदा बनवत असताना
 त्यांच्यातून कोणत्या व्यक्तींना निवडून घेतले जाईल ?
 ६. मराठीभाषी लोक यावेळी कायदा बनवत असताना
 त्यांच्यातून कोणत्या व्यक्तींना निवडून घेतले जाईल ?
 ७. मराठीभाषी लोक यावेळी कायदा बनवत असताना
 त्यांच्यातून कोणत्या व्यक्तींना निवडून घेतले जाईल ?
 ८. मराठीभाषी लोक यावेळी कायदा बनवत असताना
 त्यांच्यातून कोणत्या व्यक्तींना निवडून घेतले जाईल ?
 ९. मराठीभाषी लोक यावेळी कायदा बनवत असताना
 त्यांच्यातून कोणत्या व्यक्तींना निवडून घेतले जाईल ?
 १०. मराठीभाषी लोक यावेळी कायदा बनवत असताना
 त्यांच्यातून कोणत्या व्यक्तींना निवडून घेतले जाईल ?

पाहणीविना झाडे कत्तलीचे प्रस्ताव

वृक्ष प्राधिकरणातील
धनकाढायक प्रकार;
भाजण्या विरोध

हे आदिन मस्ताव..

३३ जोगेयाने ते राम भितर प्रस्तावित रत्ये
मुरः १६


३४ अशरी रयेवें स्तनाक ते आगवारी पत्ते ३३६
३५ अशर पत्ते ते सत्तावरा पत्ते अस्तवरा आगवरा
मार्गी ३७

आपने और हमारे नाबिकी अन्वेषणें गलतियों पर प्रतिक्रिया दी है।
आपका अत्युत्कृष्ट स्थान प्रतिक्रियाओं में अत्युत्कृष्ट
आह्वान, निष्पक्षतापूर्ण आलोचनात्मकता, सामग्री में
जल्दी और कोषागारों में किस्मतों में बदलाव।
आपने हमारे प्रतिक्रियाओं में बहुत सारे बदलावों को
आपने हमारे प्रतिक्रियाओं में बहुत सारे बदलावों को
आपने हमारे प्रतिक्रियाओं में बहुत सारे बदलावों को

[illegible][illegible]

...महणान्, 'स्थायी'ची

म. टा. विभाग प्रतिपत्तिका, मुंबई




आज, कल, सुकल

पालिकेचा अजब दावा: १ जुनपासून १४६ तक्रारी आल्याची माहिती

पुस्तकालय विवरण

● महाभारतिका एम्पमजाटिंग स्वाहा मुर्खी गेट इन्ड. विमानतळ प्राधिकरण	● पुराणेदारडीह ट्या. चौवीस परिमल बुलाती मासाभा २५.३३ किमी	● पुर्व दुलाई महाणा २५.५० किमी	● हेमचानन : १९६६ ● टेल ग्रि ४८७०-१२-१३ ● डिस्ट @mybnc
--	---	-----------------------------------	---



পুলক টাঙ্গাপাণ্ডা বসন্ত পাইলটাল মূল্যমান যুগ্ম।
১৫ জানুয়ারি ২০১৭ খ্রিঃ তারিখ

[illegible][illegible]

...म्हणून 'स्थायी'ची बैठक नाही!

[illegible]

84-yr-old accused of rape, SC calls for DNA test

when the girl's father lodged a police complaint claiming that she was pregnant because of sexual exploitation. Advancing the case, the bench said that there was no evidence to suggest that the girl was sexually exploited. However, the medical officer was not able to conduct a DNA test to confirm the girl's identity. The bench said that it was not possible to conduct a DNA test to confirm the girl's identity. The bench said that it was not possible to conduct a DNA test to confirm the girl's identity.

SC slams Maha over 'ignorance' of migrants' pain

New Delhi: The Supreme Court pulled up Maharashtra Thursday for its failure to take adequate steps to protect the rights of migrants. The bench, led by Chief Justice Ranjan Gogoi, said that the state government was not doing enough to protect the rights of migrants. The bench said that the state government was not doing enough to protect the rights of migrants.

On Thursday, the bench said that the state government was not doing enough to protect the rights of migrants. The bench said that the state government was not doing enough to protect the rights of migrants. The bench said that the state government was not doing enough to protect the rights of migrants.

As the state government was not doing enough to protect the rights of migrants, the bench said that the state government was not doing enough to protect the rights of migrants. The bench said that the state government was not doing enough to protect the rights of migrants.

The bench said that the state government was not doing enough to protect the rights of migrants. The bench said that the state government was not doing enough to protect the rights of migrants. The bench said that the state government was not doing enough to protect the rights of migrants.

Indian airlines cut capacity by 50% as demand crashes

Mumbai: The demand for air travel in India has plummeted since the start of the COVID-19 pandemic, leading airlines to slash capacity by up to 50%. The airlines are now only flying a fraction of their scheduled flights, and many have suspended operations entirely.

Book your Newspaper Ads

in just 3 easy steps

1. Visit our website
2. Select your ad space
3. Book your ad

IRVIRA

WET GRIP
MEASUREMENTS
OF C1 & C2 TYRES

IRVIRA

WET GRIP
MEASUREMENTS
OF C1 & C2 TYRES

Book your Newspaper Ads

in just 3 easy steps

1. Visit our website
2. Select your ad space
3. Book your ad

IRVIRA

WET GRIP
MEASUREMENTS
OF C1 & C2 TYRES

IRVIRA

WET GRIP
MEASUREMENTS
OF C1 & C2 TYRES

Book your Newspaper Ads

in just 3 easy steps

1. Visit our website
2. Select your ad space
3. Book your ad

IRVIRA

WET GRIP
MEASUREMENTS
OF C1 & C2 TYRES

IRVIRA

WET GRIP
MEASUREMENTS
OF C1 & C2 TYRES

Book your Newspaper Ads

in just 3 easy steps

1. Visit our website
2. Select your ad space
3. Book your ad

IRVIRA

WET GRIP
MEASUREMENTS
OF C1 & C2 TYRES

IRVIRA

WET GRIP
MEASUREMENTS
OF C1 & C2 TYRES

Book your Newspaper Ads

in just 3 easy steps

1. Visit our website
2. Select your ad space
3. Book your ad

IRVIRA

WET GRIP
MEASUREMENTS
OF C1 & C2 TYRES

IRVIRA

WET GRIP
MEASUREMENTS
OF C1 & C2 TYRES

IRVIRA

WET GRIP
MEASUREMENTS
OF C1 & C2 TYRES

ULR:TC515025000017855F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/08/DW(25-26-1256)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Drinking Water

SAMPLE REGISTRATION NO. : 08/DW(25-26-1256)

LOCATION : Near Main Gate

SAMPLING PLAN & METHOD NO: IS 17614 Part 1

SAMPLE SPECIFICATION : Drinking Water

SAMPLING DATE : 20/08/2025

SAMPLE COLLECTED BY : Mr.Gulshan Kumar (Skylab)

SAMPLING TIME : 16:08:00

ANALYSIS START DATE : 21/08/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 26/08/2025

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Colour	Hazen	BDL(<5)	5	IS 3025 (Part 4)
2	Odour	mg/L	Agreeable	Agreeable	IS 3025 (Part 5)
3	pH	Units	7.22	6.5-8.5	IS 3025 (Part 11)
4	Turbidity	NTU	BDL(<1)	1	IS 3025 (Part 10)
5	Total Dissolved Solids	mg/L	134	500	IS 3025 (Part 16)
6	Anionic detergents, as MBAS	mg/L	BDL(<0.02)	0.2	IS 13428 (Annex K)
7	Boron, as B	mg/L	BDL(<0.1)	0.5	IS 3025 (Part 2)
8	Calcium, as Ca	mg/L	21	75	IS 3025 (Part 40)
9	Copper, as Cu	mg/L	BDL(<0.05)	0.05	IS 3025 (Part 2): 2019
10	Fluoride, as F	mg/L	BDL(<0.1)	1	IS 3025 (Part 60): 2008
11	Free residual chlorine	mg/L	0.2	>0.2	IS 3025 (Part 26)
12	Iron, as Fe	mg/L	BDL(<0.1)	0.3	IS 3025 (Part 2)
13	Magnesium, as Mg	mg/L	2	30	IS 3025 (Part 46)
14	Manganese, as Mn	mg/L	BDL(<0.05)	0.1	IS 3025 (Part 2)
15	Nitrate, as NO3	mg/L	BDL(<0.1)	45	IS 3025 (Part 34)




Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
16	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	0.001	IS 3025 (Part 43)
17	Selenium, as Se	mg/L	BDL(<0.01)	0.01	IS 3025 (Part 2)
18	Sulphate, as SO ₄	mg/L	4.3	200	IS 3025 (Part 24)
19	Hardness (total)	mg/L	58	200	IS 3025 (Part 21)
20	Zinc, as Zn	mg/L	BDL(<0.05)	5	IS 3025 (Part 2)
21	Cyanide, as CN	mg/L	BDL(<0.02)	0.05	IS 3025 (Part 27): 1986
22	Chloride, as Cl	mg/L	29	250	IS 3025 (Part 32)
23	Total Alkalinity, as CaCO ₃	mg/L	23	200	IS 3025 (Part 23)
24	Aluminium, as Al	mg/L	BDL(<0.01)	0.03	IS 3025 (Part 2)
25	Arsenic, as As	mg/L	BDL(<0.01)	0.01	IS 3025 (Part 2)
26	Cadmium, as Cd	mg/L	BDL(<0.003)	0.003	IS 3025 (Part 2)
27	Lead, as Pb	mg/L	BDL(<0.01)	0.01	IS 3025 (Part 2)
28	Mercury, as Hg	mg/L	BDL(<0.001)	0.001	IS 3025 (Part 48)

ND: Not Detected. NS: Not Specified. #: As per IS 10500:2012.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard


Note : NA

Analyzed By


Tejaswri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


Dr. Datta Mahapatra
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/08/DW(25-26-1256)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Drinking Water

SAMPLE REGISTRATION NO. : 08/DW(25-26-1256)

LOCATION : Near Main Gate

SAMPLING PLAN & METHOD NO: IS 17614 Part 1

SAMPLE SPECIFICATION : Drinking Water

SAMPLING DATE : 20/08/2025

SAMPLING TIME : 16:08:00

SAMPLE COLLECTED BY : Mr.Gulshan Kumar (Skylab)

ANALYSIS START DATE : 21/08/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 26/08/2025

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Taste	-	Agreeable	Agreeable	APHA 24th Ed. 2160A
2	Mineral Oil	mg/L	BDL(<0.5)	0.5	IS 3025 (Part 39)
3	Hexavalent Chromium, as Cr+6	mg/L	BDL(<0.05)	0.05	IS 3025 (Part 52)
4	Poly nuclear Aromatic Hydrocarbons (PAH)	mg/L	BDL(ND)	0.0001	APHA 24th Ed. 6440 B
5	Pesticides	mg/L	BDL(ND)	Absent	APHA 24th Ed. 6440 B

ND: Not Detected. NS: Not Specified. #: As per IS 10500:2012.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard


Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY


 Tejashri Chavan

Sr Analyst


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000011073F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/05/WW(25-26-1463)

REPORT DATE : 29/05/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 05/WW(25-26-1463)

LOCATION : D-59 ETP Outlet

SAMPLING PLAN & METHOD NO: IS 3025 Part 1

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 20/05/2025

SAMPLING TIME : 13:10:00

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

ANALYSIS START DATE : 22/05/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 28/05/2025

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	pH	-	7.74	5.5 - 9.0	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	10	100	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	49	250	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	13	30	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	10.0	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	167	600	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	1.0	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	50	1000	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	694	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note : NA


Analyzed By


 Tejashri Chavan

Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhara

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515025000017880F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/08/WW(25-26-1265)

REPORT DATE : 29/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 08/WW(25-26-1265)

LOCATION : D-59 ETP Outlet

SAMPLING PLAN & METHOD NO: IS 17614 Part 10

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 20/08/2025

SAMPLING TIME : 15:18:00

SAMPLE COLLECTED BY : Mr.Gulshan Kumar (Skylab)

ANALYSIS START DATE : 21/08/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 26/08/2025

SAMPLE PACKING : Sealed


Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	pH	-	7.67	5.5 - 9.0	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	BDL(<5)	100	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	50	250	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	13	30	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	10.0	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	99	600	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	1.0	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	48	1000	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	98	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. #As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By




Tejashri Chavan

Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY



Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515025000017797F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/08/SSM(25-26-131

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. :	08/SSM(25-26-1316)	LOCATION :	Scrubber Stack D-55
SAMPLING PLAN & METHOD NO.:	As per Reference Method	SAMPLE COLLECTED BY :	Mr. Gulshan Kumar (Skylab)
SAMPLING DATE :	20/08/2025	STACK HEIGHT FROM GL :	15 Meters
SAMPLING TIME :	14:18:00	SHAPE OF STACK :	Round
ANALYSIS START DATE :	22/08/2025	MATERIAL OF STACK :	MS
ANALYSIS COMPLETE DATE :	25/08/2025	FUEL USED(CONSUMPTION) :	NA


Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	38	NA	IS - 11255 (Part 1)
4	Velocity	m/s	6.7	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1639.7	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	16.3	150	IS - 11255 (Part 1)
7	Acid Mist	mg/Nm ³	11.1	35	EPA Method No.8

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard


Note : NA

Analyzed By


 Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017798F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/08/SSM(25-26-1317)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 08/SSM(25-26-1317)

SAMPLING PLAN & METHOD NO: As per Reference Method

LOCATION : Scrubber Stack D-60

SAMPLE COLLECTED BY : Mr. Gulshan Kumar (Skylab)

SAMPLING DATE : 20/08/2025

SAMPLING TIME : 13:35:00

STACK HEIGHT FROM GL : 15 Meters

ANALYSIS START DATE : 22/08/2025

SHAPE OF STACK : Round

ANALYSIS COMPLETE DATE : 25/08/2025

MATERIAL OF STACK : MS

FUEL USED(CONSUMPTION) : NA


Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	37	NA	IS - 11255 (Part 1)
4	Velocity	m/s	6.0	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1459.1	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	22.7	150	IS - 11255 (Part 1)
7	Acid Mist	mg/Nm ³	9.4	35	EPA Method No.8

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA


Analyzed By


 Tejashri Chavan
 Sr Analyst



TC-S150

For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mahandare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017777F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
(E).421204.,
Maharashtra

REPORT NO : SAL/MSP19/FM02/08/BSM(25-26-1288)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: Boiler Stack

SAMPLE REGISTRATION NO. : 08/BSM(25-26-1288)	LOCATION : Boiler Stack (D-60)
SAMPLING PLAN & METHOD NO.: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Gulshan Kumar (Skylab)
SAMPLING DATE : 20/08/2025	STACK HEIGHT FROM GL : 30Meters
SAMPLING TIME : 12:30:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 22/08/2025	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 26/08/2025	FUEL USED(CONSUMPTION) : PNG

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.6	NA	-
2	C/s area of Stack	m ²	0.283	NA	-
3	Temperature	°C	123	NA	IS – 11255 (Part 1)
4	Velocity	m/s	4.8	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	3650.7	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	19.4	50	IS – 11255 (Part 1)
7	Sulphur Dioxide	Kg/Day	1.08	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	mg/Nm ³	12.3	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	ppm	4.6	NS	IS: 11255, (Part 7)
10	Nitrogen Oxides	mg/Nm ³	9.4	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By



Tejasri Chavan

Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY


Dr. Datta Mandhare
4213
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017752F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/08/WM(25-26-1321)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Workplace Air

SAMPLE REGISTRATION NO. : 08/WM(25-26-1321)

SAMPLING PLAN & METHOD NO: As per Reference
 Method

SAMPLING DATE : 20/08/2025

SAMPLING TIME : 15:10:00

LOCATION : D-60 Nr.GLR-17

COORDINATES : NA

SAMPLING DURATION : 15Minutes

SAMPLE COLLECTED BY : Mr.Gulshan Kumar (Skylab)

ANALYSIS START DATE : 22/08/2025

ANALYSIS COMPLETE DATE : 26/08/2025

AMBIENT TEMPERATURE : 26°C To 34°C

HUMIDITY : 63% To 70%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Sulphur Dioxide	mg/m3	0.041	5	IS 5182 (Part 2)
2	Nitrogen Oxides	mg/m3	0.053	6	IS: 5182, (Part-6)
3	Suspended Particulate Matter	mg/m3	0.065	10	IS 5182 (Part 4)
4	Volatile Organic Compound (VOC)	ppm	0.3	NS	EPA Method No.21

ND: Not Detected. NS: Not Specified. As per Factories Act

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per Factories Act

Note : NA


Analyzed By


 Tejashri Chavan

Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhane
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017754F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/08/WM(25-26-1323)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Workplace Air

SAMPLE REGISTRATION NO. : 08/WM(25-26-1323)

LOCATION : D-55 Nr.GLR-23

SAMPLING PLAN & METHOD NO: As per Reference Method

COORDINATES : NA

SAMPLING DATE : 20/08/2025

SAMPLING DURATION : 15Minutes

SAMPLING TIME : 14:52:00

SAMPLE COLLECTED BY : Mr.Gulshan Kumar (Skylab)

ANALYSIS START DATE : 22/08/2025

AMBIENT TEMPERATURE : 26°C To 34°C

ANALYSIS COMPLETE DATE : 26/08/2025

HUMIDITY : 63% To 70%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Sulphur Dioxide	mg/m3	0.050	5	IS 5182 (Part 2)
2	Nitrogen Oxides	mg/m3	0.071	6	IS: 5182, (Part-6)
3	Suspended Particulate Matter	mg/m3	0.061	10	IS 5182 (Part 4)
4	Volatile Organic Compound (VOC)	ppm	0.2	NS	EPA Method No.21


ND: Not Detected. NS: Not Specified. As per Factories Act

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per Factories Act

Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY


 Tejas Chavan
 Sr Analyst




 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017889F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/08/WWW(25-26-1263)

REPORT DATE : 29/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 08/WWW(25-26-1263)

LOCATION : STP Inlet D-59

SAMPLING PLAN & METHOD NO: IS 17614 Part 1

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 20/08/2025

SAMPLING TIME : 15:50:00

SAMPLE COLLECTED BY : Mr.Gulshan Kumar (Skylab)

ANALYSIS START DATE : 21/08/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 26/08/2025

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	8.28	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	94	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	217	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	63	IS 3025 (Part 44)
5	Oil & Grease	mg/L	6.2	IS 3025 (Part-39)
6	Total Dissolved Solids	mg/L	3014	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA


Note : NA

Analyzed By


 Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Manohare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017882F

Accredited by NABL as per ISO/IEC 17025:2017
 Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018
 Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi
 ■ ENVIRONMENT ■ FOOD ■ TEXTILE

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/08/WW(25-26-1267

REPORT DATE : 29/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 08/WW(25-26-1267)
 SAMPLING PLAN & METHOD NO.: IS 17614 Part 10
 SAMPLING DATE : 20/08/2025
 SAMPLING TIME : 15:51:00

LOCATION : D-59 STP Outlet
 SAMPLE SPECIFICATION : Waste Water

SAMPLE COLLECTED BY : Mr.Gulshan Kumar (Skylab)

ANALYSIS START DATE : 21/08/2025
 ANALYSIS COMPLETE DATE : 26/08/2025

SAMPLE QUANTITY : 1Ltr.
 SAMPLE PACKING : Sealed


Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	pH	-	6.61	5.5 - 9.0	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	14	100	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	39	250	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	11	30	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	10.0	IS 3025 (Part-39)
6	Total Dissolved Solids	mg/L	232	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard


Note : NA

Analyzed By


 Tejasri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Manghare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017888F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/08/WW(25-26-1262)

REPORT DATE : 29/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 08/WW(25-26-1262)

LOCATION : D-60 ETP Inlet

SAMPLING PLAN & METHOD NO: IS 17614 Part 1

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 20/08/2025

SAMPLING TIME : 14:39:00

SAMPLE COLLECTED BY : Mr. Gulshan Kumar (Skylab)

ANALYSIS START DATE : 21/08/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 26/08/2025

SAMPLE PACKING : Sealed


Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	7.11	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	142	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	928	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	270	IS 3025 (Part 44)
5	Oil & Grease	mg/L	7.2	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	198	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	109	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	1100	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA


Analyzed By


 Tejashri Chavan
 Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Manghate
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017887F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/08/WW(25-26-1261)

REPORT DATE : 29/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 08/WW(25-26-1261)

SAMPLING PLAN & METHOD NO: IS 17614 Part 1

SAMPLING DATE : 20/08/2025

SAMPLING TIME : 14:05:00

LOCATION : D-59 ETP Inlet

SAMPLE SPECIFICATION : Waste Water

SAMPLE COLLECTED BY : Mr.Gulshan Kumar (Skylab)

ANALYSIS START DATE : 21/08/2025

ANALYSIS COMPLETE DATE : 28/08/2025

SAMPLE QUANTITY : 1Ltr.

SAMPLE PACKING : Sealed


Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	6.70	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	116	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	751	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	219	IS 3025 (Part 44)
5	Oil & Grease	mg/L	6.8	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	132	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	107	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	520	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA


Note : NA

Analyzed By


Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, India. Pincode-401311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515025000017886F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/08/WW(25-26-1260)

REPORT DATE : 29/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 08/WW(25-26-1260)

SAMPLING PLAN & METHOD NO: IS 17614 Part 1

SAMPLING DATE : 20/08/2025

SAMPLING TIME : 13:49:00

LOCATION : D-55 ETP Inlet

SAMPLE SPECIFICATION : Waste Water

SAMPLE COLLECTED BY : Mr.Gulshan Kumar (Skylab)

ANALYSIS START DATE : 21/08/2025

ANALYSIS COMPLETE DATE : 26/08/2025

SAMPLE QUANTITY : 1Ltr.

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	6.33	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	38	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	207	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	60	IS 3025 (Part 44)
5	Oil & Grease	mg/L	5.4	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	66	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	28	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	246	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA


Analyzed By


 Tejasri Chavan

Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra - 401 104.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515025000017779F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/08/DSM(25-26-1311)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 08/DSM(25-26-1311)	LOCATION : D. G. Stack (200 kVA) D-60
SAMPLING PLAN & METHOD NO.: As per Reference Method	SAMPLE COLLECTED BY : Mr. Gulshan Kumar (Skylab)
SAMPLING DATE : 20/08/2025	STACK HEIGHT FROM GL : 6 Meters
SAMPLING TIME : 11:59:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 22/08/2025	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 26/08/2025	FUEL USED(CONSUMPTION) : Diesel(15Lit/hr)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.1	NA	-
2	C/s area of Stack	m ²	0.008	NA	-
3	Temperature	°C	110	NA	IS - 11255 (Part 1)
4	Velocity	m/s	8	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	176.7	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	37.4	50	IS - 11255 (Part 1)
7	Sulphur Dioxide	mg/Nm ³	45.1	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	Kg/Day	0.19	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	ppm	27.2	NS	IS: 11255, (Part 7)
10	Nitrogen Oxides	mg/Nm ³	55.9	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard


Note : NA

Analyzed By


Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017802F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM07/08/DIL(25-26-1324)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Insertion Loss

SAMPLE REGISTRATION NO. : 08/DIL(25-26-1324)

SAMPLE COLLECTED BY : Mr.Gulshan Kumar

SAMPLING PLAN & METHOD NO: As per Reference Method

CAPACITY of DG : DG - 1,D-60 (200KVA)

SAMPLING DATE : 20/08/2025


SAMPLING TIME : 11:59:00

Sr. No.	Location Name	Unit	Result(DG ON TIME)		Insertion Loss
			Enclosure Open	Enclosure Close	
1	East	dB (A)	95.3	70.1	25.2
2	North	dB (A)	95.9	70.2	25.7
3	South	dB (A)	95.1	69.7	25.4
4	West	dB (A)	95.6	70.2	25.4

Opinion/Observation: Noise Level is meeting requirements as per MPCB Consent

Note : : Insertion Loss due to Acoustic Enclosure shall be more than 25 dB (A).

Analyzed By


 Tejasri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017780F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/08/DSM(25-26-131)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 08/DSM(25-26-1312)	LOCATION : D. G. Stack (380 kVA) D-55
SAMPLING PLAN & METHOD NO. : As per Reference Method	SAMPLE COLLECTED BY : Mr. Gulshan Kumar (Skylab)
SAMPLING DATE : 20/08/2025	STACK HEIGHT FROM GL : 6 Meters
SAMPLING TIME : 12:28:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 22/08/2025	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 26/08/2025	FUEL USED(CONSUMPTION) : Diesel(15Lit/hr)


Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.15	NA	-
2	C/s area of Stack	m ²	0.018	NA	-
3	Temperature	°C	113	NA	IS - 11255 (Part 1)
4	Velocity	m/s	7.7	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	377.5	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	35.6	50	IS - 11255 (Part 1)
7	Sulphur Dioxide	mg/Nm ³	36.9	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	Kg/Day	0.33	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	ppm	25.7	NS	IS: 11255, (Part 7)
10	Nitrogen Oxides	mg/Nm ³	52.7	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard


Note : NA

Analyzed By


 Tejasri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mahandare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017803F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E), 421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM07/08/DIL(25-26-1325)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Insertion Loss

SAMPLE REGISTRATION NO. : 08/DIL(25-26-1325)

SAMPLE COLLECTED BY : Mr. Gulshan Kumar

SAMPLING PLAN & METHOD NO: As per Reference Method

CAPACITY of DG : DG - 2, D-55 (380KVA)

SAMPLING DATE : 20/08/2025


SAMPLING TIME : 12:28:00

Sr. No.	Location Name	Unit	Result(DG ON TIME)		Insertion Loss
			Enclosure Open	Enclosure Close	
1	East	dB (A)	94.9	69.0	25.9
2	North	dB (A)	96.4	70.7	25.7
3	South	dB (A)	95.9	70.9	25.0
4	West	dB (A)	95.3	69.9	25.4

Opinion/Observation: Noise Level is meeting requirements as per MPCB Consent

Note : : Insertion Loss due to Acoustic Enclosure shall be more than 25 dB (A).


Analyzed By


 Tejashri Chavan
 Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mahhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000017823F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/08/AM(25-26-1286)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 08/AM(25-26-1286)	LOCATION : Near Solvent Storage (D-57)
SAMPLING PLAN & METHOD NO. : As per Reference Method	COORDINATES : NA
SAMPLING DATE : 20/08/2025	SAMPLING DURATION : 24 HRS
SAMPLING TIME : 10:40:00	SAMPLE COLLECTED BY : Mr.Gulshan Kumar (Skylab)
ANALYSIS START DATE : 21/08/2025	AMBIENT TEMPERATURE : 28°C To 31°C
ANALYSIS COMPLETE DATE : 26/08/2025	HUMIDITY : 65% To 69%


Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m3	58.9	100	IS 5182 (Part-23)
2	Particulate Matter PM 2.5	µg/m3	33.6	60	IS:5182, (Part 24)
3	Sulphur Dioxide	µg/m3	20.1	80	IS 5182 (Part 2)
4	Nitrogen Oxides	µg/m3	34.3	80	IS: 5182, (Part-6)
5	Ozone	µg/m3	BDL(<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition
6	Ammonia	µg/m3	32.8	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m3	BDL(<0.1)	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m3	BDL(<1)	1	IS 5182 (Part 12)
9	Lead	µg/m3	BDL(<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m3	BDL(<1)	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m3	BDL(<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
12	Carbon Monoxide	mg/m3	0.37	2	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified. As per NAAQMS Guidelines 2009

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines

Note : NA

Analyzed By


 Tejasri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515025000017826F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/08/AM(25-26-1280)

REPORT DATE : 28/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 08/AM(25-26-1280)

SAMPLING PLAN & METHOD NO.: As per Reference
 Method

LOCATION : D-60, Gate (Near Boiler)

COORDINATES : NA

SAMPLING DATE : 19/08/2025

SAMPLING TIME : 11:18:00

SAMPLING DURATION : 24 HRS

SAMPLE COLLECTED BY : Mr. Gulshan Kumar (Skylab)

ANALYSIS START DATE : 21/08/2025

ANALYSIS COMPLETE DATE : 26/08/2025

AMBIENT TEMPERATURE : 28°C To 31°C

HUMIDITY : 65% To 69%


Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m3	66.3	100	IS 5182 (Part-23)
2	Particulate Matter PM 2.5	µg/m3	34.7	60	IS:5182, (Part 24)
3	Sulphur Dioxide	µg/m3	14.6	80	IS 5182 (Part 2)
4	Nitrogen Oxides	µg/m3	31.5	80	IS: 5182, (Part-6)
5	Ozone	µg/m3	BDL(<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition
6	Ammonia	µg/m3	29.1	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m3	BDL(<0.1)	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m3	BDL(<1)	1	IS 5182 (Part 12)
9	Lead	µg/m3	BDL(<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m3	BDL(<1)	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m3	BDL(<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
12	Carbon Monoxide	mg/m3	0.39	2	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified. #As per NAAQMS Guidelines 2009

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines


Note : NA

Analyzed By


 Tejasini Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl. Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/08/CA(25-26-1338)

REPORT DATE : 29/08/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Compressed Air

SAMPLE REGISTRATION NO. : 08/CA(25-26-1338)

LOCATION : D55

SAMPLING PLAN & METHOD NO: As per Reference
 Method

COORDINATES : NA

SAMPLING DATE : 20/08/2025

SAMPLING DURATION : 15 Minutes

SAMPLING TIME : 15:39:00

SAMPLE COLLECTED BY : Mr. Gulshan Kumar (Skylab)

ANALYSIS START DATE : 22/08/2025

ANALYSIS COMPLETE DATE : 26/08/2025

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Oxygen	%	20.5	19.5-23.5	OSHA METHOD 6601
2	Oil Mist	mg/m3	<0.05	5	NIOH 5026
3	Moisture	g/ m3	3.5	67	ISO 8573-3
4	Carbon Dioxide (CO ₂)	ppm	331	1000	Instrumental
5	Carbon Monoxide (CO)	ppm	0.51	10	IS 5182 (Part 10)
6	Dew Point	°F	-41	-50°F	ISO 8573 P-3


ND: Not Detected. NS: Not Specified. #: As Per CGA G-7.1 Grade D breathing Air standard


Opinion/Observation: Analyzed parameters in above tested sample are complying with CGA G-7.1 Grade D breathing Air standard

Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY


 Tejashri Chavan
 Sr Analyst


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM15/08/OIL(25-26-1269)

REPORT DATE : 25/08/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: Oil Analysis

SAMPLE REGISTRATION NO. : 08/OIL(25-26-1269)

LOCATION : NS

SAMPLING PLAN & METHOD NO: NS

SAMPLE SPECIFICATION : Thermic Oil Fluid

SAMPLING DATE : 20/08/2025

SAMPLE COLLECTED BY : Mr.Gulshan Kumar (Skylab)

SAMPLING TIME : 13:00:00

ANALYSIS START DATE : 21/08/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 25/08/2025

SAMPLE PACKING : Sealed


Sr.No.	Test Parameters	Unit	Result	Reference Method
1	Density	GMS	0.8548	IS-1448-16
2	Flash Point	-	>250	IS 1448 (Part-25)
3	Appearance	-	BROWN COLOUR	Visual
4	Kinematic Viscosity	CST @ 100 deg. C	29	IS 1448 (P-25)
5	Viscosity Index	-	22	-

ND: Not Detected. NS: Not Specified. NA


Opinion/Observation: NA

Note : NA

Analyzed By


 Tejashri Chavan
 Sr Analyst

For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000010679F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/05/SSM(25-26-1512)

REPORT DATE : 24/05/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 05/SSM(25-26-1512)	LOCATION : Scrubber Stack D-55
SAMPLING PLAN & METHOD NO: As per Reference Method	SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)
SAMPLING DATE : 20/05/2025	STACK HEIGHT FROM GL : 15 Meters
SAMPLING TIME : 13:08:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 22/05/2025	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 24/05/2025	FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m2	0.071	NA	-
3	Temperature	°C	43	NA	IS - 11255 (Part 1)
4	Velocity	m/sec	6.9	NA	IS - 11255 (Part 1)
5	Flue Gas Discharge	Nm3/hr	1648	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm3	22.3	150	IS - 11255 (Part 1)
7	Acid Mist	mg/Nm3	11.5	35	EPA Method No.8

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard


Note : NA

Analyzed By


 Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000010677F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/05/SSM(25-26-1510)

REPORT DATE : 24/05/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 05/SSM(25-26-1510)	LOCATION : Scrubber Stack D-60
SAMPLING PLAN & METHOD NO: As per Reference Method	SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)
SAMPLING DATE : 20/05/2025	STACK HEIGHT FROM GL : 15 Meters
SAMPLING TIME : 12:42:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 22/05/2025	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 24/05/2025	FUEL USED(CONSUMPTION) : NA


Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	40	NA	IS - 11255 (Part 1)
4	Velocity	m/sec	6.2	NA	IS - 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1499.8	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	17.9	150	IS - 11255 (Part 1)
7	Acid Mist	mg/Nm ³	7.1	35	EPA Method No.8

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA


Analyzed By


 Tejashri Chavan
 Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000010671F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/05/BSM(25-26-1498)

REPORT DATE : 24/05/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: Boiler Stack

SAMPLE REGISTRATION NO. : 05/BSM(25-26-1498)	LOCATION : Boiler Stack (D-60)
SAMPLING PLAN & METHOD NO: As per Reference Method	SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)
SAMPLING DATE : 20/05/2025	STACK HEIGHT FROM GL : 30Meters
SAMPLING TIME : 12:12:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 22/05/2025	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 24/05/2025	FUEL USED(CONSUMPTION) : PNG


Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.6	NA	-
2	C/s area of Stack	m ²	0.283	NA	-
3	Temperature	°C	119	NA	IS - 11255 (Part 1)
4	Velocity	m/sec	4.5	NA	IS - 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /Hr	6566.9	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	18.2	50	IS - 11255 (Part 1)
7	Sulphur Dioxide	mg/Nm ³	8.2	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	Kg/Day	1.3	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	mg/Nm ³	7.3	NS	IS 11255 (Part 7)
10	Nitrogen Oxides	ppm	3.6	NS	IS: 11255, (Part 7)

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA


Analyzed By


Tejashri Chavan
 Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY


Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000010683F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/05/AM(25-26-1497)

REPORT DATE : 24/05/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 05/AM(25-26-1497)

LOCATION : Near Solvent Storage (D-57)

SAMPLING PLAN & METHOD NO: As per Reference Method

COORDINATES : NA

SAMPLING DATE : 20/05/2025

SAMPLING DURATION : 24 HRS

SAMPLING TIME : 11:15:00

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

ANALYSIS START DATE : 22/05/2025

AMBIENT TEMPERATURE : 25°C To 37°C

ANALYSIS COMPLETE DATE : 24/05/2025

HUMIDITY : 79% To 89%


Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m3	55.9	100	IS 5182 (Part-23)
2	Particulate Matter PM 2.5	µg/m3	30.3	60	IS:5182, (Part 24)
3	Sulphur Dioxide	µg/m3	18.1	80	IS 5182 (Part 2)
4	Nitrogen Oxides	µg/m3	32.6	80	IS: 5182, (Part-6)
5	Ozone	µg/m3	BDL(<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition
6	Ammonia	µg/m3	30.7	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m3	BDL(<0.1)	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m3	BDL(<1)	1	IS 5182 (Part 12)
9	Lead	µg/m3	BDL(<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m3	BDL(<1)	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m3	BDL(<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
12	Carbon Monoxide	ppm	0.32	NS	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified. As per NAAQMS Guidelines 2009

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines


Note : NA

Analyzed By


 Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515025000010682F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/05/AM(25-26-1496)

REPORT DATE : 24/05/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 05/AM(25-26-1496)

LOCATION : D-60, Gate (Near Boiler)

SAMPLING PLAN & METHOD NO: As per Reference Method

COORDINATES : NA

SAMPLING DATE : 20/05/2025

SAMPLING DURATION : 24 HRS

SAMPLING TIME : 11:05:00

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

ANALYSIS START DATE : 22/05/2025

AMBIENT TEMPERATURE : 25°C To 37°C

ANALYSIS COMPLETE DATE : 24/05/2025

HUMIDITY : 79% To 89%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m ³	63.2	100	IS 5182 (Part-23)
2	Particulate Matter PM 2.5	µg/m ³	31.4	60	IS:5182, (Part 24)
3	Sulphur Dioxide	µg/m ³	11.6	80	IS 5182 (Part 2)
4	Nitrogen Oxides	µg/m ³	28.9	80	IS: 5182, (Part-6)
5	Ozone	µg/m ³	BDL(<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition
6	Ammonia	µg/m ³	26.7	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m ³	BDL(<0.1)	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m ³	BDL(<1)	1	IS 5182 (Part 12)
9	Lead	µg/m ³	BDL(<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m ³	BDL(<1)	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m ³	BDL(<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
12	Carbon Monoxide	ppm	0.35	NS	IS 5182 (Part 10)


ND: Not Detected. NS: Not Specified. As per NAAQMS Guidelines 2009

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines


Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY


 Tejashri Chavan
 Sr Analyst




 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515025000011077F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/05/VV(25-26-1467)

REPORT DATE : 29/05/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 05/VV(25-26-1467)
 SAMPLING PLAN & METHOD NO: IS 3025 Part 1
 SAMPLING DATE : 20/05/2025
 SAMPLING TIME : 13:00:00

LOCATION : STP Outlet D-59

SAMPLE SPECIFICATION : Waste Water

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

ANALYSIS START DATE : 22/05/2025
 ANALYSIS COMPLETE DATE : 28/05/2025

SAMPLE QUANTITY : 1Ltr.
 SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	pH	-	6.86	5.5 - 9.0	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	12	100	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	49	250	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	13	30	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	10.0	IS 3025 (Part-39)
6	Total Dissolved Solids	mg/L	210	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.


Note : NA

Analyzed By


 Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000011075F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/05/VWW(25-26-1465)

REPORT DATE : 29/05/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 05/VWW(25-26-1465)

LOCATION : STP Inlet D-59

SAMPLING PLAN & METHOD NO.: IS 3025 Part 1

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 20/05/2025

SAMPLING TIME : 12:50:00

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

ANALYSIS START DATE : 22/05/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 28/05/2025

SAMPLE PACKING : Sealed


Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	6.67	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	76	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	235	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	68	IS 3025 (Part 44)
5	Oil & Grease	mg/L	6.2	IS 3025 (Part-39)
6	Total Dissolved Solids	mg/L	572	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA


Note : NA

Analyzed By


Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000011071F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/05/WW(25-26-1461)

REPORT DATE : 29/05/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 05/WW(25-26-1461)

LOCATION : D-60 ETP Inlet

SAMPLING PLAN & METHOD NO: IS 3025 Part 1

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 20/05/2025

SAMPLING TIME : 12:50:00

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

ANALYSIS START DATE : 22/05/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 28/05/2025

SAMPLE PACKING : Sealed


Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	7.65	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	110	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	332	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	97	IS 3025 (Part 44)
5	Oil & Grease	mg/L	6.4	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	167	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	38	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	742	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA


Analyzed By


 Tejaswri Chavan
 Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.co

ULR:TC515025000011070F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/05/WW(25-26-1460)

REPORT DATE : 29/05/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 05/WW(25-26-1460)

LOCATION : D-59 ETP Inlet

SAMPLING PLAN & METHOD NO.: IS 3025 Part 1

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 20/05/2025

SAMPLING TIME : 12:45:00

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

ANALYSIS START DATE : 22/05/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 28/05/2025

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	7.95	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	312	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	3128	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	912	IS 3025 (Part 44)
5	Oil & Grease	mg/L	7.8	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	267	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	80	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	1252	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA


Note : NA

Analyzed By


 Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421317

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515025000011069F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/05/WW(25-26-1459)

REPORT DATE : 29/05/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 05/WW(25-26-1459)

LOCATION : D-55 ETP Inlet

SAMPLING PLAN & METHOD NO.: IS 3025 Part 1

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 20/05/2025

SAMPLING TIME : 12:40:00

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

ANALYSIS START DATE : 22/05/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 28/05/2025

SAMPLE PACKING : Sealed


Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	6.95	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	124	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	3715	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	1083	IS 3025 (Part 44)
5	Oil & Grease	mg/L	6.4	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	200	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	37	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	526	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA


Analyzed By


 Tejashri Chavan
 Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515025000010686F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/05/WM(25-26-1506)

REPORT DATE : 24/05/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Workplace Air

SAMPLE REGISTRATION NO. : 05/WM(25-26-1506)

LOCATION : D-60 Nr.GLR-17

SAMPLING PLAN & METHOD NO.: As per Reference
 Method

COORDINATES : NA

SAMPLING DATE : 21/05/2025

SAMPLING DURATION : 15Minutes

SAMPLING TIME : 14:45:00

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

ANALYSIS START DATE : 22/05/2025

AMBIENT TEMPERATURE : 28°C To 34°C

ANALYSIS COMPLETE DATE : 24/05/2025

HUMIDITY : 62% To 68%


Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Sulphur Dioxide	mg/m3	0.038	5	IS 5182 (Part 2)
2	Nitrogen Oxides	mg/m3	0.050	6	IS: 5182, (Part-6)
3	Suspended Particulate Matter	mg/m3	0.062	10	IS 5182 (Part 4)
4	Volatile Organic Compound (VOC)	ppm	0.3	NS	EPA Method No.21

ND: Not Detected. NS: Not Specified. As per Factories Act.

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per Factories Act.


Note : NA

Analyzed By


 Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000010684F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/05/WM(25-26-1504)

REPORT DATE : 24/05/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Workplace Air

SAMPLE REGISTRATION NO. : 05/WM(25-26-1504)

LOCATION : D-55 Nr.GLR-23

SAMPLING PLAN & METHOD NO.: As per Reference Method

COORDINATES : NA

SAMPLING DATE : 21/05/2025

SAMPLING DURATION : 15Minutes

SAMPLING TIME : 14:30:00

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

ANALYSIS START DATE : 22/05/2025

AMBIENT TEMPERATURE : 28°C To 34°C

ANALYSIS COMPLETE DATE : 24/05/2025

HUMIDITY : 62% To 68%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Sulphur Dioxide	mg/m3	0.047	5	IS 5182 (Part 2)
2	Nitrogen Oxides	mg/m3	0.068	6	IS: 5182, (Part-6)
3	Suspended Particulate Matter	mg/m3	0.057	10	IS 5182 (Part 4)
4	Volatile Organic Compound (VOC)	ppm	0.3	NS	EPA Method No.21

ND: Not Detected. NS: Not Specified. As per Factories Act.

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per Factories Act.

Note : NA

Analyzed By



 Tejashri Chavan

Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000012018F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM07/06/DIL(25-26-2626)

REPORT DATE : 12/06/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Insertion Loss

SAMPLE REGISTRATION NO. : 06/DIL(25-26-2626)

SAMPLE COLLECTED BY : Mr.Prakash Bhopal

SAMPLING PLAN & METHOD NO: As per Reference Method

CAPACITY of DG : DG – 2,D-55 (380KVA)

SAMPLING DATE : 20/05/2025


SAMPLING TIME : 12:30:00

Sr. No.	Location Name	Unit	Result(DG ON TIME)		Insertion Loss
			Enclosure Open	Enclosure Close	
1	East	dB (A)	96.5	70.9	25.6
2	North	dB (A)	95.7	70.4	25.3
3	South	dB (A)	96.4	71.0	25.4
4	West	dB (A)	96.1	70.6	25.5

Opinion/Observation: Noise Level is meeting requirements as per MPCB Consent.


Note : Insertion Loss due to Acoustic Enclosure shall be more than 25 dB (A).

Analyzed By


 Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000012017F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivli
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM07/06/DIL(25-26-2625)

REPORT DATE : 12/06/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Insertion Loss

SAMPLE REGISTRATION NO. : 06/DIL(25-26-2625)

SAMPLE COLLECTED BY : Mr.Prakash Bhopal

SAMPLING PLAN & METHOD NO: As per Reference Method

CAPACITY of DG : DG - 1,D-60 (200KVA)

SAMPLING DATE : 20/05/2025


SAMPLING TIME : 12:20:00

Sr. No.	Location Name	Unit	Result(DG ON TIME)		Insertion Loss
			Enclosure Open	Enclosure Close	
1	East	dB (A)	95.7	70.3	25.4
2	North	dB (A)	95.2	69.6	25.6
3	South	dB (A)	96.4	71.1	25.3
4	West	dB (A)	96.6	71.4	25.2

Opinion/Observation: Noise Level is meeting requirements as per MPCB Consent.


Note : Insertion Loss due to Acoustic Enclosure shall be more than 25 dB (A).

Analyzed By


 Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000010674F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/05/DSM(25-26-1501)

REPORT DATE : 24/05/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 05/DSM(25-26-1501)

LOCATION : D. G. Stack (380 kVA) D-55

SAMPLING PLAN & METHOD NO: As per Reference Method

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

SAMPLING DATE : 20/05/2025

STACK HEIGHT FROM GL : 6 Meters

SAMPLING TIME : 11:32:00

SHAPE OF STACK : Round

ANALYSIS START DATE : 22/05/2025

MATERIAL OF STACK : MS

ANALYSIS COMPLETE DATE : 24/05/2025

FUEL USED(CONSUMPTION) : Diesel(15Lit/hr)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.15	NA	-
2	C/s area of Stack	m ²	0.018	NA	-
3	Temperature	°C	118	NA	IS – 11255 (Part 1)
4	Velocity	m/sec	8.1	NA	IS – 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	391.2	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	35.4	50	IS – 11255 (Part 1)
7	Sulphur Dioxide	mg/Nm ³	36.9	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	Kg/Day	0.35	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	mg/Nm ³	52.7	NS	IS 11255 (Part 7)
10	Nitrogen Oxides	ppm	25.7	NS	IS: 11255, (Part 7)

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By



 Tejashri Chavan

Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY



Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000010673F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/05/DSM(25-26-1500)

REPORT DATE : 24/05/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 05/DSM(25-26-1500)

SAMPLING PLAN & METHOD NO: As per Reference Method

LOCATION : D. G. Stack (200 kVA) D-60

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

SAMPLING DATE : 20/05/2025

SAMPLING TIME : 11:20:00

ANALYSIS START DATE : 22/05/2025

ANALYSIS COMPLETE DATE : 24/05/2025

STACK HEIGHT FROM GL : 6 Meters

SHAPE OF STACK : Round

MATERIAL OF STACK : MS

FUEL USED(CONSUMPTION) : Diesel(15Lit/hr)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.1	NA	-
2	C/s area of Stack	m2	0.008	NA	-
3	Temperature	°C	115	NA	IS – 11255 (Part 1)
4	Velocity	m/sec	8.4	NA	IS – 11255 (Part 1)
5	Flue Gas Discharge	Nm3/hr	181.4	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm3	37.7	50	IS – 11255 (Part 1)
7	Sulphur Dioxide	mg/Nm3	45.1	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	Kg/Day	0.20	0.2	IS 11255 (Part 2)
9	Nitrogen Oxides	ppm	29.3	NS	IS: 11255, (Part 7)
10	Nitrogen Oxides	mg/Nm3	60.2	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By



 Tejashri Chavan

Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta.Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000010800F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM04/05/ANS(25-26-1508

REPORT DATE : 26/05/2025

CUSTOMER REF : 4580073549

REF DATE : 26/05/2025

SAMPLE TYPE: Ambient Noise-Spot

SAMPLE REGISTRATION NO. : 05/ANS(25-26-1508)

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)

SAMPLING PLAN & METHOD NO. : As per Reference Method

SAMPLING DATE : 20/05/2025

Sr. No.	Location Name	Sampling Time (Hrs)	Unit	Result	Reference Method
1	D-55 Near DG	12:10	dB (A)	67.4	IS 9989
2	D-55 Near DG	22:20	dB (A)	59.6	IS 9989
3	D-60, Gate (Near Boiler)	12:15	dB (A)	68.2	IS 9989
4	D-60, Gate (Near Boiler)	22:25	dB (A)	62.0	IS 9989
5	Near Main Gate	12:20	dB (A)	66.9	IS 9989
6	Near Main Gate	22:30	dB (A)	58.4	IS 9989

Opinion/Observation: Noise Level is meeting requirements as per CPCB Guidelines

Note : NA

Category Area/Zone	Limits in dB(A)	
	Day Time (6.00 Hrs to 22.00 Hrs)	Night Time (22.00 Hrs to 6.00 Hrs)
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Area	50	40

Analyzed By




Tejashri Chavan

Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY



Dr. Data Mandhare

(Authorized Signatory)

END OF REPORT

202, CFC-3, Asmeeta Texpa, Addl. Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.co

ULR:TC515025000010731F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/05/DW(25-26-1438)

REPORT DATE : 24/05/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Drinking Water

SAMPLE REGISTRATION NO. : 05/DW(25-26-1438)

LOCATION : Canteen

SAMPLING PLAN & METHOD NO.: IS 3025 Part 1

SAMPLE SPECIFICATION : Drinking Water

SAMPLING DATE : 20/05/2025

SAMPLING TIME : 11:30:00

SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)


ANALYSIS START DATE : 22/05/2025

SAMPLE QUANTITY : 2Ltrs.

ANALYSIS COMPLETE DATE : 24/05/2025

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Colour	Hazen	BDL(<5)	5	IS 3025 (Part 4)
2	Odour	mg/L	Agreeable	Agreeable	IS 3025 (Part 5)
3	pH	Units	7.50	6.5-8.5	IS 3025 (Part 11)
4	Taste	-	Agreeable	Agreeable	APHA 24th Ed. 2160A
5	Turbidity	NTU	BDL(<1)	1	IS 3025 (Part 10)
6	Total Dissolved Solids	mg/L	138	500	IS 3025 (Part 16)
7	Anionic detergents, as MBAS	mg/L	BDL(<0.02)	0.2	IS 13428 (Annex K)
8	Boron, as B	mg/L	BDL(<0.1)	0.5	IS 3025 (Part 2)
9	Calcium, as Ca	mg/L	17	75	IS 3025 (Part 40)
10	Copper, as Cu	mg/L	BDL(<0.05)	0.05	IS 3025 (Part 2): 2019
11	Fluoride, as F	mg/L	BDL(<0.1)	1	IS 3025 (Part 60): 2008
12	Free residual chlorine	mg/L	0.2	>0.2	IS 3025 (Part 26)
13	Iron, as Fe	mg/L	BDL(<0.1)	0.3	IS 3025 (Part 2)
14	Magnesium, as Mg	mg/L	2	30	IS 3025 (Part 46)
15	Manganese, as Mn	mg/L	BDL(<0.05)	0.1	IS 3025 (Part 2)
16	Mineral Oil	mg/L	BDL(<0.5)	0.5	IS 3025 (Part 39)
17	Nitrate, as NO3	mg/L	BDL(<0.1)	45	IS 3025 (Part 34)
18	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	0.001	IS 3025 (Part 43)
19	Selenium, as Se	mg/L	BDL(<0.01)	0.01	IS 3025 (Part 2)
20	Sulphate, as SO4	mg/L	2.6	200	IS 3025 (Part 24)




Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
21	Hardness (total)	mg/L	51	200	IS 3025 (Part 21)
22	Zinc, as Zn	mg/L	BDL(<0.05)	5	IS 3025 (Part 2)
23	Cyanide, as CN	mg/L	BDL(<0.02)	0.05	IS 3025 (Part 27): 1986
24	Chloride, as Cl	mg/L	22	250	IS 3025 (Part 32)
25	Total Alkalinity, as CaCO ₃	mg/L	18	200	IS 3025 (Part 23)
26	Aluminium, as Al	mg/L	BDL(<0.01)	0.03	IS 3025 (Part 2)
27	Arsenic, as As	mg/	BDL(<0.01)	0.01	IS 3025 (Part 2)
28	Cadmium, as Cd	mg/L	BDL(<0.003)	0.003	IS 3025 (Part 2)
29	Lead, as Pb	mg/L	BDL(<0.01)	0.01	IS 3025 (Part 2)
30	Mercury, as Hg	mg/L	BDL(<0.001)	0.001	IS 3025 (Part 48)
31	Hexavalent Chromium, as Cr+6	mg/L	BDL(<0.05)	0.05	IS 3025 (Part 52)
32	Poly nuclear Aromatic Hydrocarbons (PAH)	mg/L	BDL(ND)	0.0001	APHA 24th Ed. 6440 B
33	Pesticides	mg/L	BDL(ND)	Absent	APHA 24th Ed. 6440 B

ND: Not Detected. NS: Not Specified. As per IS 10500:2012

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA


Analyzed By


Tejashri Chavan
 Sr Analyst



TC-S150

For SKYLAB ANALYTICAL LABORATORY


Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000010640F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM12/05/MSA(25-26-1448)

REPORT DATE : 22/05/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: Water Analysis

SAMPLE REGISTRATION NO. : 05/MSA(25-26-1448) LOCATION : Canteen
 SAMPLING PLAN & METHOD NO: As Per Reference Method SAMPLE SPECIFICATION : Drinking Water (05/DW 1438)
 SAMPLING DATE : 20/05/2025
 SAMPLING TIME : 11:30:00 SAMPLE COLLECTED BY : Mr.Prakash Bhopal (Skylab)
 ANALYSIS START DATE : 21/05/2025
 ANALYSIS COMPLETE DATE : 22/05/2025 SAMPLE QUANTITY : 2Ltrs.
 SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	E. Coli	/100 ml	ABSENT	Absent	IS 15185
2	Total Coliform	/100ml	ABSENT	Absent	IS 15185

ND: Not Detected. NS: Not Specified.As per IS 10500:2012

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By




Ashrah Ansari

Microbiologist



TC-5150

For SKYLAB ANALYTICAL LABORATORY



Srushu Pardeshi
 (Authorized Signatory)

END OF REPORT

- This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
- This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.

