



Date: 18/05/2026

To,
The Deputy Director-General of Forests (C),
Ministry of Environment Forest and Climate Change,
Regional Office (WCZ), Ground Floor,
East Wing, New Secretariat Building, Civil Lines,
Nagpur- 440001.

Subject: Regarding the Half-Yearly EC condition compliance report for the period of October-2025 to March-2026

Reference: Environment Clearance obtained from Maharashtra SEIAA-EC-00000002290 dated 3rd July 2020.

Respected Sir,

In reference to the above mentioned subject, we are enclosing herewith the EC condition compliance report for the period of October-2025 to March-2026 with respect to the above mentioned reference of Environmental Clearance for proposed expansion of an industrial project at Plot. No. D-55, 56, 57, 59, 60. MIDC, Phase-II, Dombivli East, Thane. SEAC-I considered the project under screening category 5(f) B of EIA Notification 2006.

The Compliance report to the EC conditions is enclosed along with supported documents as per EC conditions.

Thanking you,
Yours Faithfully,

for, Aarti Pharmalabs Ltd. (formerly known as Aarti Industries Ltd.)
Plot. No. D-55, 56, 57, 59, 60

Authorized Signatory



Encl :

1. EC conditions compliance report
2. Copy of EC -Annexure-I
3. MPCB Consent to Operate - Annexure-II
4. Six Monthly MoEFCC approved lab analysis results - Annexure-III.
5. Six Monthly Air Monitoring report through MoEFCC approved lab - Annexure IV.
6. Noise Monitoring reports through MoEFCC approved lab- Annexure-V

AARTI PHARMALABS LIMITED

www.aartipharmalabs.com | CIN : U24100GJ2019PLC110964 | Email : info@aartipharmalabs.com

Factory : Plot No. D - 55,56,57,59,60, M.I.D.C., Phase-II, Kalyan Shil Road, Dombivli (East), District : Thane, PIN 421 204, Maharashtra, INDIA, T : +91 251 2870710 | M : +91 8422881151
Admin Office : 204, Udyog Kshetra, 2nd Floor, Mulund - Goregaon Link Road, Mulund (W), Mumbai, PIN - 400 080, Maharashtra, INDIA, T : +91 22 67976666 | F : +91 22 25653234
Regd. Office : Plot No. 22-C/1 & 22-C/2, 1st Phase, G.I.D.C., Vapi 396 195, District - Valsad, Gujarat, INDIA T : +91 260 2400467, +91 99099 94655

CC:

1. **The Regional Directorate,
Central Pollution Control Board,
Row House No. 1, Sanjivani Nisarg Vihar,
Balewadi, Pune-411045**

- ✓ 2. **The Regional Office,
Maharashtra Pollution Control Board.
Siddhivinayak Sankul, Near Oak Baug,
Station Road, Kalyan (W)-421 301**
-

- ✓ 3. **The Sub-Regional Office Kalyan-I,
Maharashtra Pollution Control Board.
Siddhivinayak Sankul, Near Oak Baug,
Station Road, Kalyan (W)-421 301**

D-55-60

The Regional Dir

COMPANY SEAL

CLAIMS SHALL BE ENTERTAINED FOR CASH, GEMS, JEWELLERY, LIQUID, CONTRA BANDS, PORTS & INSTRUMENTS IN BEARER FROM INCLUDING UNDECLARED ITEMS/VALUE. KING OF SHARE CERTIFICATES WITH BLANK TRANSFER DEEDS ARE STRICTLY PROHIBITED.

I warrant that all details given herein are true and correct and agree to abide by the terms & Conditions written overleaf.

SHIPPER'S COPY

Received By FRANCHISES

Sender's Signature

Amount

70L

+ GST

G. Total

70L

SHIPPERS, SENDING VALUABLE ARTICLES MUST GET THEM INSURED FOR TRANSIT.

5

www.shreeanjanicourier.com

This is a non-negotiable consignment subject to standard terms & conditions as shown on the reverse of Shipper's copy. The carrier specifically limits its liability to a maximum of 100/- per consignment for any cause for domestic.

FRANCHISER

Quick, Prompt and Confirm Services in ALL OVER INDIA.....



ORIGIN

Dom

DESTINATION

Nagpur

CONTENTS	NO. OF PCS.	WEIGHT	DECLARED VALUE	DATE
Box	-	200gm	-	18/5/20

CONTENTS	NO. OF PCS.	WEIGHT	DECLARED VALUE	DATE
Box	-	200gm	-	18/5/20

NON NEGOTIABLE INSTRUMENT

AWB

1699772062

RECEIVER'S FULL NAME

CONSIGNMENT RECEIVED IN GOOD CONDITION

SIGNATURE

DATE: TIME

COMPANY SEAL

Aarti Pharmacy
D-55-60
The Deputy Dir

CONSIGNMENT NOTE ISSUED BY FRANCHISES NAME, ADDRESS & CODE

CLAIMS SHALL BE ENTERTAINED FOR CASH, GEMS, JEWELLERY, LIQUID, CONTRA BANDS, PORTS & INSTRUMENTS IN BEARER FROM INCLUDING UNDECLARED ITEMS/VALUE. KING OF SHARE CERTIFICATES WITH BLANK TRANSFER DEEDS ARE STRICTLY PROHIBITED.

I warrant that all details given herein are true and correct and agree to abide by the terms & Conditions written overleaf.

SHIPPER'S COPY

Received By FRANCHISES

Sender's Signature

Amount

70L

+ GST

G. Total

70L

SHIPPERS, SENDING VALUABLE ARTICLES MUST GET THEM INSURED FOR TRANSIT.


5

General Conditions:

I.	(i) PP to achieve Zero Liquid Discharge; PP shall ensure that there is no increase in the effluent load to CETP.	Complied. We had calculated and ensured that there is no increase in the effluent load and unit is ZLD. CETP is not applicable.
II.	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.	Noted.
III.	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.	Noted.
IV.	Proper Housekeeping programmers shall be implemented.	Complied. Proper Housekeeping is in place.
V.	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.	Noted
VI.	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable.)	Complied.
VII.	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.	Complied.
VIII.	Arrangement shall be made that effluent and storm water does not get mixed.	Complied.
IX.	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	Noted.
X.	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall he provided.	Complied. Acoustic enclosures are provided along with necessary PPE's to people working in the area.
XI.	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.	Noted.
XII.	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Complied.



XIII.	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.	Complied.
XIV.	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories act.	Complied.
XV.	The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	Complied.
XVI.	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.	Complied.
XVII.	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes/ improvements required, if any, in the on-site management plan shall be ensured.	Complied.
XVIII.	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Complied.
XIX.	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.	Complied.
XX.	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in	Complied.



XXI.	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1 June & 1st December of each calendar year.	Complied.
XXII.	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions /representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Noted.
XXIII.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely, SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectorial parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Noted.
XXIV.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Complied.
XXV.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Complied.



Specific Conditions:

I	PP to ensure to submit yearly motioning on compliance of EC conditions through third party audit.	Noted.
II	PP to prepare safety related training modules in Marathi and Hindi and impart training to all concern staff so as to increase its effectiveness.	Complied. Effective safety related training module Is in place and delivered to all employees in Marathi and Hindi.
III	PP to prepare and implement CER plan (Rs. 44 Lakhs) for creating social infrastructures like sanitation facilities, clean drinking water and solar energy to the Z.P.Schools within the study area in consultation with the District Collector.	Noted.
IV	PP to ensure strict compliance of the stringent conditions as stipulated in the OM issued by MoEF&CC dated 31.10.2019.	Complied.
V	PP has submitted the plan layout to MIDC, if there is any change plan layout PP have to take revised EC.	Noted.
VI	PP to ensure that CER plan gets approved from District Collector.	Noted.
VII	PP to submit MIDC approval.	Noted.
VIII	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF & CC dated 9th August, 2018.	Noted.



MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24020781/24014701

Fax : 24023516/24024068/24044531

Email : ast@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Kalptaru point, 2nd, 3rd & 4th Floor,

Opp. Cine Planet,

Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent Order No: Format1.0/UAN No. 0000009400/Amend-2302000053

Date: 28/02/2023

Amendment of Consent

Sub: Amendment in Consent to Operate for change in name of
M/s. Aarti Industries Ltd.


Plot No.-D-55, 56, 57, 59, 60 MIDC Phase II, Kalyan Shill Road,
Dombivli, Dist. Thane

- Ref: 1. Consent granted by Board vide No.: Format1.0/AS(T)/UAN No.: 0000113142/CR-2108000848 dtd: 14/18/2021 valid upto 30/06/2026
2. Hon'ble National Company Law Tribunal Order dtd: 21/09/2022

The Consent to Operate granted under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is granted to M/S. Aarti Industries Ltd. Plot No.-D-55, 56, 57, 59, 60 MIDC phase II, Kalyan Shill Road, Dombivli, Dist. Thane is hereby amended as:

1. The name of the Industry shall be read as:
M/s. Aarti Pharmalabs Ltd.,
Plot No.-D-55, 56, 57, 59, 60 MIDC phase II, Kalyan Shill Road,
Dombivli, Dist. Thane
2. This amendment for change in name is issued pursuant to the order issued by Hon'ble National Company Law Tribunal referred at Sr. No. 2.
3. All other conditions of the consent referred above at Sr. No. 1 shall be remain unchanged.
4. The Amendment is valid only along with the consent referred at Ref. No. 1.

For and on behalf of the
Maharashtra Pollution Control Board


28/02

(Dr. J. B. Sangewar)
Assistant Secretary (Technical)

To,
M/s. Aarti Pharmalabs Ltd.,
Plot No.-D-55, 56, 57, 59, 60 MIDC Phase II, Kalyan Shill Road,
Dombivli, Dist. Thane

Copy to:

1. Regional Officer - Kalyan / SRO - Kalyan - I, MPCB
2. Chief Accounts Officer, M.P.C. Board, Mumbai



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: ast@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I (R22)

No:- Format1.0/AS(T)/UAN No.0000113142/CR-2108060848

Date: 14/8/2021

To,
Aarti Industries Ltd.,
Plot No-D- 55, 56, 57, 59 & 60, MIDC Phase II,
Kalyan Shill Road, Dombivli - East, Dist - Thane



Your Service is Our Duty

Sub: Grant of Renewal of Consent to Operate under Auto Renewal Scheme

- Ref:**
1. Consent to Operate granted vide No. Format 1.0/CC/UAN No. 0000093208/CO-2102000337 dated 05/2/2021
 2. Environmental Clearance granted vide No. SEIAA-EC-0000002290 dated 03/7/2020
 3. Board Circular dated 03/12/2015

Your application No.MPCB-CONSENT-0000113142 Dated 24.04.2021

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent to renewal is granted for a period up to 30/06/2026
2. The capital investment of the project is Rs.39.55 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 39.55 Crs)
3. Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	UOM
Products			
1	Bambuterol Hydrochloride	0.42	MT/M
2	R-Salbutamol Sulphate	0.83	MT/M
3	Deferiprone	0.42	MT/M
4	Phenylpherine Hydrochloride	1.25	MT/M
5	FLY -X (N-[(S)-1-Carbethoxy-1-butyl]-(S)-alanine)	0.32	MT/M
6	TV-INT (Ethyl, R-(+)-(4-nitrobenzenesulfonyloxy)-4-phenyl butyrate)	0.5	MT/M
7	Peridopril Erbumine	0.17	MT/M



Sr No	Product	Maximum Quantity	UOM
8	TTR IV ((1β,16γ,17γ,21-Tetrahydroxy pregna-1,4-diene-3,20-dione.)	0.1	MT/M
9	FLY VIII (Benzyl(2S,3aS,7aS)-Octahydro-1H- Indole-2-carboxylate 4-Methylbenzenesulfonate)	0.43	MT/M
10	PR-38 - 4-[2-(1-Azepanyl)Ethoxy] Benzyl Chloride Hydrochloride	2.25	MT/M
	PR-86 - t-butyl-hydroxycyclohexyl methacrylate		
	PR-88 - (2,3,4,6-TETRA-O-BENZYL-D-GALACTOSE)		
	PR-89 - ((S)-1-BOC-3-HYDROXY PIPERIDINE)		
	PR-91 - (S)-2-AMINO-5-METHOXYTETRALINE HYDROCHLORIDE		
	PR-92 - (S)-1,2,3,4-Tetrahydro-5-methoxy -N-propyl-2-naphthalenamine hydrochloride		
	PR-115 (N-Decyl-N,N-Dimethyl-3- Ammonio-1 -propane-Sulphonate)		
	PR-116 (S)-(TETRAHYDROFURAN-3-YL) HYDRAZINE HYDROCHLORIDE		
	PR-156 - (2-Bromo-4-nitro imidazole)		
	PR-178 - (S,S)-2,8-Diazabicyclo[4.3.0]nonane		
PR-179-(3-HYDROXY-N-METHYL-3-PHENYL-PROPYLAMINE			
PR-181 - CHLOROMETHYL CHLORO SULFATE			

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	21.71	As per Schedule-I	Recycle 100% to achieve ZLD
2.	Domestic effluent	14.5	As per Schedule-I	Partly recycle 6.5 CMD & partly gardening 8 CMD

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	Diesel Generator	1	As per Schedule -II
2	S-2	Diesel Generator	1	As per Schedule -II
3	S-3	Boiler (02 Nos)	1	As per Schedule -II
4	S-4	Thermopack (02 Nos)	1	As per Schedule -II
5	S-5	Process Reactor Vent-I	1	As per Schedule -II
6	S-6	Process Reactor Vent-II	1	As per Schedule -II
7	S-7	Process Reactor Vent-III	1	As per Schedule -II



6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	2	MT/A	Used as manure	Used as manure for gardening
2	Segregating ferrous and nonferrous metals, electrical cable, wood, colour paints,	100	MT/A	Sale	Sale to authorized party
3	Waste paper, Sweeping material, plastic scrap Etc.	0.5	MT/M	Sale	Sale to authorized party
4	Garbage, papers	10	MT/M	Sale	Sale to authorized party
5	Pallet, Ms & HDPE drums	1000	Pcs/M	Sale	Sale to authorized party
6	Glass bottles	150	Pcs/M	Sale	Sale to authorized party

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	90	MT/A	Recycle*	Sale to authorised party
2	20.3 Distillation residues	90	MT/A	Incineration	CHWTSDF
3	28.1 Process Residue and wastes	40	MT/A	Incineration	CHWTSDF
4	28.2 Spent catalyst	40	MT/A	Recycle*	Sale to authorised party
5	28.3 Spent carbon	50	MT/A	Incineration	CHWTSDF
6	28.6 Spent solvents	1600	MT/A	Recycle*	Sale to authorised party
7	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	2500	Nos./Y	Recycle*	Sale to authorised party
8	35.3 Chemical sludge from waste water treatment	47	MT/A	Incineration	CHWTSDF
9	37.3 Concentration or evaporation residues	269	MT/A	Incineration	CHWTSDF

* Sale to Authorized Party having permission under Rule 9 of H&OW Rule

- The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.




Maharashtra Pollution Control Board

611bb94ba1afd24da82ecef

10. This Consent is issued subject to an order passed or may be passed by Hon'ble National Green Tribunal in application no. 1038/2018
11. This consent is pursuant to the CPCB letter No. CPCB/PPC-VII/CEPI/NGT/2019 dated 25/10/2019
12. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. SEIAA-EC-0000002290 dated 03/7/2020 and ensure uploading of six monthly compliance report on their official website
13. This consent is issued under the Auto Renewal consent Policy of the Board vide letter dated 03/12/2015 as per the self-certificate submitted by Mr. Narendra J. Salvi (Director), Authorized Signatory
14. The applicant shall inform the Board in each financial year about the change in Capital Investment of the industry. In case, if Capital Investment is increased by an amount 10% then industry shall make payment of the corresponding fee for Consent to Establish and also difference in Consent to Operate fees for the corresponding block year. In case, if there is increase in Capital Investment over 10% then the industry shall submit a fresh application in prescribed form
15. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.
16. This consent is issued as per the delegation of powers to HOD vide Office Order No. 12/2020 dated 23/12/2020

For and on behalf of the
Maharashtra Pollution Control Board.


(P.K. Mirashe)

Assistant Secretary (Tech.)

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	7500.00	TXN2104002204	27/04/2021	Online Payment
2	17500.00	TXN2107002513	26/07/2021	Online Payment

Copy to:

1. Regional Officer, MPCB, Kalyan and Sub-Regional Officer, MPCB, Kalyan I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) As per your application, you have segregated trade effluent into weak stream & strong stream and provided Effluent Treatment Plant (ETP) comprising of:
i) Strong COD/TDS stream of 11.77 CMD - Treatment system comprising of Primary, Stripper, Multi effect evaporator (3 stage) with design capacity of 20 CMD followed by ATFD. The MEE condensate is treated in weak stream ETP.
ii) Weak COD/TDS stream of 9.94 CMD - Treatment system comprising of Primary (Collection tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter), Advance treatment (Reverse osmosis, Multi Effective Evaporator (3 stage), ATFD) with design capacity of 35 CMD.
B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.
C) The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 15 CMD for the treatment of 14.5 CMD of sewage.
B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	BOD (3 days 27°C)	Not to exceed	30 mg/l
2	Total Suspended solids	Not to exceed	100 mg/l

- C) The treated sewage 6.5 CMD shall be recycled for flushing purpose and remaining 08 CMD shall be used on land for gardening within premise after confirming above standards. In no case, sewage shall find its way outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	5.50
2.	Domestic purpose	18.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	35.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	6

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant Standard	
S-1	DG Set	Acoustic Enclosure	4.50	Diesel 400 Ltr/M	1.2	TPM	50 Mg/Nm ³
						SO ₂	0.4 Kg/Day
S-2	DG Set	Acoustic Enclosure	3.50	Diesel 200 Ltr/M	1.2	TPM	50 Mg/Nm ³
						SO ₂	0.2 Kg/Day
S-3	Boiler (02 Nos)	Scrubber	35.00	Furnace Oil 2.04 MT/Day	4.5	TPM	50 Mg/Nm ³
						TPM	18.36 Kg/Day
S-4	Thermopac (02 Nos)	Stack	22.00	LDO 510 Lit/Day	1.80	TPM	50 Mg/Nm ³
						SO ₂	18.36 Select
S-5	Process Reactor Vent-I	Scrubber	11.00	-	-	Acid Mist	20 Mg/Nm ³
S-6	Process Reactor Vent-II	Scrubber	11.00	-	-	Acid Mist	20 Mg/Nm ³

Stack No.	APC System Source provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant Standard
S-7	Process Reactor Vent-III	Scrubber	11.00	-	Acid Mist 20 Mg/Nm ³

* Industry shall adopt cleaner fuel instead of Furnace Oil or install wet scrubber with 90% SO2 removal efficiency as per Board Circular dated 05/2/2020

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III
Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	5.0 Lakh	Existing	Towards O&M of Pollution Control System and Compliance of Consent Conditions	30/6/2026	31/10/2026

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
1	C to R	5.0 Lakh	Towards O&M of Pollution Control System	5.0 Lakh



SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.



Maharashtra Pollution Control Board

611bb94ba1afd24da82ecefc

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. The PP shall provide personal protection equipment as per norms of Factory Act
14. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

26. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

For and on behalf of the
Maharashtra Pollution Control Board.


(P.K.Mirashe)

Assistant Secretary (Tech.)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: July 3, 2020

To,
Mr. Narendra Salvi
at Plot No. D- 55, 56, 57, 59 & 60

Subject: Environment Clearance for Aarti Industries Limited . Plot No. 55, 56, 57, 59 & 60 M.I.D.C. phase II
Dombivali, Dist.- Thane

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 182nd -Day-1nd meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 198th meetings.


2. It is noted that the proposal is considered by SEAC-I under screening category 5 (f) B (1) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Proposed expansion project of manufacturing of API intermediates and Specialty Chemicals
2.Type of institution	Private
3.Name of Project Proponent	Mr. Narendra Salvi
4.Name of Consultant	Goldfinch Engineering Systems Private Limited, Thane
5.Type of project	Not applicable
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	No
8.Location of the project	Plot No. D- 55, 56, 57, 59 & 60
9.Taluka	Kalyan
10.Village	Sagarli
11.Whether in Corporation / Municipal / other area	Municipal corporation
12.IOD/IOA/Concession/Plan Approval Number	NA IOD/IOA/Concession/Plan Approval Number: NA Approved Built-up Area: 1914
13.Note on the initiated work (If applicable)	Nil
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15.Total Plot Area (sq. m.)	3760 m2
16.Deductions	Not applicable
17.Net Plot area	Not applicable

SEIAA Meeting No: 198 Meeting Date: May 27, 2020 (SEIAA-STATEMENT-000000588)
SEIAA-MINUTES-0000003216
SEIAA-EC-0000002290

Page 1 of 14


Shri. Anil Diggikar (Member Secretary SEIAA)

18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable
	Non FSI area (sq. m.): Not applicable
	Total BUA area (sq. m.):
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.):
	Approved Non FSI area (sq. m.):
	Date of Approval:
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	322800000



Government of Maharashtra

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Bambuterol Hydrochloride	00	0.42	0.42
2	R-Salbutamol Sulphate	00	0.83	0.83
3	Deferiprone	00	0.42	0.42
4	Ranolazine	0.2	(-)0.2	00
5	Phenylpherine Hydrochloride	0.4	0.85	1.25
6	Budesonode (TTR)	0.03	(-)0.03	00
7	PAN-IV (18,16?,17?,21-Tetrahydroxy pregna-1,4-dine-3,20-dione.)	0.03	(-)0.03	00
8	FLY -X (N-[(S)-1-Carboxy-1-butyl]- (S)-alanine)	0.03	0.29	0.32
9	BA - III (N-[4-cyano-3-(trifluoromethyl)phenyl]-2-methyl[(4-fluorophenyl)-thio]]-2-hydroxy-2-methylpropanamide)	0.03	(-)0.03	00
10	TV-INT (Ethyl, R-(+)-(4-nitrobenzenesulfonyloxy)-4-phenyl butyrate)	0.03	0.47	0.5
11	Peridopril Erbumine	00	0.17	0.17
12	TTR IV ((18,16?,17?,21-Tetrahydroxy pregna-1,4-dine-3,20-dione.)	00	0.1	0.1
13	FLY VIII (Benzyl(2S,3aS,7aS)-Octahydro-1H- Indole-2-carboxylate 4-Methylbenzenesulfonate)	00	0.43	0.43
14	PR-38 - 4-[2-(1-Azepanyl)Ethoxy] Benzyl Chloride Hydrochloride	--	--	--
15	PR-86 - t-butyl-hydroxycyclohexyl methacrylate	--	--	--
16	PR-88 - (2,3,4,6-TETRA-O-BENZYL-D-GALACTOSE)	--	--	--
17	PR-89 - ((S)-1-BOC-3-HYDROXY PIPERIDINE)	--	--	--
18	PR-91 - (S)-2-AMINO-5-METHOXYTETRALINE HYDROCHLORIDE	--	--	--
19	PR-92 - (S)-1,2,3,4-Tetrahydro-5-methoxy -N-propyl-2-naphthalenamine hydrochloride	--	--	--
20	PR-115 (N-Decyl-N,N-Dimethyl-3- Ammonio-1 -propane- Sulphonate)	--	--	--
21	PR-116 (S)-(TETRAHYDROFURAN-3-YL) HYDRAZINE HYDROCHLORIDE	--	--	--
22	PR-156 - (2-Bromo 4-nitro imidazole)	--	--	--
23	PR-178 - (S,S)-2,8-Diazabicyclo[4.3.0]nonane	--	--	--
24	PR-179-(3-HYDROXY-N-METHYL-3-PHENYL-PROPYLAMINE	--	--	--
25	PR-181 - CHLOROMETHYL CHLORO SULFATE	--	--	--
26	Note - Combine production capacity of PR-38,PR-86,PR-88,PR-89,PR-91, PR-92, PR-115,PR-116,PR-156,PR-178,PR-179,PR-181, will be 2.25 TPM	00	2.25	2.25
27	Total	0.748	5.922	6.67

23. Total Water Requirement

Dry season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable

Wet season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
Excess treated water	Not applicable	
Details of Swimming pool (If any)	Not applicable	



Government of Maharashtra

24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	5.5	13	18.5	1.1	2.9	4	4.4	10.1	14.5
Industrial Process	21	14	35	8.6	5.8	14.4	12.4	8.2	20.6
Cooling tower & thermopack	4	1.5	5.5	3.2	1.2	4.4	0.8	0.3	1.11
Gardening	2	4	6	2	4	6	0	0	0
Fresh water requirement	32.5	37.5	65	14.9	13.9	28.8	17.8	18.6	36.2

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	will submit in EIA report
	Size and no of RWH tank(s) and Quantity:	will submit in EIA report
	Location of the RWH tank(s):	will submit in EIA report
	Quantity of recharge pits:	will submit in EIA report
	Size of recharge pits :	will submit in EIA report
	Budgetary allocation (Capital cost) :	will submit in EIA report
	Budgetary allocation (O & M cost) :	will submit in EIA report
Details of UGT tanks if any :	1. Methanol (25 KL) 2. IPA (25 KL) 3. Toluene (25 KL) 4. Acetone (25 KL) 5. Ethyl Acetate (25 Kl)	

26.Storm water drainage	Natural water drainage pattern:	Provided by MIDC
	Quantity of storm water:	NA
	Size of SWD:	NA

27.Sewage and Waste water	Sewage generation in KLD:	20
	STP technology:	Conventional technology will be used
	Capacity of STP (CMD):	1 No. 25 CMD
	Location & area of the STP:	Near ETP
	Budgetary allocation (Capital cost):	Rs 2500000
	Budgetary allocation (O & M cost):	100000



Government of Maharashtra

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	Nil
	Disposal of the construction waste debris:	Nil
Waste generation in the operation Phase:	Dry waste:	NA
	Wet waste:	NA
	Hazardous waste:	kindly refer point no. 45
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	250 kg
	Others if any:	NA
Mode of Disposal of waste:	Dry waste:	NA
	Wet waste:	NA
	Hazardous waste:	CHWTSDF, MWML, Taloja
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	Will be use as manure for gardening
	Others if any:	NA
Area requirement:	Location(s):	Production Area, Raw Material & Products Storage Area, Office Building, STP & ETP , Parking
	Area for the storage of waste & other material:	Dedicated area is allocated near ETP
	Area for machinery:	1914 m2
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs 342300000
	O & M cost:	Rs 3400000

Government of Maharashtra

29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	-	7-8	ZLD	5.5-9.0
2	BOD	mg/lit	2500-3500	ZLD	<100
3	COD	mg/lit	5000-6000	ZLD	<250
4	TDS	mg/lit	2000-300	ZLD	<2100
5	Oil & Grease	mg/lit	<20	ZLD	<10
Amount of effluent generation (CMD):		21.7 CMD			
Capacity of the ETP:		35 CMD			
Amount of treated effluent recycled :		35 CMD			
Amount of water send to the CETP:		ZLD			
Membership of CETP (if require):		Yes			
Note on ETP technology to be used		Primary, Secondary, Tertiary , MEE & ZLD			
Disposal of the ETP sludge		CHWTSDF			

Government of
Maharashtra

30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Spent Carbon	28.2	MTPA	6.18	00	6.18	CHWTSDF
2	Spent Mother Liquor	28.4	MTPA	12	6	18	Sale to authorized party
3	ETP Sludge	34.3	MTPA	8.6	8.1	16.7	CHWTSDF
4	MEE Salts	37.3	MTPA	90	179	269	CHWTSDF
5	Distillation Residue	20.3	MTPA	0	1.2	1.2	CHWTSDF
6	Process Waste & Residue	28.1	MTPA	0	3	3	CHWTSDF
7	Contaminated Filter Bags	36.1	MTPA	0	1.2	1.2	CHWTSDF
8	Used/spent oil	5.1	MTPA	0	5.4	5.4	Sale to authorized party
31.Stacks emission Details							
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	Boiler (one stand by & one operating)	FO = 2.04 T/Day	01 combined stack	30	0.4	125 deg. C	
2	Thermo pack (one stand by & one operating)	LDO = 510 lit/day	01 combined stack	22	0.25	150 deg. C	
3	DG Sets (no 02)	HSD = 600 lit/month	042separate stack	4.2-5	0.15	135 deg. C	
32.Details of Fuel to be used							
Serial Number	Type of Fuel	Existing	Proposed	Total			
1	L.D.O	150 lit/day	360 lit/day	510 lit/day			
2	FO	00	2040 kg/day	2040 Kg/day			
3	HSD	420 lit/month	180 lit/month	600 lit/month			
33.Source of Fuel		Oil companies					
34.Mode of Transportation of fuel to site		By Road					
35.Energy							

Power requirement:	Source of power supply :	MSEDCL
	During Construction Phase: (Demand Load)	NA
	DG set as Power back-up during construction phase	NA
	During Operation phase (Connected load):	Existing : 500 KW ;Proposed : 1060 KW
	During Operation phase (Demand load):	Existing : 350 KW; Proposed : 750 KW
	Transformer:	Existing : 515 KVA ;Proposed : 1130 KVA
	DG set as Power back-up during operation phase:	Existing 02 DG with capacity 250 KVA (2 No.) ; 200 KVA (1 no); 250 KVA Replaced by 380 KVA
	Fuel used:	HSD
	Details of high tension line passing through the plot if any:	No high tension line passing through through the plot

Energy saving by non-conventional method:

Nil

36.Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	NA	NA

37.Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Air	Stack of adequate height	Stack of adequate height
Water	ETP ,RO and MEE	ETP ,RO and MEE
Noise	Acoustic enclosure	Acoustic enclosure
Solid Waste	Disposal to MWML	Disposal to MWML

Budgetary allocation (Capital cost and O&M cost):	Capital cost:	35 lac
	O & M cost:	7 lac

38.Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	NA	NA	NA

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air pollution control	2 no. stacks	10	0.5

2	Water Pollution	ETP	340	16
3	Domestic Effluent	STP	20	1
4	Noise	Acoustic enclosures	5	nil
5	Process emissions	3 no. Scrubbers	16.5	3.3

39.Storage of chemicals (inflamable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Methanol	Liquid	Under Ground	25 KL	25 KL	20	Local	Road
IPA	Liquid	Under Ground	25 KL	25 KL	10	Local	Road
Toluene	Liquid	Under Ground	25 KL	25 KL	5	Local	Road
Acetone	Liquid	Under Ground	25 KL	25 KL	20	Local	Road
Ethyl Acetate	Liquid	Under Ground	25 KL	25 KL	5	Local	Road
Ammonia	Liquid	Tank farm	5 KL	5 KL	1	Local	Road
MDC	Liquid	Tank Farm	5 KL	5 KL	2	Local	Road
Acetic Anhydride	Liquid	Tank Farm	5 KL	5 KL	1	Local	Road

40.Any Other Information

No Information Available

Government of
Maharashtra

	CRZ/ RRZ clearance obtain, if any:	NA
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	no protected area in 10 km circle
	Category as per schedule of EIA Notification sheet	5 (f) B (1)
	Court cases pending if any	Nil
	Other Relevant Informations	NA
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its 198th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to ensure to submit yearly motioning on compliance of EC conditions through third party audit.
II	PP to prepare safety related training modules in Marathi and Hindi and impart training to all concern staff so as to increase its effectiveness.
III	PP to prepare and implement CER plan (Rs. 44 Lakhs) for creating social infrastructures like sanitation facilities, clean drinking water and solar energy to the Z.P.Schools within the study area in consultation with the District Collector.
IV	PP to ensure strict compliance of the stringent conditions as stipulated in the OM issued by MoEF&CC dated 31.10.2019.
V	PP has submitted the plan layout to MIDC, if there is any change plan layout PP have to take revised EC.
VI	PP to ensure that CER plan gets approved from District Collector.
VII	PP to submit MIDC approval.
VIII	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF& CC dated 9th August, 2018.

General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmers shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.
IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.

X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. REGIONAL OFFICE MIDC TARAPUR
10. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
11. COLLECTOR OFFICE PALGHAR

TIMES *interact*

To book your advertisement, call 9278812222

Connecting People. Connecting Needs.

real estate

FOR SALE

AHMEDNAGAR

6.5 Acres Commercial NA Land full Compound Ahmednagar (MH) Bypass Touch Good For Cold Storage/ shopping complex sale / partnership 9970112865, 9970510905.

PROPERTY ANCILLARIES

FACTORY WORKSHOP & SITES

INDUSTRIAL-LAND 28000 sq m in MIDC, Anand Nagar, Ambarnath suitable for Engg./Chemical projects. For details contact 9819014466

business

INCOME TAX CONSULTANT

INCOME Tax returns services for individuals Contact Shirish 7710944295 Fees Rs 3000 www.shireesholutions.com

tender & notices

TENDERS

Salvage Sale of (A) POY/ Polyester Yarn (about 24 MT) (B) Plant & Machinery (Synthetic Yarn M/c, Compressors, etc) & (C) Sale of Building Scrap (with Building Demolishing)

Separate E-Auction forms are invited for Disposal of FireAffected salvage of (A) Synthetic Yarn / POY (about 24 MT); (B) Plant & Machinery/contents (as per indicative list available) and (C) Building (with demolishing) on "As is Where is" basis, belonging to M/s. Mahadev Yarns (P) Ltd., Plot No: 20-25, Survey No: 26, Amod Road, Kharach (Kosamba), Bharuch, Surat, Gujarat. Inspection can be done till: 16/07/2020 Contact: Mr. R K Mundra / Mr. Jitender Singh: Mob: 09374545600 / 07984260044

Date of E auction is 17/07/2020 from 12noon onwards, separately for A, B and C above. E auction Forms with Earnest Money Deposit (EMD) to be submitted latest by 16/07/2020 up to 5 PM at the auctioneer's address OR at seller's address. Bidders can participate in any of (A), (B) and (C) or all of them. E-Auction Portal is www.thetimese-auctions.com, visit and register yourself. Forms can be obtained from the details given below. For Inquiries please contact: Mr. Amit Gupta: 91 8510801000, Adama Goel - 91 8199911101, Ashish Pandey - 91 7838759021 The Salvage Bids, 273, Tagore Park, Behind Canara Bank, Near Model Town, Delhi - 110009

IRMRA INVITES ONLINE BIDS FOR

"SUPPLY OF SKID TRAILER FOR WET GRIP MEASUREMENTS OF C1 & C2 TYRES" Project Site : IRMRA, Sricity (A.P.)

For details visit our website <http://irmra.eproc.in>

NATED National Agricultural Cooperative Marketing Federation of India Ltd. (NAFED) H.O. : NAFED House Sidhartha Enclave, Ashram Chowk, Ring Road, New Delhi-110 014. Phones: EPABX- 26240019 (8 Lines) Website: www.nafed-india.com

NAFED invites applications from millers of groundnut, mustard and different pulses for empanelment for processing and supply to different Government institutions. For detailed terms, conditions and brief business model please visit www.nafed-india.com. For any query, contact General Manager (IS) at 011-26343366.

PUBLIC NOTICE

ENVIRONMENTAL CLEARANCE

All concerns are informed that proposed establishment of expansion project for manufacturing of Synthetic Organic Chemicals, 5(F) (API, Bulk Drug Intermediates & Specialty Chemicals) at Plot No. D-55, 56, 57, 59 & 60 M.I.D.C. phase II Dombivali, Dist.- Thane, by Aarti Industries Limited, for this the State Level Environmental Impact Assessment Committee of the Govt. of Maharashtra has been granted prior environmental clearance on 3rd July 2020 with EC reference No. SEIAA-EC-0000002295. A copy of the EC letter is available on the website of the MPCB & Maharashtra State Environment Department. Website: http://www.ecmpcb.in/login/ granted_ec_certificate

Date: 10/07/2020
Sd
for Aarti Industries Limited
(Mr. Narendra J. Salvi)
Director

Consulate General of India, Dubai NOTICE

No. DUBAI/CONS/434/MR/20-(47)
Dated: 06/07/2020

Mr. Steevan Clarence Crasta, S/o Paul Crasta resident of 17-13-1380-9, Yamuna Apts, flat no. 303, Kaprigudda, Mangalore City, Pin: 575001, Karnataka, India present address post Box No. 120010, Dubai, UAE and Miss Jessica Avita Jacob Joseph, Daughter of Joseph Jacob Eric resident of 404, 4th floor Orchid A-wing Evershine Park Prathmesh Complex, Veera Desai rd, Andheri - W Mumbai-58 present address Post Box No. 120010, Dubai, UAE. The above mentioned Indian Nationals are presently residing in UAE have given notice of intended marriage between them under the foreign marriage act, 1969. If any one has any objection to the proposed marriage he / she should file the same with the undersigned according to the procedure laid down under the act/ rules within thirty days from the date of publication of this notice. (Jitender Singh Negi) Marriage Officer & Consul (Consular & Labour) Consulate General of India P.O. Box 737, Dubai (UAE) Fax No. 009174-3970453 Email: cons1.dubai@mea.gov.in, cons3.dubai@mea.gov.in Homepage: www.cgidubai.gov.in

ENVIRONMENTAL CLEARANCE

All concerns are informed that proposed establishment of R&D & Pilot Plant for Synthetic Organic Chemicals, API & its formulation) Expansion project at Plot No. A-94/1 & A-94/1/1, Khairane MIDC, TTC Industrial Area, Navi Mumbai, District Thane by Aarti Industries Limited for this the State level Environmental Impact Assessment Committee of the Govt. of Maharashtra has been granted prior environmental clearance on 3rd July 2020 with EC reference No. SEIAA-EC-0000002295. A copy of the EC letter is available on the website of the MPCB & Maharashtra State Environment Department.

Website: http://www.ecmpcb.in/login/ granted_ec_certificate
Date: -10/07/2020

Sd
For Aarti Industries Limited
(Mr Renil R. Gogri)
Director

THE TIMES GROUP

Readers are recommended to make appropriate enquires and seek appropriate advice before sending money, incurring any expenses, acting on medical recommendations or entering into any commitment in relation to any advertisement published in this publication. The Times Of India Group doesn't vouch for any claims made by the Advertisers of products and services. The Printer, Publisher, Editor, and Owners of The Times Of India Group publications shall not be held liable for any consequences, in the event such claims are not honoured by the Advertisers.

Book your Newspaper Ads

in just 3 easy steps

log on to

www.ads2book.com

from your

Desktop or Mobile

For booking assistance or any query

Email: tcteam@timesgroup.com

Notice

No. DUBAI/CONS/434/MR/20-(46)

Dated: 05/07/2020

Mr. Lovish Bhagchandani S/o Brijlal Vasudev Bhagchandani Resident of B-6 Ashwad apartment, Bhimjipura New Wadaj Ahmedabad Gujarat Present address PO Box no 47256 Flat no 205 Israr bldg, old Pakistani consulate BUR Dubai, Dubai UAE And Miss. Nikita Daughter of Ramesh Gopal Devadiga Resident of St Aloysius college ladies hostel PB 720 Kodialbail Karangalpad, Mangalore city, Pin 575003, Karnataka, India

Present address flat no 101, Ajan Bldg, BUR Dubai Dubai, Above mentioned Indian nationals are presently residing in the UAE have given notice of intended marriage between them under the foreign marriages act, 1969. If anyone has any objection to the proposed marriage he/she should file the same with the undersigned according to the procedure laid down under the act/rules within thirty days from the date of publication of this notice.

(Jitender Singh Negi) Marriage Officer & Consul (consular & Labour) Consulate General of India P.O. BOX:737, DUBAI (UAE) FAX NO.0097143970453 Email: cons1.dubai@mea.gov.in, cons3.dubai@mea.gov.in Homepage: www.cgidubai.gov.in

To advertise in this section call

JITESH 9867407521

PUBLIC NOTICE

NOTICE is hereby given to the public at large that we are investigating the title of Drishti Hospitality Company Private Limited a private limited company incorporated under the provisions Companies Act 2013 having its registered office at Top Floor Drishti House, 15 Mathew Road, Opera House, Mumbai 400004 ("Company"), to the Land and Building more particularly described in the Schedule hereunder written subject to the rights of the tenants / unit owners in the Building.

All persons having any claim/right/title or interest, in respect of the Land and Building or part thereof, by way of inheritance, mortgage, sale, agreement for sale, transfer, assignment, lease, sub-lease, license, sub-license, lien, charge, trust, easement, gift, acquisition, requisition, any encumbrance or beneficial right / interest under any trust, right of prescription or pre-emption or under any agreement or other disposition or under any suit, decree, injunction order or attachment or award passed by any Court or Authority litigation, lis-pendens, decree or order of any adjudicating authority, exchange, partition, power of attorney, will, bequest, FSI, tenancy, development rights, family arrangement / settlement, possession, allotment or otherwise whatsoever ("Claim") are hereby requested to make the same known in writing along with complete documentary proof to the undersigned at Khaitan & Co, Advocates at One Indiabulls Centre, Tower-1, 13th floor, Senapati Bapat Marg, Elphinstone Road, Mumbai 400 013 and by email addressed to harsh.parikh@khaitanco.com and abhir.gandhi@khaitanco.com within a period of 14 (Fourteen) days from the date of publication hereof, failing which, it shall be presumed that no such Claims exists or that they have been waived or

84-yr-old accused of rape, SC calls for DNA test

Dhananjay.Mahapatra
@timesgroup.com

New Delhi: The Supreme Court on Thursday ordered a DNA test on an 84-year-old retired Army man and a four-day-old baby to determine whether he fathered the child through sexual exploitation of a 14-year-old girl in Siliguri.

It was the octogenarian,

The man said he was sterile and diabetic, making it impossible for him to impregnate a 14-year-old girl

accused under the Protection of Children from Sexual Offences (Pocso) Act, who moved the SC demanding a DNA test. He was arrested on May 11,

when the girl's father lodged a police complaint claiming she was pregnant because of sexual exploitation.

Appearing for the accused, advocate Kapil Sibal told the bench that there was a tenant-landlord dispute as the girl's father was not paying rent. The 84-year-old said he was sexually sterile and a diabetic, making it impossible for him

to impregnate a woman.

The police said the accused was examined by a doctor, who had said, "I am of the opinion that there is nothing to suggest that the person is incapable of performing sexual intercourse." However, the medical advice was to conduct a DNA test to confirm paternity.

Full report on www.toi.in

TIMES TRIBUTE

PAYING HOMAGE TO THE DEPARTED SOUL

REMEMBRANCES



1st Death Anniversary

Mrs Rathi Ramchandran
(Retd.) Professor of Chemistry, SIES College

Lovingly remembered
Everyday by:
Rema Menon (Mother)
Ramchandran (Husband)
Sandeep, Jaideep (Sons)
Girish, Bhadra, Maya & Family & Friends

SAD DEMISE



SMT. SAROJINI GAJANAN WANDREKAR


(09/12/1935 - 07/07/2020)

has left for heavenly abode on

Tuesday, 07/07/2020

Deeply missed by
Wandrekar family

OBITUARY



G. H. (Gul) Makhija

passed away peacefully in Bangalore on 7-7-2020. A most loving and dear soul fondly remembered by everyone he touched.

Your celebration of his life and including him in your prayers would honour his memory.

Vinita (Maya), Munesh, Anita (Anu), Annika & Aria Makhija.

First Death Anniversary



Fr. Augustine Silveira S.J.

Mass at St. Peter's Church, Bandra, Streamed live on Saturday 11th July 2020 at 6:45 pm.

s/o late Durante/late Maria Apollonia (Beatrice), b/o Hercules/Anne, Rosie/late Vincent, late Caesar/late Evelyn, Marina/Tony

SAD DEMISE



MOHSIN CHARANIA

(20.11.1960-08.07.2020)

Cargo Manager - Hermes Travel & Cargo Pvt. Ltd.


With profound grief we regret to inform you the Sad Demise of our beloved Mohsin.

CHARANIA FAMILY
HERMES GROUP OF CO.

TO PLACE AN ANNOUNCEMENT IN THIS SECTION CALL:

9867505472

SAD DEMISE



DEEPAK UTTAMCHAND SABHAGCHANDANI

He left for his heavenly abode on 7/7/2020.

Pagdi (Marka)

Condolence's meeting will be held on Friday

In Loving Memory of



Birth: 05-09-1945

Heavenly Abode: 10-05-2020

SC slams Maha over 'ignorance' of migrants' pain

Dhananjay.Mahapatra@timesgroup.com

New Delhi: The Supreme Court pulled up Maharashtra on Thursday for filing an affidavit full of monotonous "not to its knowledge" responses to allegations by NGOs that migrant workers were still waiting to go back home and there were instances of workers living in penury during the lockdown.

On Thursday, solicitor general Tushar Mehta, who appeared for the Maharashtra government said that 3.55 lakh migrant workers had returned to the state. But the bench was annoyed by the repeated feigning of ignorance by the state in responding to the allegations. "You are the state government. It is your duty to find out the details and apprise the court about it. It is unacceptable that the government is unaware of the situation in the state. This is not an adversarial issue that the state will contest everything that is said about the prevailing situation," it said.

As Mehta accepted that the state's affidavit could have been better worded, the bench said, "We cannot accept Maharashtra's affidavit that there is no shortage of food, water or amenities for migrant workers stranded in the state." The SG general said the broad picture emerging from the ground was that migrants workers were returning to their workplaces as they were unable to find work commensurate to their skill in their home states. "It is a happy turnaround," he added.

Indian airlines cut capacity by 50% as demand crashes

Manju.V@timesgroup.com

Mumbai: The demand for air travel in India has apparently crashed in the past few days, due to which the airlines have cut capacity by 50%. Only 1.3 million airline seats are on offer on scheduled flights this week, compared to the 2.6 million seats offered last week, according to data released by UK-based global travel data provider OAG on Wednesday.

म. टा. विशेष प्रतिनिधी, मुंबई

राज्याच्या अर्थचक्राला गती देण्यासाठी लॉकडाउनच्या नियामांमध्ये राज्य सरकारने मोठ्या प्रमाणावर शिथिलता आणली आहे. साहजिकच यामुळे सर्वसामान्यांचे बऱ्यापैकी दैनंदिन व्यवहार सुरू झाले असून, सर्वसामान्यांची सरकार दरबाराची कामे अडू नयेत यासाठी राज्य सरकारी कर्मचाऱ्यांची उपस्थिती वाढवण्यात येत आहे. सध्या मंत्रालयात सरकारी कार्यालयांमध्ये असलेली १५ टक्के कर्मचाऱ्यांची उपस्थिती वाढवून लवकरच ती ३० ते ३५ टक्क्यांपर्यंत नेण्यात येणार असल्याचे खात्रिलयाक सूत्रांकडून कळते.

कोरोना आणि लॉकडाउनमुळे राज्य

सरकारी कर्मचाऱ्यांची उपस्थिती आता ३५ टक्के?

सर्वसामान्यांची कामे अडू नयेत यासाठी निर्णय



सरकारने सरकारी कार्यालयातील कर्मचाऱ्यांच्या उपस्थितीवर बरीच मर्यादा घातली होती. लॉकडाउन जाहीर झाला,

तेव्हा ही उपस्थिती पाच टक्के एवढी कमी करण्यात आली होती. त्यानंतर सरकारने अनलॉक आणि मिशन बिगेन अग्रे जाहीर केल्यावर सरकारी कार्यालयातील उपस्थिती १५ टक्के करण्यात आली. त्यानंतर अर्थचक्राला गती देत सरकारने लॉकडाउनच्या नियामांमध्ये बऱ्यापैकी शिथिलता आणली आहे. प्रवासी वाहतुकीवरील बंधनेही बऱ्यापैकी उठविण्यात आली

आहे. अजूनही सर्वसामान्यांसाठी रेल्वे सुरू करण्यात आल्या नसल्या तरी खासगी वाहतुकीवर फारशी बंधने नाहीत. त्यामुळे सर्वसामान्यांचा दैनंदिन कामानिमित्त प्रवास होऊ लागला आहे.

कामानिमित्त बाहेर पडणारे सर्वसामान्ये सरकारी कामानिमित्त विविध सरकारी कार्यालयात फेऱ्या मारू लागले आहेत. अशावेळी कमी कर्मचाऱ्यांच्या अभावी या कामांना अडथळा येऊ नये यासाठी सरकारने कार्यालयातील उपस्थिती वाढवून ती ३० ते ३५ टक्क्यांपर्यंत नेण्याबाबत विचार सुरू केला आहे. बुधवारी मंत्रिमंडळाच्या बैठकीत यावर सविस्तर चर्चा झाली असून, लवकरच हा निर्णय अंमलात येणार असल्याचे कळते.

म्हणे, उरले ३७ खडे!

पालिकेचा अजब दावा; १ जूनपासून १४६ तक्रारी आल्याची माहिती

म. टा. विशेष प्रतिनिधी, मुंबई

मागील काही दिवसांपासून कोसळत असलेल्या मुसळधार पावसाने रस्त्यांची चाळण केली आहे. त्यामुळे मुंबईच्या विविध भागांत खड्ड्यांचे साम्राज्य पसरण्यास सुरुवात झाली आहे. यंदाच्या १ जूनपासून आजतागायत खड्ड्यांच्या १४६ तक्रारी प्राप्त झाल्या आहेत. यापैकी १०९ खड्डे बुजविण्यात आले, तर उर्वरित ३७ बुजविण्याचे काम सध्या प्रगतीपथावर आहे, अशी माहिती पालिकेच्या वतीने देण्यात आली आहे.

खड्डे आणि रस्त्यावर पडणारे चर बुजवण्यासाठी पालिकेने यंदा ४० कोटींहून अधिक रुपयांची तरतूद केली आहे. मुंबईतील काही रस्ते हे पालिकेच्या, तर काही इतर सरकारी यंत्रणांच्या अखत्यारितीत आहेत. यामध्ये प्रामुख्याने एमएमआरडीए, म्हाडा, मुंबई पोर्ट ट्रस्ट, विमानतळ प्राधिकरण यांचा समावेश आहे. सर्व प्राधिकरणांच्या रस्त्यांवरील खड्ड्यांच्या तक्रारी पालिकेकडे नागरिक करतात. पालिका संबंधित यंत्रणेला त्याची माहिती देते व आपल्या हद्दीतील खड्डे बुजवण्याची विनंती करते.

पालिकेच्या अखत्यारितीतील खड्ड्यांसाठी 'MyBMC Pothole Fixit' हा ॲप तयार केला आहे. खड्ड्यांचे छायाचित्र ॲपमध्ये अपलोड केल्यास संबंधित ठिकाणाच्या



मुलुंड टोलनाक्याजवळ पडलेला भलामोठा खड्डा.

४८ तासांत खड्डे बुजवणे बंधनकारक

रस्त्यांवरील खड्ड्यांच्या तक्रारीसाठी पालिकेने पारंपरिक पद्धतीने लेखी तक्रार करण्यासह अत्याधुनिक तंत्रज्ञानाचा वापर करून तक्रार करण्याची सुविधा नागरिकांना उपलब्ध करून दिली आहे. या पर्यायाचा वापर करून तक्रार केल्यानंतर ४८ तासांच्या आत संबंधित अभियंता व कंत्राटदारांने खड्डा न बुजवल्यास दंडआकारणी केली जात असल्याचे पालिकेने स्पष्ट केले आहे.

नकाशासह अपलोड होते. त्यामुळे रस्त्यावर नक्की कोणत्या ठिकाणी खड्डा आहे याची माहिती उपलब्ध होऊन खड्डे भरण्याची कार्यवाही अधिकाधिक लवकर करणे शक्य होते. या ॲपमध्ये एकदा तक्रार दाखल केल्यानंतर तक्रारदारास तक्रार क्रमांक प्राप्त होतो. या तक्रार क्रमांकाच्या आधारे शोधल्यास खड्ड्यांच्या सद्यस्थितीची माहिती तक्रारदारास लगेच दिसू शकते. खड्डा

बुजवल्यानंतर त्या ठिकाणचे छायाचित्र अपडेट केले जाते. पालिकेच्या portal.mcgm.gov.in या संकेतस्थळावर देखील तक्रार नोंदविता येऊ शकते. संकेतस्थळावर गेल्यानंतर आडव्या मेनूमध्ये 'तक्रार' असा पर्याय मराठीमध्ये, तर इंग्रजीमध्ये 'Complaint' हा पर्याय उपलब्ध आहे. या पर्यायावर क्लिक केल्यानंतर उघडणाऱ्या ड्रॉप-डाऊन मेनूमधील

मुंबईतील विविध प्राधिकरणे

■ महापालिका, एमएमआरडीए, म्हाडा, मुंबई पोर्ट ट्रस्ट, विमानतळ प्राधिकरण

'एमएमआरडीए'च्या हद्दीत

■ पश्चिम द्रुतगती महामार्ग २५.३३ किमी
■ पूर्व द्रुतगती महामार्ग २५.५५ किमी

येथेही करा तक्रार

■ हेलपलाइन : १९१६
■ टोल फ्री १८००-२२-१२-९३
■ ट्विटर @mybmc

योग्य पर्याय निवडून 'तक्रारनोंदणी' करता येऊ शकते. खड्डेविषयक तक्रारी व सूचनांसाठी www.mybmcpotholefixit.com हे एक स्वतंत्र संकेतस्थळदेखील पालिकेने सुरू केले आहे. या संकेतस्थळावर जीपीएस तंत्रज्ञानाच्या सहाय्याने नकाशा आधारित तक्रार करता येऊ शकते. सिम्बियन, ॲपडॉइंड, आयओएस अशा तिन्ही प्रकारच्या ॲपपेरेटिंग सिस्टीम असणाऱ्या मोबाइलवर हे संकेतस्थळ खुले होऊ शकते. ज्या मोबाइलवर ॲपडॉइंड ॲप इन्स्टॉल होऊ शकत नाही, त्या मोबाइलधारकांसाठी हा पर्याय उपयोगी आहे.

TIMES interact

To book your advertisement, call 9278812222

टॅडर्स आणि नोटिसेस

टॅडर्स

IRMRA INVITES ONLINE BIDS FOR

"SUPPLY OF SKID TRAILER FOR WET GRIP MEASUREMENTS OF C1 & C2 TYRES"
Project Site : IRMRA, Sricity (A.P.)

For details visit our website
http://irmra.eproc.in

सार्वजनिक नोटीस

जाहीर सूचना

याद्वारे सर्व जनतेस सूचित केले जात आहे कि या दस्तऐवजामध्ये खाली लिहिलेल्या अनुसूचिमध्ये विशेष वर्णन केलेल्या जमीन व इमारतीशी संबंधित इमारतीतील भाडेकरू/युनिट मालकांच्या अधिकारांच्या अधीन आम्ही द्रीष्टी होस्पिटॅलिटी कंपनी प्राइवेट लिमिटेडच्या मालकीहक्कांचा तपास करित आहेत, जी कंपनी अधिनियम, २०१३ च्या तरतुदीतगत एक प्राइवेट लिमिटेड कंपनी आहे ('कंपनी') जिच्या नोंदणीकृत कार्यालयाचा पत्ता टॉप फ्लोर द्रीष्टी हाऊस, १५ मॅथ्यू रोड, ऑपरा हाऊस, मुंबई ४००००४ येथे आहे.

सर्व व्यक्तींना याद्वारे विनंती करण्यात येते कि जर कोणताही न्यास, बहिष्कार अधिकार किंवा पूर्व-अधिकार किंवा कोणत्याही प्रकार किंवा इतर व्यवस्थांतर्गत किंवा कोणताही खटला, हुकूमनामा, कोणत्याही न्यायालयाद्वारे किंवा प्राधिकरणाच्या खटल्याद्वारे पारित केलेला मनाई हुकूम किंवा न्यायी किंवा निवाडा,

पर्यावरणीय मंजूरी

सर्व संबंधितांना माहिती देण्यात येते की आरती इंडस्ट्रीज लिमिटेड, प्लॉट क्रमांक डी-५५, ५६, ५७, ५९, ६० एम.आय.डी. सी. फेज दोन डॉयबिली, जिल्हा:- ठाणे, महाराष्ट्र येथील सिंथेटिक ऑरगॅनिक केमिकल्स (एफ) (एपीआय, बल्क ड्रग इंटरमीडिएट्स आणि स्पेशॅलिटी केमिकल्स) च्या निर्मितीचाचा प्रस्तावित विस्तार प्रकल्प स्थापन करण्यासाठी महाराष्ट्र सरकारच्या राज्यस्तरीय पर्यावरण प्रभाव मुल्यांकन समिती तर्फे दिनांक ३ जुलै २०२० रोजी ईसी संदर्भ क्रमांक एसईआयईसी-००००००५८८ सह पर्यावरणीय मंजूरी देण्यात आली आहे. पर्यावरणीय मंजूरी घ्या पत्राची प्रत माहिती करीता एमपीसीबी आणि महाराष्ट्र राज्य पर्यावरण विभागाच्या संकेत स्थळावर उपलब्ध आहे. वेबसाइट: http://www.ecmpcb.in/login/granted_ec_certificate दिनांक: -१०/०७/२०२०

सही
आरती इंडस्ट्रीज लिमिटेड
(श्री. नरेंद्र जे. साळवी)
संचालक

NOTICE

Inviting claims and objections to the transfer of the shares and the interest of the Deceased Member in the Capital/Property of the Society. (Late Kum Alka Vasant Aradhye of B-43/170) Kum Alka Vasant Aradhye who was a Member of the Siddha Co-Operative Housing Society Limited, having address at tenement No B-43/170 at Siddharth Nagar Part-II, Road No-8, Opp Sahara Studio, Goregaon

पर्यावरणीय मंजूरी

सर्व संबंधितांना माहिती देण्यात येते की, आरती इंडस्ट्रीज लिमिटेड, प्लॉट क्रमांक ए-९४/९ आणि ए-९४/९/१, खेरणे एम आय डी सी, टिटीसी इंडस्ट्रियल एरिया, नवी मुंबई, जिल्हा ठाणे महाराष्ट्र येथे आर अँड डी आणि पायलट प्लॉट सिंथेटिक ऑरगॅनिक केमिकल्स ५ (एफ) (विशिष्ट रसायने, एपीआय आणि त्याचे फॉर्मुलेशन) चा विस्तार प्रकल्प स्थापन करण्यासाठी महाराष्ट्र सरकारच्या राज्य स्तरीय पर्यावरणीय आघात मुल्यांकन समिती तर्फे दिनांक ३ जुलै २०२० रोजी ईसी संदर्भ क्र मांक एसईआयईसी-००००००२२९५ सह पर्यावरणीय मंजूरी देण्यात आली आहे. पर्यावरणीय मंजूरी पत्राची एक प्रत एमपीसीबी आणि महाराष्ट्र राज्य पर्यावरण विभागाच्या वेबसाइट उपलब्ध आहे. वेबसाइट: - http://www.ecmpcb.in/login/granted_ec_certificate दिनांक: १०/०७/२०१०

सही
आरती इंडस्ट्रीज लिमिटेड तर्फे
(श्री. रेनील आर. गोगरी)
संचालक

शैक्षणिक

शिकवणी वर्ग

हमखास पासोची गॅरंटी खडीकर क्लासेस. ७वी नापास? डायरेक्ट १०वी. ११वी नापास? डायरेक्ट १२वी. वॉबिवली : 9820627580 / 9820904646

रिक्रुटमेंट

रिक्रुटमेंट - रिक्त पदे

सीलबंद दारूविक्रीस मुदतवाढ

मुंबई : राज्यात घाऊक विक्रेत्यांकडून नवीन दारूसाठी खरेदी करून सीलबंद बाटलीमध्ये विकण्याच्या परवानगीस महाविकास आघाडी सरकारने गुरुवारी मुदतवाढ दिली. यामुळे सुमारे १५ हजार २०० परवानाधारक दारूविक्रेते आणि त्यांच्यावर अवलंबून असणाऱ्या सुमारे एक लाख मनुष्यबळाला दिलासा मिळाला आहे.

परवानाधारकांना २४ मार्चअखेरपर्यंत असलेला दारूसाठी संपेपर्यंत सीलबंद बाटलीमध्ये दारू विकण्याची परवानगी १९ मे रोजी देण्यात आली होती. मात्र बहुतांश परवानाधारकांके दारूसाठी संपत आला होता. परिणामी सदर उद्योगक्षेत्रे व त्यावर अवलंबित रोजगाराचा प्रश्न निर्माण झाला होता. त्यामुळे घाऊक विक्रेत्यांकडून नवीन दारूसाठी खरेदी करून सीलबंद बाटलीमध्ये विकण्याची परवानगी देण्यात आली आहे. दारूविक्रीवेळी करोनाचा प्रादुर्भाव रोखण्यासाठी यापूर्वी लावलेल्या सर्व अटी व शर्ती यापुढेही कायम राहतील, असे राज्य उत्पादन शुल्क विभागाने स्पष्ट केले आहे.

पाहणीविना झाडे कत्तलीचे प्रस्ताव ...म्हणून 'स्थायी'ची बैठक नाही!

म. टा. विशेष प्रतिनिधी, मुंबई

नगरसेवक व अधिकाऱ्यांनी झाडे असलेल्या ठिकाणी भेट देऊन पाहणी करण्याआधीच ८९ झाडांची कत्तल करण्याचे तीन प्रस्ताव वृक्ष प्राधिकरणात बैठकीत मांडण्यात आल्याचा धक्कादायक प्रकार उघडकीस आला आहे. लॉकडाउनमुळे मार्चपासून वृक्ष प्राधिकरणाची बैठक न झाल्याने मागील तीन महिन्यांतील तब्बल ७६३ झाडे कापण्याचे एकत्रित १३ प्रस्ताव प्राधिकरणाच्या बैठकीत मांडण्यात आले आहेत.

पालिका, रेल्वे आणि खासगी बिल्डरांचे प्रकल्प यासाठी झाडे कापण्याचे हे प्रस्ताव आहेत. मंगळवारी व्हिडीओ कॉन्फरन्सिंगद्वारे वृक्ष प्राधिकरणाची बैठक होणार होती. मात्र ती अचानक रद्द करण्यात आली. त्यामुळे आता पुढील बैठकीत हे प्रस्ताव येणार आहेत. या बैठकीत मांडण्यात आलेले विषय क्रमांक १, २ आणि ५ या प्रस्तावांतील तब्बल ८९ झाडे कापली जाणार आहेत.

वृक्ष प्राधिकरणातील धक्कादायक प्रकार; भाजपचा विरोध

हे आहेत प्रस्ताव...

- जोगेश्वरी ते राम मंदिर प्रस्तावित रेल्वे पूल : १६
- अंधेरी रेल्वे स्थानक ते आंबोली पूल : ३६
- खार पूर्व ते सांताक्रुझ पूर्व रेल्वेचा सहावा मार्ग : ३७

आले आहेत, अशी माहिती भाजपचे गटनेते प्रभाकर शिंदे यांनी दिली.

पालिका आयुक्त स्वतः वृक्ष प्राधिकरणाचे अध्यक्ष आहेत. त्यांच्यासमोर प्रशासनाकडूनच पाहणी न करता झाडे कापण्याचे बेकायदा प्रस्ताव मांडले जात आहेत. ही धक्कादायक असून झाडांच्या या कत्तलीला भाजप विरोध करणार असल्याची

म. टा. विशेष प्रतिनिधी, मुंबई

करोनाच्या पार्श्वभूमीवर उपाययोजना करण्यासाठी महापालिका वैद्यकीय साहित्याच्या खरेदीसाठी हजारो कोटी रुपये खर्च करत आहे. 'आपत्कालीन परिस्थिती'च्या नावाखाली या खरेदीतून पालिका अधिकाऱ्यांनी मोठ्या प्रमाणात भ्रष्टाचार सुरू केला असून, तो दडपण्यासाठी पालिका सभागृह व स्थायी समितीची बैठक आयोजित केली जात नसल्याचा आरोप पालिकेतील भाजप, काँग्रेस, राष्ट्रवादी आणि समाजवादी पक्षांने केला आहे.

लॉकडाउनमुळे मागील तीन महिन्यांत स्थायी समितीची बैठक आयोजित करण्यात आलेली नाही. एप्रिलमध्ये एकदा बैठक बोलावण्यात आली होती. मात्र यादरम्यान पालिका मुख्यालयात काही करोनाकरण आढळल्याने ती पदे

भ्रष्टाचार दडपण्याचा पालिकेचा प्रयत्न असल्याचा आरोप



कंत्राटदारांकडून अंदाजित दर मागवून कामे दिली जात आहेत. या कामांमध्ये भ्रष्टाचार बोकाळल्याचा दावा विरोधी पक्षांनी केला आहे.

विरोधी पक्षनेते रवी राजा यांनी स्थायी समितीच्या बैठकीत अधिकाऱ्यांचा भ्रष्टाचार उघडकीस आणला जाणार असल्याच्या भीतीने समितीची बैठक लावली जाऊ नये, असा दावा केला


आहे. त्यावर चर्चा होण्यासाठी स्थायी समितीची बैठक आवश्यक आहे. मात्र प्रशासन पोलखोल होण्याच्या भीतीने ती आयोजित करत नाही, असे भाजपचे गटनेते प्रभाकर शिंदे यांचे म्हणणे आहे.

'लेखा', 'सीपीडी'वर निशाणा लॉकडाउनमुळे करोनावरील उपाययोजनांसाठी पालिकेचे मध्यवर्ती खरेदी प्राधिकरण (सीपीडी) व लेखा विभागाच्या अखत्यारितून हजारो कोटीची कामे आतापर्यंत कंत्राटदारांनी केली आहेत. या विभागांतील अधिकारी आपत्कालीन परिस्थितीच्या नावाखाली पालिकेची लूट करत असल्याचा दावा राजा यांनी केला.

बैठकांसाठी सरकारचे आदेश लॉकडाउनच्या काळात व्हिडीओ कॉन्फरन्सिंगद्वारे बैठका घेण्यात याव्यात असे परिपत्रक राज्याच्या नगरविकास विभागाने ३ जुलैला पुरविले होते. मात्र



ENVIRONMENTAL CELL



ULR:TC515025000024836F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/11/DW(25-26-1939)

REPORT DATE : 02/12/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Drinking Water

SAMPLE REGISTRATION NO. : 11/DW(25-26-1939)

LOCATION : Canteen

SAMPLING PLAN & METHOD NO: IS 17614 Part 1

SAMPLE SPECIFICATION : Drinking Water

SAMPLING DATE : 24/11/2025

SAMPLE COLLECTED BY : Mr.Pramod Sudokar
 (Skylab)

SAMPLING TIME : 15:10:00

ANALYSIS START DATE : 26/11/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 02/12/2025

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Colour	Hazen	BDL(<5)	5	IS 3025 (Part 4)
2	Odour	mg/L	Agreeable	Agreeable	IS 3025 (Part 5)
3	pH	Units	7.13	6.5-8.5	IS 3025 (Part 11)
4	Turbidity	NTU	BDL(<1)	1	IS 3025 (Part 10)
5	Total Dissolved Solids	mg/L	138	500	IS 3025 (Part 16)
6	Anionic detergents, as MBAS	mg/L	BDL(<0.02)	0.2	IS 13428 (Annex K)
7	Boron, as B	mg/L	BDL(<0.1)	0.5	IS 3025 (Part 2)
8	Calcium, as Ca	mg/L	23	75	IS 3025 (Part 40)
9	Copper, as Cu	mg/L	BDL(<0.05)	0.05	IS 3025 (Part 2): 2019
10	Fluoride, as F	mg/L	BDL(<0.1)	1	IS 3025 (Part 60): 2008
11	Free residual chlorine	mg/L	0.2	>0.2	IS 3025 (Part 26)
12	Iron, as Fe	mg/L	BDL(<0.1)	0.3	IS 3025 (Part 2)
13	Magnesium, as Mg	mg/L	3	30	IS 3025 (Part 46)
14	Manganese, as Mn	mg/L	BDL(<0.05)	0.1	IS 3025 (Part 2)
15	Nitrate, as NO3	mg/L	BDL(<0.1)	45	IS 3025 (Part 34)



Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
16	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	0.001	IS 3025 (Part 43)
17	Selenium, as Se	mg/L	BDL(<0.01)	0.01	IS 3025 (Part 2)
18	Sulphate, as SO4	mg/L	9.4	200	IS 3025 (Part 24)
19	Hardness (total)	mg/L	71	200	IS 3025 (Part 21)
20	Zinc, as Zn	mg/L	BDL(<0.05)	5	IS 3025 (Part 2)
21	Cyanide, as CN	mg/L	BDL(<0.02)	0.05	IS 3025 (Part 27): 1986
22	Chloride, as Cl	mg/L	20	250	IS 3025 (Part 32)
23	Total Alkalinity, as CaCO3	mg/L	22	200	IS 3025 (Part 23)
24	Aluminium, as Al	mg/L	BDL(<0.01)	0.03	IS 3025 (Part 2)
25	Arsenic, as As	mg/	BDL(<0.01)	0.01	IS 3025 (Part 2)
26	Cadmium, as Cd	mg/L	BDL(<0.003)	0.003	IS 3025 (Part 2)
27	Lead, as Pb	mg/L	BDL(<0.01)	0.01	IS 3025 (Part 2)
28	Mercury, as Hg	mg/L	BDL(<0.001)	0.001	IS 3025 (Part 48)

ND: Not Detected. NS: Not Specified. #: As per IS 10500:2012

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By

Neha
 F Tejashri Chavan
 Sr Analyst




TC-5150

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/11/DW(25-26-1939)

REPORT DATE : 02/12/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Drinking Water

SAMPLE REGISTRATION NO. : 11/DW(25-26-1939)

LOCATION : Canteen

SAMPLING PLAN & METHOD NO.: IS 17614 Part 1

SAMPLE SPECIFICATION : Drinking Water

SAMPLING DATE : 24/11/2025

SAMPLE COLLECTED BY : Mr.Pramod Sudokar
 (Skylab)

SAMPLING TIME : 15:10:00

ANALYSIS START DATE : 26/11/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 02/12/2025

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Taste	-	Agreeable	Agreeable	APHA 24th Ed. 2160A
2	Mineral Oil	mg/L	BDL(<0.5)	0.5	IS 3025 (Part 39)
3	Hexavalent Chromium, as Cr+6	mg/L	BDL(<0.01)	0.05	IS 3025 (Part 52)
4	Poly nuclear Aromatic Hydrocarbons (PAH)	mg/L	ND	0.0001	APHA 24th Ed. 6440 B
5	Pesticides	mg/L	ND	Absent	APHA 24th Ed. 6440 B

ND: Not Detected. NS: Not Specified. #: As per IS 10500:2012


Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY

Neha
 F Tejashri Chavan
 Sr Analyst


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable leagal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM12/11/MSA(25-26-1940

REPORT DATE : 01/12/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: Water Analysis

SAMPLE REGISTRATION NO. : 11/MSA(25-26-1940) **LOCATION** : Canteen
SAMPLING PLAN & METHOD NO: As Per Reference Method **SAMPLE SPECIFICATION** : Drinking Water (11/DW 1939)
SAMPLING DATE : 24/11/2025 **SAMPLE COLLECTED BY** : Mr.Pramod Sudokar (Skylab)
SAMPLING TIME : 15:10:00
ANALYSIS START DATE : 27/11/2025 **SAMPLE QUANTITY** : 1 Ltr
ANALYSIS COMPLETE DATE : 29/11/2025 **SAMPLE PACKING** : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	E. Coli	/100 ml	ABSENT	Absent	IS 15185
2	Total Coliform	/100 ml	ABSENT	Absent	IS 15185

ND: Not Detected. NS: Not Specified.#: As per IS 10500:2012

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard


Note : NA

Analyzed By



Ashrah Ansari
 Microbiologist

For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025136F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:
 M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/11/WW(25-26-1959)
REPORT DATE : 05/12/2025
CUSTOMER REF : 4580073549
REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 11/WW(25-26-1959) **LOCATION :** ETP D-59 Outlet
SAMPLING PLAN & METHOD NO.: IS 17614 Part 10 **SAMPLE SPECIFICATION :** Waste Water
SAMPLING DATE : 24/11/2025
SAMPLING TIME : 15:40:00 **SAMPLE COLLECTED BY :** Mr.Pramod Sudokar (Skylab)
ANALYSIS START DATE : 26/11/2025 **SAMPLE QUANTITY :** 1Ltr.
ANALYSIS COMPLETE DATE : 03/12/2025 **SAMPLE PACKING :** Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	pH	Units	6.60	5.5 - 9.0	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	20	100	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	70	250	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	25	30	IS 3025 (Part 44)
5	Oil & Grease	mg/L	2.3	10	IS 3025 (Part 39)
6	Chloride, as Cl	mg/L	40	600	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	1.0	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	90	1000	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	200	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. #As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By

neha
Neha
 Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025303F

TEST REPORT

NAME & ADDRESS OF CUSTOMER: M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E), 421204., Maharashtra

REPORT NO : SAL/MSP19/FM01/11/AM(25-26-1991)
REPORT DATE : 09/12/2025
CUSTOMER REF : 4580073549
REF DATE : 01/02/2025

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 11/AM(25-26-1991) **LOCATION :** D-60, Gate (Near Boiler)
SAMPLING PLAN & METHOD NO.: As per Reference Method **COORDINATES :** NA
SAMPLING DATE : 24/11/2025 **SAMPLING DURATION :** 24 Hrs
SAMPLING TIME : 13:20:00 **SAMPLE COLLECTED BY :** Mr.Pramod Sudokar (Skylab)
ANALYSIS START DATE : 26/11/2025 **AMBIENT TEMPERATURE :** 20°C To 36°C
ANALYSIS COMPLETE DATE : 08/12/2025 **HUMIDITY :** 59% To 70%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m3	60.5	100	IS 5182 (Part-23)
2	Particulate Matter PM 2.5	µg/m3	28.5	60	IS:5182, (Part 24)
3	Sulphur Dioxide	µg/m3	12.5	80	IS 5182 (Part 2)
4	Nitrogen Oxides	µg/m3	29.8	80	IS: 5182, (Part-6)
5	Ozone	µg/m3	BDL(<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition
6	Ammonia	µg/m3	27.8	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m3	BDL(<0.1)	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m3	BDL(<1)	1	IS 5182 (Part 12)
9	Lead	µg/m3	BDL(<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m3	BDL(<1)	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m3	BDL(<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
12	Carbon Monoxide	mg/m3	0.34	2	IS 5182 (Part 10)

ND: Not Detected. **NS:** Not Specified. #As per NAAQMS Guidelines 2009
Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines
Note : NA

Analyzed By

dehq
F Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025304F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/11/AM(25-26-1992)

REPORT DATE : 09/12/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 11/AM(25-26-1992)

LOCATION : Near Solvent Storage (D-57)

SAMPLING PLAN & METHOD NO.: As per Reference Method

COORDINATES : NA

SAMPLING DATE : 24/11/2025

SAMPLING DURATION : 24 Hrs

SAMPLING TIME : 13:30:00

SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)

ANALYSIS START DATE : 26/11/2025

AMBIENT TEMPERATURE : 20°C To 36°C

ANALYSIS COMPLETE DATE : 08/12/2025

HUMIDITY : 59% To 70%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m3	50.2	100	IS 5182 (Part-23)
2	Particulate Matter PM 2.5	µg/m3	24.5	60	IS:5182, (Part 24)
3	Sulphur Dioxide	µg/m3	16.5	80	IS 5182 (Part 2)
4	Nitrogen Oxides	µg/m3	32.5	80	IS: 5182, (Part-6)
5	Ozone	µg/m3	BDL(<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition
6	Ammonia	µg/m3	21.5	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m3	BDL(<0.1)	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m3	BDL(<1)	1	IS 5182 (Part 12)
9	Lead	µg/m3	BDL(<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m3	BDL(<1)	6	Method 302, Methods of Air Sampling and Analysis,3rd Edition
11	Nickel	ng/m3	BDL(<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
12	Carbon Monoxide	mg/m3	0.36	2	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified. #As per NAAQMS Guidelines 2009

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines

Note : NA

Analyzed By

Tejashri Chavan
F Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025192F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E), 421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM04/11/ANS(25-26-2111)

REPORT DATE : 02/12/2025

CUSTOMER REF : 4580073549

REF DATE : 05/12/2025

SAMPLE TYPE: Ambient Noise-Spot

SAMPLE REGISTRATION NO. : 11/ANS(25-26-2111)

SAMPLE COLLECTED BY : Mr.Pramod Sudokar
 (Skylab)

SAMPLING PLAN & METHOD NO. : As per Reference Method

SAMPLING DATE : 24/11/2025

Sr. No.	Location Name	Sampling Time (Hrs)	Unit	Result	Reference Method
1	D-55 Near DG	22:20	dB (A)	60.1	IS 9989
2	D-55 Near DG	12:45	dB (A)	68.5	IS 9989
3	D-60, Gate (Near Boiler)	22:25	dB (A)	58.2	IS 9989
4	D-60, Gate (Near Boiler)	12:50	dB (A)	67.6	IS 9989
5	Near Main Gate	22:30	dB (A)	60.5	IS 9989
6	Near Main Gate	12:55	dB (A)	70.2	IS 9989

Opinion/Observation: Noise Level is meeting requirements as per CPCB Guidelines

Note :

Category Area/Zone	Limits in dB(A)	
	Day Time (6.00 Hrs to 22.00 Hrs)	Night Time (22.00 Hrs to 6.00 Hrs)
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Area	50	40

Analyzed By

Neha

Neha

Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY

(Signature)
 Dr. Datta Mandhare

(Authorized Signatory)

END OF REPORT

ULR:TC515025000025693F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

REPORT NO : SAL/MSP19/FM02/11/BSM(25-26-1997

M/s. Aarti Pharmalabs Ltd.

REPORT DATE : 05/12/2025

Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

CUSTOMER REF : 4580073549

SAMPLE TYPE: Boiler Stack

SAMPLE REGISTRATION NO. : 11/BSM(25-26-1997)

LOCATION : Boiler Stack (D-60)

SAMPLING PLAN & METHOD NO.: As per Reference Method

SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)

SAMPLING DATE : 24/11/2025

STACK HEIGHT FROM GL : 30 Meter

SAMPLING TIME : 16:10:00

SHAPE OF STACK : Round

ANALYSIS START DATE : 26/11/2025

MATERIAL OF STACK : MS

ANALYSIS COMPLETE DATE : 02/12/2025

FUEL USED(CONSUMPTION) : PNG

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.6	NA	-
2	C/s area of Stack	m ²	0.283	NA	-
3	Temperature	°C	132	NA	IS 11255 (Part 1)
4	Velocity	m/s	132.0	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	5572	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	32.50	50	IS 11255 (Part 1)
7	Sulphur Dioxide	mg/Nm ³	54.90	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	Kg/Day	7.34	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	mg/Nm ³	35.60	NS	IS 11255 (Part 7)
10	Nitrogen Oxides	ppm	17.3	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified. #As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA


Analyzed By


 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025650F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/11/CA(25-26-1977)

REPORT DATE : 05/12/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Compressed Air

SAMPLE REGISTRATION NO. : 11/CA(25-26-1977)

LOCATION : D-55

SAMPLING PLAN & METHOD NO.: As per Reference Method

SAMPLE SPECIFICATION : Breathing Air Compressor

SAMPLING DATE : 25/11/2025

SAMPLING DURATION : 15 Minutes

SAMPLING TIME : 15:30:00

SAMPLE COLLECTED BY : Mr.Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 26/11/2025

ANALYSIS COMPLETE DATE : 02/12/2025

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Carbon Monoxide (CO)	ppm	0.52	10	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified. #: As Per CGA G-7.1 Grade D breathing Air standard

Opinion/Observation: Analyzed parameters in above tested sample are complying with CGA G-7.1 Grade D breathing Air standard

Note : NA

Analyzed By

Neha
 Neha

Analyst



TC-S150

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable leagal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60 MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/11/CA(25-26-1977)

REPORT DATE : 05/12/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Compressed Air

SAMPLE REGISTRATION NO. : 11/CA(25-26-1977)

LOCATION : D-55

SAMPLING PLAN & METHOD NO: As per Reference Method

SAMPLE SPECIFICATION : Breathing Air Compressor

SAMPLING DATE : 25/11/2025

SAMPLING DURATION : 15 Minutes

SAMPLING TIME : 15:30:00

SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)

ANALYSIS START DATE : 26/11/2025

ANALYSIS COMPLETE DATE : 02/12/2025

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Oxygen	%	21.5	19.5-23.5	OSHA METHOD 6601
2	Oil Mist	mg/m3	BDL(<0.05)	5	NIOH 5026
3	Moisture	g/ m3	3.7	67	ISO 8573-3
4	Carbon Dioxide (CO2)	ppm	335	1000	Instrumental
5	Dew Point	°F	-42	-50°F	ISO 8573 P-3


ND: Not Detected. **NS:** Not Specified. **#:** As Per CGA G-7.1 Grade D breathing Air standard


Opinion/Observation: Analyzed parameters in above tested sample are complying with CGA G-7.1 Grade D breathing Air standard

Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY


 Neha
 Analyst


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable leagal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025695F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/11/DSM(25-26-2003

REPORT DATE : 02/12/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 11/DSM(25-26-2003)

LOCATION : D. G. Stack (200 kVA) D-60

SAMPLING PLAN & METHOD NO.: As per Reference Method

SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)

SAMPLING DATE : 24/11/2025

STACK HEIGHT FROM GL : 6 Meters

SAMPLING TIME : 14:10:00

SHAPE OF STACK : Round

ANALYSIS START DATE : 26/11/2025

MATERIAL OF STACK : MS

ANALYSIS COMPLETE DATE : 02/12/2025

FUEL USED(CONSUMPTION) : Diesel (15Lit/hr)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.1	NA	-
2	C/s area of Stack	m ²	0.008	NA	-
3	Temperature	°C	95	NA	IS 11255 (Part 1)
4	Velocity	m/s	7.8	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	104	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	26.9	50	IS 11255 (Part 1)
7	Sulphur Dioxide	mg/Nm ³	35.43	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	Kg/Day	0.09	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	mg/Nm ³	31.80	NS	IS 11255 (Part 7)
10	Nitrogen Oxides	ppm	15.5	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified. #As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By

neha
 Neha
 Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025404F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E), 421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM07/11/DIL(25-26-2112)

REPORT DATE : 02/12/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Insertion Loss

SAMPLE REGISTRATION NO. : 11/DIL(25-26-2112)

SAMPLE COLLECTED BY : Mr.Pramod Sudokar

SAMPLING PLAN & METHOD NO: As per Reference Method

CAPACITY of DG : DG - 1,D-60 (200KVA)

SAMPLING DATE : 24/11/2025

SAMPLING TIME : 11:20:00

Sr. No.	Location Name	Unit	Result(DG ON TIME)		Insertion Loss
			Enclosure Open	Enclosure Close	
1	East	dB (A)	94.6	68.8	25.8
2	North	dB (A)	95.7	70.1	25.6
3	South	dB (A)	95.6	69.9	25.7
4	West	dB (A)	95.9	70.5	25.4

Opinion/Observation: Noise Level is meeting requirements as per MPCB Consent

Note : Insertion Loss due to Acoustic Enclosure shall be more than 25 dB (A).

Analyzed By

neha
Neha
 Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Manghare
Dr. Datta Manghare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025696F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill
 Road, Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/11/DSM(25-26-2004

REPORT DATE : 02/12/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 11/DSM(25-26-2004) LOCATION : D. G. Stack (380 kVA) D-55
 SAMPLING PLAN & METHOD NO: As per Reference Method SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)
 SAMPLING DATE : 24/11/2025 STACK HEIGHT FROM GL : 6 Meters
 SAMPLING TIME : 14:40:00 SHAPE OF STACK : Round
 ANALYSIS START DATE : 26/11/2025 MATERIAL OF STACK : MS
 ANALYSIS COMPLETE DATE : 02/12/2025 FUEL USED(CONSUMPTION) : Diesel (15Lit/hr)

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.15	NA	-
2	C/s area of Stack	m ²	0.0 18	NA	-
3	Temperature	°C	95	NA	IS 11255 (Part 1)
4	Velocity	m/s	6.7	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	352	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	23.3	50	IS 11255 (Part 1)
7	Sulphur Dioxide	mg/Nm ³	38.60	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	Kg/Day	0.33	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	mg/Nm ³	38.60	NS	IS 11255 (Part 7)
10	Nitrogen Oxides	ppm	18.8	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified. #As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By

Neha

Neha
Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare

Dr. Datta Mandhare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025405F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM07/11/DIL(25-26-2113)

REPORT DATE : 02/12/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: DG Insertion Loss

SAMPLE REGISTRATION NO. : 11/DIL(25-26-2113)

SAMPLE COLLECTED BY : Mr.Pramod Sudokar

SAMPLING PLAN & METHOD NO: As per Reference Method

CAPACITY of DG : DG – 2,D-55 (380KVA)

SAMPLING DATE : 24/11/2025


SAMPLING TIME : 11:35:00

Sr. No.	Location Name	Unit	Result(DG ON TIME)		Insertion Loss
			Enclosure Open	Enclosure Close	
1	East	dB (A)	95.3	69.7	25.6
2	North	dB (A)	96.4	70.9	25.5
3	South	dB (A)	96.8	71.1	25.7
4	West	dB (A)	95.7	70.4	25.3

Opinion/Observation: Noise Level is meeting requirements as per MPCB Consent


Note : Insertion Loss due to Acoustic Enclosure shall be more than 25 dB (A).

Analyzed By


 Neha
 Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E), 421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM15/11/OIL(25-26-1941)

REPORT DATE : 05/12/2025

CUSTOMER REF : 4580073549

SAMPLE TYPE: Oil Analysis

SAMPLE REGISTRATION NO. : 11/OIL(25-26-1941)

LOCATION : NS

SAMPLING PLAN & METHOD NO.:

SAMPLE SPECIFICATION : Thermic Oil Fluid

SAMPLING DATE : 24/11/2025

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

SAMPLING TIME : 16:20:00

SAMPLE QUANTITY : 1Ltr.

ANALYSIS START DATE : 26/11/2025

SAMPLE PACKING : Sealed

ANALYSIS COMPLETE DATE : 02/12/2025

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	Density	GMS	0.8901	IS-1448-16
2	Kinematic Viscosity	CST @ 100 deg. C	28	IS 1448 (P-25)
3	Flash Point	-	>250	IS 1448 (Part-25)
4	Viscosity Index	-	22	-
5	Appearance	-	Brown	Visual


ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA


Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY


 Neha

Analyst


 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000026022F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

REPORT NO : SAL/MSP19/FM02/11/SSM(25-26-2008)

M/s. Aarti Pharmalabs Ltd.

REPORT DATE : 30/11/2025

Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

CUSTOMER REF : 4580073549

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 11/SSM(25-26-2008)

LOCATION : Scrubber Stack D-60

SAMPLING PLAN & METHOD NO: As per Reference Method

SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)

SAMPLING DATE : 24/11/2025

STACK HEIGHT FROM GL : 15 Meters

SAMPLING TIME : 15:00:00

SHAPE OF STACK : Round

ANALYSIS START DATE : 26/11/2025

MATERIAL OF STACK : MS

ANALYSIS COMPLETE DATE : 30/11/2025

FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	38	NA	IS 11255 (Part 1)
4	Velocity	m/s	6.5	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1562	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	17.4	150	IS 11255 (Part 1)
7	Acid Mist	mg/Nm ³	7.21	35	EPA Method No.8

ND: Not Detected. NS: Not Specified. #As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY

Neha
 Neha



Dr. Datta Mandhare
 Dr. Datta Mandhare
 (Authorized Signatory)

Analyst

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable leagal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000026023F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

REPORT NO : SAL/MSP19/FM02/11/SSM(25-26-2009)

M/s. Aarti Pharmalabs Ltd.

REPORT DATE : 05/12/2025

Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
Dombivli (E).421204.,
Maharashtra

CUSTOMER REF : 4580073549

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 11/SSM(25-26-2009)

LOCATION : Scrubber Stack D-55

SAMPLING PLAN & METHOD NO.: As per Reference Method

SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)

SAMPLING DATE : 24/11/2025

STACK HEIGHT FROM GL : 15 Meters

SAMPLING TIME : 15:20:00

SHAPE OF STACK : Round

ANALYSIS START DATE : 27/11/2025

MATERIAL OF STACK : MS

ANALYSIS COMPLETE DATE : 05/12/2025

FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	37	NA	IS 11255 (Part 1)
4	Velocity	m/s	5.8	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1409	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	19.2	150	IS 11255 (Part 1)
7	Acid Mist	mg/Nm ³	4.41	35	EPA Method No.8

ND: Not Detected. NS: Not Specified. #As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By

Neha

Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare

Dr.Datta Mandhare
(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025292F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:	REPORT NO : SAL/MSP19/FM01/11/WM(25-26-2015)
M/s. Aarti Pharmalabs Ltd.	REPORT DATE : 09/12/2025
Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,	CUSTOMER REF : 4580073549
Dombivali (E).421204.,	REF DATE : 01/02/2025
Maharashtra	

SAMPLE TYPE: Workplace Air

SAMPLE REGISTRATION NO. : 11/WM(25-26-2015)	LOCATION : D-60 Nr.GLR-17
SAMPLING PLAN & METHOD NO: As per Reference Method	COORDINATES : NA
SAMPLING DATE : 24/11/2025	SAMPLING DURATION : 15 Min
SAMPLING TIME : 16:15:00	SAMPLE COLLECTED BY : Mr.Pramod Sudokar (Skylab)
ANALYSIS START DATE : 26/11/2025	AMBIENT TEMPERATURE : 20°C To 36°C
ANALYSIS COMPLETE DATE : 05/12/2025	HUMIDITY : 56% To 64%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Sulphur Dioxide	mg/m3	0.02	5	IS 5182 (Part 2)
2	Nitrogen Oxides	mg/m3	0.042	6	IS: 5182, (Part-6)
3	Suspended Particulate Matter	mg/m3	0.056	10	IS 5182 (Part 4)
4	Volatile Organic Compound (VOC)	ppm	0.4	NS	EPA Method No.21

ND: Not Detected. NS: Not Specified. #As per Factories Act

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per Factories Act

Note : NA

Analyzed By

neha
 F Tejashri Chavan
 Sr Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

- This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
- This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025293F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:
 M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/11/WM(25-26-2016)
REPORT DATE : 02/12/2025
CUSTOMER REF : 4580073549
REF DATE : 01/02/2025

SAMPLE TYPE: Workplace Air

SAMPLE REGISTRATION NO. : 11/WM(25-26-2016) **LOCATION :** D-55 Nr.GLR-23
SAMPLING PLAN & METHOD NO.: As per Reference Method **COORDINATES :** NA
SAMPLING DATE : 24/11/2025 **SAMPLING DURATION :** 15 Min
SAMPLING TIME : 16:15:00 **SAMPLE COLLECTED BY :** Mr.Pramod Sudokar (Skylab)
ANALYSIS START DATE : 26/11/2025 **AMBIENT TEMPERATURE :** 20°C To 36°C
ANALYSIS COMPLETE DATE : 02/12/2025 **HUMIDITY :** 56% To 64%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Sulphur Dioxide	mg/m3	0.03	5	IS 5182 (Part 2)
2	Nitrogen Oxides	mg/m3	0.05	6	IS: 5182, (Part-6)
3	Suspended Particulate Matter	mg/m3	0.065	10	IS 5182 (Part 4)
4	Volatile Organic Compound (VOC)	ppm	0.2	NS	EPA Method No.21

ND: Not Detected. NS: Not Specified. #As per Factories Act

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per Factories Act

Note : NA

Analyzed By

Tejashri Chavan
F Tejashri Chavan
 Sr Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhara
Dr.Datta Mandhara
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025133F

TEST REPORT

NAME & ADDRESS OF CUSTOMER: **REPORT NO :** SAL/MSP19/FM03/11/WWW(25-26-1952)
M/s. Aarti Pharmalabs Ltd. **REPORT DATE :** 05/12/2025
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204., **CUSTOMER REF :** 4580073549
 Maharashtra **REF DATE :** 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 11/WWW(25-26-1952) **LOCATION :** STP -D 59 Inlet
SAMPLING PLAN & METHOD NO.: IS 17614 Part 10 **SAMPLE SPECIFICATION :** Waste Water
SAMPLING DATE : 24/11/2025 **SAMPLE COLLECTED BY :** Mr.Pramod Sudokar
SAMPLING TIME : 15:25:00 (Skylab)
ANALYSIS START DATE : 27/11/2025 **SAMPLE QUANTITY :** 1Ltr.
ANALYSIS COMPLETE DATE : 03/12/2025 **SAMPLE PACKING :** Sealed


Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	Units	7.01	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	92	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	267	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	77	IS 3025 (Part 44)
5	Oil & Grease	mg/L	6.4	IS 3025 (Part-39)
6	Total Dissolved Solids	mg/L	834	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA


Note : NA

Analyzed By


Neha
 Analyst



For SKYLAB ANALYTICAL LABORATORY


Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025134F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/11/WW(25-26-1953)

REPORT DATE : 05/12/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 11/WW(25-26-1953)

LOCATION : STP -D 59 Outlet

SAMPLING PLAN & METHOD NO: IS 17614 Part 10

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 24/11/2025

SAMPLE COLLECTED BY : Mr.Pramod Sudokar
 (Skylab)

SAMPLING TIME : 15:30:00

SAMPLE QUANTITY : 1Ltr.

ANALYSIS START DATE : 27/11/2025

SAMPLE PACKING : Sealed

ANALYSIS COMPLETE DATE : 03/12/2025

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	pH	Units	6.70	5.5-9.0	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	24	100	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	39	250	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	11	30	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	10.0	IS 3025 (Part-39)
6	Total Dissolved Solids	mg/L	716	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. #As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA

Analyzed By

Neha

Neha

Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare

Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502500025135F

TEST REPORT

NAME & ADDRESS OF CUSTOMER: M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204., Maharashtra

REPORT NO : SAL/MSP19/FM03/11/WWW(25-26-1958)
REPORT DATE : 05/12/2025
CUSTOMER REF : 4580073549
REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 11/WWW(25-26-1958) **LOCATION :** ETP D-59 Inlet
SAMPLING PLAN & METHOD NO.: IS 17614 Part 10 **SAMPLE SPECIFICATION :** Waste Water
SAMPLING DATE : 24/11/2025
SAMPLING TIME : 15:35:00 **SAMPLE COLLECTED BY :** Mr.Pramod Sudokar (Skylab)
ANALYSIS START DATE : 27/11/2025 **SAMPLE QUANTITY :** 1Ltr.
ANALYSIS COMPLETE DATE : 03/12/2025 **SAMPLE PACKING :** Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	Units	6.49	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	294	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	2812	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	820	IS 3025 (Part 44)
5	Oil & Grease	mg/L	7.8	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	833	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	974	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	1550	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA

Analyzed By

Neha

Neha

Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

ULR:TC515025000025137F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/11/WWW(25-26-1968)

REPORT DATE : 05/12/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 11/WWW(25-26-1968)

LOCATION : ETP D-56 Inlet

SAMPLING PLAN & METHOD NO.: IS 17614 Part 10

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 24/11/2025

SAMPLING TIME : 15:45:00

SAMPLE COLLECTED BY : Mr.Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 27/11/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 03/12/2025

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	Units	6.62	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	214	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	1544	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	451	IS 3025 (Part 44)
5	Oil & Grease	mg/L	5.4	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	51	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	563	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	452	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA

Analyzed By

Neha

Neha

Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY

[Signature]
 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025138F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/11/WWW(25-26-1969)

REPORT DATE : 05/12/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 11/WWW(25-26-1969)
 SAMPLING PLAN & METHOD NO.: IS 17614 Part 10
 SAMPLING DATE : 24/11/2025
 SAMPLING TIME : 15:50:00

LOCATION : ETP D-55 Inlet
 SAMPLE SPECIFICATION : Waste Water

SAMPLE COLLECTED BY : Mr.Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 27/11/2025
 ANALYSIS COMPLETE DATE : 03/12/2025

SAMPLE QUANTITY : 1Ltr.
 SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	Units	6.97	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	42	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	1584	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	462	IS 3025 (Part 44)
5	Oil & Grease	mg/L	6.2	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	68	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	84	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	346	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA

Analyzed By

Neha

Neha

Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare

Dr. Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515025000025140F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53/54/55/56/57/59/60, MIDC Phase II, Kalyan Shill Road,
 Dombivali (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/11/WW(25-26-1971)

REPORT DATE : 05/12/2025

CUSTOMER REF : 4580073549

REF DATE : 01/02/2025

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 11/WW(25-26-1971)

LOCATION : ETP D-60 Inlet

SAMPLING PLAN & METHOD NO: IS 17614 Part 10

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 24/11/2025

SAMPLING TIME : 16:00:00

SAMPLE COLLECTED BY : Mr.Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 27/11/2025

SAMPLE QUANTITY : 1Ltr.

ANALYSIS COMPLETE DATE : 03/12/2025

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	Units	5.81	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	198	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	2336	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	681	IS 3025 (Part 44)
5	Oil & Grease	mg/L	7.4	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	1600	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	2011	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	1800	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA

Analyzed By

neha

Neha

Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

- This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
- This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600003990F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/02/DW(25-26-0708)

REPORT DATE : 19/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Drinking Water

SAMPLE REGISTRATION NO. : 02/DW(25-26-0708)

LOCATION : Canteen

SAMPLING PLAN & METHOD NO.: IS 17614 Part 1

SAMPLE SPECIFICATION : Drinking Water

SAMPLING DATE : 11/02/2026

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

SAMPLING TIME : 16:00:00

ANALYSIS START DATE : 13/02/2026

SAMPLE QUANTITY : 1 Ltr

ANALYSIS COMPLETE DATE : 19/02/2026

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Colour	Hazen	BDL (<5)	5	IS 3025 (Part 4)
2	Odour	mg/L	Agreeable	Agreeable	IS 3025 (Part 5)
3	pH	Units	7.13	6.5-8.5	IS 3025 (Part 11)
4	Turbidity	NTU	BDL (<1)	1	IS 3025 (Part 10)
5	Total Dissolved Solids	mg/L	158	500	IS 3025 (Part 16)
6	Anionic detergents, as MBAS	mg/L	BDL (<0.02)	0.2	IS 13428 (Annex K)
7	Boron, as B	mg/L	BDL (<0.1)	0.5	IS 3025 (Part 2)
8	Calcium, as Ca	mg/L	18	75	IS 3025 (Part 40)
9	Copper, as Cu	mg/L	BDL (<0.05)	0.05	IS 3025 (Part 2): 2019
10	Fluoride, as F	mg/L	BDL (<0.1)	1	IS 3025 (Part 60): 2008
11	Free residual chlorine	mg/L	0.2	>0.2	IS 3025 (Part 26)
12	Iron, as Fe	mg/L	BDL (<0.1)	0.3	IS 3025 (Part 2)
13	Magnesium, as Mg	mg/L	2	30	IS 3025 (Part 46)
14	Manganese, as Mn	mg/L	BDL (<0.05)	0.1	IS 3025 (Part 2)
15	Nitrate, as NO3	mg/L	BDL (<0.1)	45	IS 3025 (Part 34)
16	Phenolic Compounds, as C6H5OH	mg/L	BDL (<0.001)	0.001	IS 3025 (Part 43)
17	Selenium, as Se	mg/L	BDL (<0.01)	0.01	IS 3025 (Part 2)
18	Sulphate, as SO4	mg/L	2.9	200	IS 3025 (Part 24)
19	Hardness (total)	mg/L	54	200	IS 3025 (Part 21)
20	Zinc, as Zn	mg/L	BDL (<0.05)	5	IS 3025 (Part 2)
21	Cyanide, as CN	mg/L	BDL (<0.02)	0.05	IS 3025 (Part 27): 1986
22	Chloride, as Cl	mg/L	24	250	IS 3025 (Part 32)
23	Total Alkalinity, as CaCO3	mg/L	44	200	IS 3025 (Part 23)
24	Aluminium, as Al	mg/L	BDL (<0.01)	0.03	IS 3025 (Part 2)
25	Arsenic, as As	mg/	BDL (<0.01)	0.01	IS 3025 (Part 2)

(Handwritten Signature)
 KON
 19/02/2026

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
26	Cadmium, as Cd	mg/L	BDL (<0.003)	0.003	IS 3025 (Part 2)
27	Lead, as Pb	mg/L	BDL (<0.01)	0.01	IS 3025 (Part 2)
28	Mercury, as Hg	mg/L	BDL (<0.001)	0.001	IS 3025 (Part 48)

ND: Not Detected. NS: Not Specified. #As per IS 10500:2012

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA


Analyzed By


 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mahabare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/02/DW(25-26-0708)

REPORT DATE : 19/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Drinking Water

SAMPLE REGISTRATION NO. : 02/DW(25-26-0708)

LOCATION : Canteen

SAMPLING PLAN & METHOD NO.: IS 17614 Part 1

SAMPLE SPECIFICATION : Drinking Water

SAMPLING DATE : 11/02/2026

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

SAMPLING TIME : 16:00:00

SAMPLE QUANTITY : 1 Ltr

ANALYSIS START DATE : 13/02/2026

SAMPLE PACKING : Sealed

ANALYSIS COMPLETE DATE : 19/02/2026

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Taste	-	Agreeable	Agreeable	APHA 24th Ed. 2160A
2	Mineral Oil	mg/L	BDL (<0.5)	0.5	IS 3025 (Part 39)
3	Hexavalent Chromium, as Cr+6	mg/L	BDL (<0.05)	0.05	IS 3025 (Part 52)
4	Poly nuclear Aromatic Hydrocarbons (PAH)	mg/L	BDL (ND)	0.0001	APHA 24th Ed. 6440 B
5	Pesticides	mg/L	BDL (ND)	Absent	APHA 24th Ed. 6440 B

ND: Not Detected. NS: Not Specified. #As per IS 10500:2012

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard


Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY


 Neha

Analyst


 Dr. Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM12/02/MSA(25-26-0709)

REPORT DATE : 16/02/2026

CUSTOMER REF : 4700021148

SAMPLE TYPE: Water Analysis

SAMPLE REGISTRATION NO. : 02/MSA(25-26-0709) LOCATION : Canteen
 SAMPLING PLAN & METHOD NO: As per Reference Method SAMPLE SPECIFICATION : Drinking Water (02/DW 0708)
 SAMPLING DATE : 11/02/2026
 SAMPLING TIME : 16:00:00 SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
 ANALYSIS START DATE : 13/02/2026 SAMPLE QUANTITY : 1 Ltr
 ANALYSIS COMPLETE DATE : 14/02/2026 SAMPLE PACKING : Sealed


Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	E. Coli	/100 ml	ABSENT	Absent	IS 15185
2	Total Coliform	/100 ml	ABSENT	Absent	IS 15185

ND: Not Detected. NS: Not Specified.#As per IS 10500:2012

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note : NA


Analyzed By



Ashrah Ansari

Microbiologist

For SKYLAB ANALYTICAL LABORATORY



Dr. Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600004232F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/02/WW(25-26-0724)

REPORT DATE : 23/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 02/WW(25-26-0724)

LOCATION : ETP Outlet D-59

SAMPLING PLAN & METHOD NO: IS 17614 Part 10

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 11/02/2026

SAMPLING TIME : 12:55:00

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 13/02/2026

SAMPLE QUANTITY : 1 Ltr

ANALYSIS COMPLETE DATE : 18/02/2026

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	pH	-	7.72	5.5-9.0	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	BDL(<5)	100	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	30	250	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	7	30	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	10.0	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	28	600	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	1.0	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	9	1000	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	172	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note : NA

Analyzed By

Neha
 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Manghate
 Dr. Datta Manghate

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable leagal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600004231F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/02/WWW(25-26-0723)

REPORT DATE : 23/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 02/WWW(25-26-0723)

LOCATION : ETP Inlet D-55

SAMPLING PLAN & METHOD NO: IS 17614 Part 10

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 11/02/2026

SAMPLING TIME : 12:50:00

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 13/02/2026

SAMPLE QUANTITY : 1 Ltr

ANALYSIS COMPLETE DATE : 18/02/2026

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	6.22	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	26	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	891	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	259	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	125	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	136	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	454	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA

Analyzed By

Neha
 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600004228F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/02/WW(25-26-0720)

REPORT DATE : 23/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 02/WW(25-26-0720)

LOCATION : ETP Inlet D-56

SAMPLING PLAN & METHOD NO: IS 17614 Part 10

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 11/02/2026

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

SAMPLING TIME : 12:35:00

SAMPLE QUANTITY : 1 Ltr

SAMPLE PACKING : Sealed

ANALYSIS START DATE : 13/02/2026

ANALYSIS COMPLETE DATE : 18/02/2026

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	6.96	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	42	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	850	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	247	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	36	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	33	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	422	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA

Analyzed By

Neha
Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
Dr. Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600004227F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/02/WW(25-26-0719)

REPORT DATE : 23/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 02/WW(25-26-0719)

LOCATION : ETP Inlet D-60

SAMPLING PLAN & METHOD NO: IS 17614 Part 10

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 11/02/2026

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

SAMPLING TIME : 12:30:00

ANALYSIS START DATE : 13/02/2026

SAMPLE QUANTITY : 1 Ltr

ANALYSIS COMPLETE DATE : 18/02/2026

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	7.48	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	108	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	1215	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	354	IS 3025 (Part 44)
5	Oil & Grease	mg/L	6.6	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	391	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	298	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	2572	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA

Analyzed By

neha
 Neha

Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY

[Signature]
 Dr. Datta Manghara

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/02/WW(25-26-0718)

REPORT DATE : 23/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 02/WW(25-26-0718)

LOCATION : ETP Inlet D-59

SAMPLING PLAN & METHOD NO.: IS 17614 Part 10

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 11/02/2026

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

SAMPLING TIME : 12:25:00

SAMPLE QUANTITY : 1 Ltr

SAMPLE PACKING : Sealed

ANALYSIS START DATE : 13/02/2026

ANALYSIS COMPLETE DATE : 18/02/2026

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH	-	7.31	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	112	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	2050	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	598	IS 3025 (Part 44)
5	Oil & Grease	mg/L	6.8	IS 3025 (Part-39)
6	Chloride, as Cl	mg/L	442	IS 3025 (Part 32)
7	Phenolic Compounds, as C6H5OH	mg/L	BDL(<0.001)	IS 3025 (Part 43)
8	Sulphate, as SO4	mg/L	328	IS 3025 (Part 24)
9	Total Dissolved Solids	mg/L	2168	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA

Analyzed By

Neha
 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
 Dr. Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600004223F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/02/WW(25-26-0711)

REPORT DATE : 23/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 02/WW(25-26-0711)

LOCATION : STP Inlet D-59

SAMPLING PLAN & METHOD NO: IS 17614 Part 10

SAMPLE SPECIFICATION : Waste Water

SAMPLING DATE : 11/02/2026

SAMPLING TIME : 12:10:00

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 13/02/2026

SAMPLE QUANTITY : 1 Ltr

ANALYSIS COMPLETE DATE : 18/02/2026

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	pH		5.73	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	120	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	375	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	160	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	IS 3025 (Part-39)
6	Total Dissolved Solids	mg/L	782	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA

Note : NA


Analyzed By


 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600004225F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM03/02/WWW(25-26-0713)
 REPORT DATE : 23/02/2026
 CUSTOMER REF : 4700021148
 REF DATE : 04/02/2026

SAMPLE TYPE: Waste Water

SAMPLE REGISTRATION NO. : 02/WWW(25-26-0713)
 SAMPLING PLAN & METHOD NO: IS 17614 Part 10
 SAMPLING DATE : 11/02/2026
 SAMPLING TIME : 12:20:00

LOCATION : STP Outlet D-59
 SAMPLE SPECIFICATION : Waste Water

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 13/02/2026
 ANALYSIS COMPLETE DATE : 18/02/2026

SAMPLE QUANTITY : 1 Ltr
 SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	pH		6.57	5.5-9.0	IS 3025 (Part 11)
2	Total Suspended Solids (TSS)	mg/L	14	100	IS 3025 (Part 17)
3	Chemical Oxygen Demand	mg/L	40	250	IS 3025 (Part 58)
4	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	11	30	IS 3025 (Part 44)
5	Oil & Grease	mg/L	BDL(<5)	10	IS 3025 (Part-39)
6	Total Dissolved Solids	mg/L	548	NS	IS 3025 (Part 16)

ND: Not Detected. NS: Not Specified. As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note : NA


Analyzed By


 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Masghare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable leagal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600004145F

TEST REPORT

NAME & ADDRESS OF CUSTOMER: M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali (E).421204., Maharashtra

REPORT NO : SAL/MSP19/FM01/02/WM(25-26-0679)
REPORT DATE : 23/02/2026
CUSTOMER REF : 4700021148
REF DATE : 04/02/2026

SAMPLE TYPE: Workplace Air

SAMPLE REGISTRATION NO. : 02/WM(25-26-0679) **LOCATION :** D-55 Nr.GLR-23
SAMPLING PLAN & METHOD NO: As Per Reference Method **COORDINATES :** NA
SAMPLING DATE : 11/02/2026 **SAMPLING DURATION :** 15 Minutes
SAMPLING TIME : 14:05:00 **SAMPLE COLLECTED BY :** Mr. Pramod Sudokar (Skylab)
ANALYSIS START DATE : 13/02/2026 **AMBIENT TEMPERATURE :** 28°C To 34°C
ANALYSIS COMPLETE DATE : 17/02/2026 **HUMIDITY :** 62% To 68%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Sulphur Dioxide	mg/m3	0.039	5	IS 5182 (Part 2)
2	Nitrogen Oxides	mg/m3	0.056	6	IS: 5182, (Part-6)
3	Suspended Particulate Matter	mg/m3	0.061	10	IS 5182 (Part 4)
4	Volatile Organic Compound (VOC)	ppm	0.2	NS	EPA Method No.21

ND: Not Detected. NS: Not Specified. As per Factories Act.

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per Factories Act.

Note : NA

Analyzed By

Neha
 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mahphare
 Dr.Datta Mahphare
 (Authorized Signatory)

END OF REPORT

- This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
- This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600004144F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/02/WM(25-26-0678)

REPORT DATE : 23/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Workplace Air

SAMPLE REGISTRATION NO. : 02/WM(25-26-0678)

LOCATION : D-60 Near GLR -17

SAMPLING PLAN & METHOD NO.: As Per Reference Method

COORDINATES : NA

SAMPLING DATE : 11/02/2026

SAMPLING DURATION : 15 Minutes

SAMPLING TIME : 13:50:00

SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)

ANALYSIS START DATE : 13/02/2026

AMBIENT TEMPERATURE : 28°C To 34°C

ANALYSIS COMPLETE DATE : 17/02/2026

HUMIDITY : 62% To 68%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Sulphur Dioxide	mg/m3	0.040	5	IS 5182 (Part 2)
2	Nitrogen Oxides	mg/m3	0.052	6	IS: 5182, (Part-6)
3	Suspended Particulate Matter	mg/m3	0.063	10	IS 5182 (Part 4)
4	Volatile Organic Compound (VOC)	ppm	0.3	NS	EPA Method No.21

ND: Not Detected. NS: Not Specified. As per Factories Act.

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per Factories Act.

Note : NA


Analyzed By


 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr. Datta Mahadare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600003868F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/02/SSM(25-26-0675)

REPORT DATE : 18/02/2026

CUSTOMER REF : 4700021148

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 02/SSM(25-26-0675)	LOCATION : Scrubber Stack D-56
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 11/02/2026	STACK HEIGHT FROM GL : 15 Meters
SAMPLING TIME : 15:50:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 13/02/2026	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 17/02/2026	FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	44	NA	IS 11255 (Part 1)
4	Velocity	m/s	6.5	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1558.6	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	20.3	150	IS 11255 (Part 1)
7	Acid Mist	mg/Nm ³	6.4	35	EPA Method No.8

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard


Note :

Analyzed By


Neha
 Analyst



For SKYLAB ANALYTICAL LABORATORY


Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600003867F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/02/SSM(25-26-0674)

REPORT DATE : 18/02/2026

CUSTOMER REF : 4700021148

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 02/SSM(25-26-0674)	LOCATION : Scrubber Stack D-60
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 11/02/2026	STACK HEIGHT FROM GL : 15 Meters
SAMPLING TIME : 15:40:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 13/02/2026	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 17/02/2026	FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m2	0.071	NA	-
3	Temperature	°C	44	NA	IS 11255 (Part 1)
4	Velocity	m/s	6.6	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm3/hr	1580.8	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm3	18.2	150	IS 11255 (Part 1)
7	Acid Mist	mg/Nm3	7.6	35	EPA Method No.8

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard


Note :

Analyzed By


 Neha
 Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600003866F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/02/SSM(25-26-0673)

REPORT DATE : 18/02/2026

CUSTOMER REF : 4700021148

SAMPLE TYPE: Scrubber Stack

SAMPLE REGISTRATION NO. : 02/SSM(25-26-0673)	LOCATION : Scrubber Stack D-55
SAMPLING PLAN & METHOD NO: As Per Reference Method	SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 11/02/2026	STACK HEIGHT FROM GL : 15 Meters
SAMPLING TIME : 15:30:00	SHAPE OF STACK : Round
ANALYSIS START DATE : 13/02/2026	MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 17/02/2026	FUEL USED(CONSUMPTION) : NA

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Dimensions of Stack	m	0.3	NA	-
2	C/s area of Stack	m ²	0.071	NA	-
3	Temperature	°C	44	NA	IS 11255 (Part 1)
4	Velocity	m/s	5.6	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1343.2	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	19.3	150	IS 11255 (Part 1)
7	Acid Mist	mg/Nm ³	4.4	35	EPA Method No.8

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note :

Analyzed By

Neha
Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
Dr. Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM15/02/OIL(25-26-0730)

REPORT DATE : 23/02/2026

CUSTOMER REF : 4700021148

SAMPLE TYPE: Oil Analysis

SAMPLE REGISTRATION NO. : 02/OIL(25-26-0730)

LOCATION : DFO

SAMPLING PLAN & METHOD NO.: DFO

SAMPLE SPECIFICATION : Flue Thermic Boiler

SAMPLING DATE : 11/02/2026

SAMPLING TIME : 15:20:00

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 13/02/2026

SAMPLE QUANTITY : 0.500 Ltr

ANALYSIS COMPLETE DATE : 18/02/2026

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Reference Method
1	Density	GMS	0.8536	IS-1448-16
2	Flash Point	°C	>250	IS 1448 (Part-25)
3	Appearance		BROWN COLOUR	Visual
4	Kinematic Viscosity	CST @ 100 deg. C	28	IS 1448 (P-25)
5	Viscosity Index		22	-

ND: Not Detected. NS: Not Specified. NA

Opinion/Observation: NA


Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY


 Neha

Analyst


 KON
 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600003657F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM07/02/DIL(25-26-0681)

REPORT DATE : 17/02/2026

CUSTOMER REF : 4700021148

SAMPLE TYPE: DG Insertion Loss

SAMPLE REGISTRATION NO. : 02/DIL(25-26-0681)

SAMPLE COLLECTED BY : Mr. Pramod Sudokar

SAMPLING PLAN & METHOD NO: As Per Reference Method

CAPACITY of DG : DG STACK (380KVA)
 D-55

SAMPLING DATE : 11/02/2026

SAMPLING TIME : 14:20:00

Sr. No.	Location Name	Unit	Result(DG ON TIME)		Insertion Loss
			Enclosure Open	Enclosure Close	
1	East	dB (A)	93.3	68.2	25.1
2	North	dB (A)	94.2	69.2	25.0
3	South	dB (A)	92.4	67.1	25.3
4	West	dB (A)	96.6	71.4	25.2

Opinion/Observation: Noise Level is meeting requirements as per MPCB Consent

Note : Insertion Loss due to Acoustic Enclosure shall be more than 25 dB (A).

Analyzed By

Neha
 Neha
 Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515026000003656F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM07/02/DIL(25-26-0680)

REPORT DATE : 17/02/2026

CUSTOMER REF : 4700021148

SAMPLE TYPE: DG Insertion Loss

SAMPLE REGISTRATION NO. : 02/DIL(25-26-0680)

SAMPLE COLLECTED BY : Mr. Pramod Sudokar

SAMPLING PLAN & METHOD NO: As Per Reference Method

CAPACITY of DG : DG STACK (200 KVA)
 D-60

SAMPLING DATE : 11/02/2026


SAMPLING TIME : 14:03:00

Sr. No.	Location Name	Unit	Result(DG ON TIME)		Insertion Loss
			Enclosure Open	Enclosure Close	
1	East	dB (A)	95.2	71.2	24.0
2	North	dB (A)	93.6	70.6	23.0
3	South	dB (A)	94.1	69.6	24.5
4	West	dB (A)	95.4	70.4	25.0

Opinion/Observation: Noise Level is meeting requirements as per MPCB Consent


Note : Insertion Loss due to Acoustic Enclosure shall be more than 25 dB (A).

Analyzed By


 Neha
 Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600003862F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

REPORT NO : SAL/MSP19/FM02/02/DSM(25-26-0669)

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT DATE : 18/02/2026

CUSTOMER REF : 4700021148

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 02/DSM(25-26-0669) **LOCATION :** DG STACK (380KVA) D-55
SAMPLING PLAN & METHOD NO.: As Per Reference Method **SAMPLE COLLECTED BY :** Mr. Pramod Sudokar (Skylab)
SAMPLING DATE : 11/02/2026 **STACK HEIGHT FROM GL :** 6 Meters
SAMPLING TIME : 14:10:00 **SHAPE OF STACK :** Round
ANALYSIS START DATE : 13/02/2026 **MATERIAL OF STACK :** MS
ANALYSIS COMPLETE DATE : 17/02/2026 **FUEL USED(CONSUMPTION) :** Diesel

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.15	NA	-
2	C/s area of Stack	m ²	0.018	NA	-
3	Temperature	°C	120	NA	IS 11255 (Part 1)
4	Velocity	m/s	7.3	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	350	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	23.3	50	IS 11255 (Part 1)
7	Sulphur Dioxide	Kg/Day	31.5	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	mg/Nm ³	31.5	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	mg/Nm ³	41.1	NS	IS 11255 (Part 7)
10	Nitrogen Oxides	ppm	20	NS	IS 11255 (Part 7)

ND: Not Detected. **NS:** Not Specified. **#:** As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note :


Analyzed By


 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.





Sky Lab
OUR GOAL POLLUTION CONTROL

ULR:TC51502600003861F

Sky Lab

ANALYTICAL LABORATORY

Accredited by NABL as per ISO/IEC 17025:2017

Certified by ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India, New Delhi

■ ENVIRONMENT ■ FOOD ■ TEXTILE

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
(E).421204.,
Maharashtra

REPORT NO : SAL/MSP19/FM02/02/DSM(25-26-0668)

REPORT DATE : 18/02/2026

CUSTOMER REF : 4700021148

SAMPLE TYPE: DG Stack

SAMPLE REGISTRATION NO. : 02/DSM(25-26-0668)

SAMPLING PLAN & METHOD NO: As Per Reference
Method

LOCATION : DG STACK (200 KVA) D-60

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
(Skylab)

SAMPLING DATE : 11/02/2026

SAMPLING TIME : 14:00:00

ANALYSIS START DATE : 13/02/2026

ANALYSIS COMPLETE DATE : 17/02/2026

STACK HEIGHT FROM GL : 6 Meters

SHAPE OF STACK : Round

MATERIAL OF STACK : MS

FUEL USED(CONSUMPTION) : Diesel

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.1	NA	-
2	C/s area of Stack	m ²	0.008	NA	-
3	Temperature	°C	125	NA	IS 11255 (Part 1)
4	Velocity	m/s	7.5	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	158.9	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	29.7	50	IS 11255 (Part 1)
7	Sulphur Dioxide	mg/Nm ³	47.2	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	Kg/Day	0.18	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	mg/Nm ³	52.8	NS	IS 11255 (Part 7)
10	Nitrogen Oxides	ppm	25.7	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note :

Analyzed By

Neha
Neha

Analyst



TC-5150

For SKYLAB ANALYTICAL LABORATORY

Datta Mandhare

Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



202, CFC-3, Asmeeta Texpa, Addl.Kalyan-Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA. Pincode-421311.

Mob. : 9867577309-312 / 8422929165. Email : mails@skylabenviro.com, Website : www.skylabenviro.com

SKYLAB is always subject to improvement. For better customer satisfaction, we welcome your feedback on : feedback@skylabenviro.com

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/02/CA(25-26-0731)

REPORT DATE : 17/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Compressed Air

SAMPLE REGISTRATION NO. : 02/CA(25-26-0731)

LOCATION : D-55 (Breathing Air Compressor)

SAMPLING PLAN & METHOD NO: As Per Reference Method

SAMPLE SPECIFICATION : NA

SAMPLING DATE : 11/02/2026

SAMPLING TIME : 11:20:00

SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)

ANALYSIS START DATE : 13/02/2026

ANALYSIS COMPLETE DATE : 17/02/2026

SAMPLE QUANTITY : 15 Minutes

SAMPLE PACKING : Sealed

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Oxygen	%	20.2	19.5-23.5	OSHA METHOD 6601
2	Oil Mist	mg/m3	<0.05	5	NIOH 5026
3	Moisture	g/ m3	3.3	67	ISO 8573-3
4	Dew Point	°F	-40°F	-50°F	ISO 8573 P-3
5	Carbon Monoxide	ppm	0.58	10	IS 5182 (part-10)
6	Carbon Dioxide (CO2)	ppm	320	1000	Instrumental

ND: Not Detected. NS: Not Specified. As Per CGA G-7.1 Grade D breathing Air standard

Opinion/Observation: Analyzed parameters in above tested sample are complying with CGA G-7.1 Grade D breathing Air standard


Note : NA

Analyzed By

For SKYLAB ANALYTICAL LABORATORY


 Neha

Analyst



Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable leagal action against them by SKYLAB Analytical Laboratory.



ULR:TC51502600003859F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM02/02/BSM(25-26-0666)

REPORT DATE : 18/02/2026

CUSTOMER REF : 4700021148

SAMPLE TYPE: Boiler Stack

SAMPLE REGISTRATION NO. : 02/BSM(25-26-0666)

SAMPLING PLAN & METHOD NO: As Per Reference Method

LOCATION : Boiler Stack (D-60)

SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)

SAMPLING DATE : 11/02/2026

SAMPLING TIME : 12:30:00

ANALYSIS START DATE : 13/02/2026

ANALYSIS COMPLETE DATE : 17/02/2026

STACK HEIGHT FROM GL : 30 Meters

SHAPE OF STACK : Round

MATERIAL OF STACK : MS

FUEL USED(CONSUMPTION) : PNG

Sr.No.	Test Parameters	Unit	Result	Norms#	Reference Method
1	Dimensions of Stack	m	0.6	NA	-
2	C/s area of Stack	m ²	0.283	NA	-
3	Temperature	°C	130	NA	IS 11255 (Part 1)
4	Velocity	m/s	7.4	NA	IS 11255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	5608	NA	IS 11255 (Part 1)
6	Total Particulate Matter	mg/Nm ³	31.5	50	IS 11255 (Part 1)
7	Sulphur Dioxide	Kg/Day	6.89	NS	IS 11255 (Part 2)
8	Sulphur Dioxide	mg/Nm ³	51.2	NS	IS 11255 (Part 2)
9	Nitrogen Oxides	mg/Nm ³	36.4	NS	IS 11255 (Part 7)
10	Nitrogen Oxides	ppm	17.7	NS	IS 11255 (Part 7)

ND: Not Detected. NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Note :


Analyzed By


 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY



Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515026000003604F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.,
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM04/02/ANS(25-26-0665)

REPORT DATE : 17/02/2026

CUSTOMER REF : 4700021148

REF DATE : 17/02/2026

SAMPLE TYPE: Ambient Noise-Spot

SAMPLE REGISTRATION NO. : 02/ANS(25-26-0665)

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

SAMPLING PLAN & METHOD NO. : As Per Reference Method

SAMPLING DATE : 11/02/2026

Sr. No.	Location Name	Sampling Time (Hrs)	Unit	Result	Reference Method
1	D-55 Near DG	12:10	dB (A)	67.9	IS 9989
2	D-55 Near DG	22:05	dB (A)	59.4	IS 9989
3	D-60, Gate (Near Boiler)	22:10	dB (A)	60.1	IS 9989
4	D-60, Gate (Near Boiler)	12:15	dB (A)	68.2	IS 9989
5	Near Main Gate	22:15	dB (A)	57.6	IS 9989
6	Near Main Gate	12:20	dB (A)	68.3	IS 9989

Opinion/Observation: Noise Level is meeting requirements as per CPCB Guidelines

Note : NA

Category Area/Zone	Lmits in dB(A)	
	Day Time (6.00 Hrs to 22.00 Hrs)	Night Time (22.00 Hrs to 6.00 Hrs)
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Area	50	40

Analyzed By

Neha
Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

ULR:TC515026000003858F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/02/AM(25-26-0664)

REPORT DATE : 17/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 02/AM(25-26-0664)

LOCATION : Near Solvent Storage (D-57)

SAMPLING PLAN & METHOD NO: As Per Reference Method

COORDINATES : NA

SAMPLING DATE : 11/02/2026

SAMPLING DURATION : 24 Hrs

SAMPLING TIME : 11:30:00

SAMPLE COLLECTED BY : Mr. Pramod Sudokar
 (Skylab)

ANALYSIS START DATE : 13/02/2026

AMBIENT TEMPERATURE : 26°C To 37°C

ANALYSIS COMPLETE DATE : 17/02/2026

HUMIDITY : 79% To 89%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m ³	61.3	100	IS 5182 (Part-23)
2	Particulate Matter PM 2.5	µg/m ³	31.3	60	IS:5182, (Part 24)
3	Sulphur Dioxide	µg/m ³	17.6	80	IS 5182 (Part 2)
4	Nitrogen Oxides	µg/m ³	31.2	80	IS: 5182, (Part-6)
5	Ozone	µg/m ³	BDL(<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition
6	Ammonia	µg/m ³	29.6	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m ³	BDL(<0.1)	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m ³	BDL(<1)	1	IS 5182 (Part 12)
9	Lead	µg/m ³	BDL(<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m ³	BDL(<1)	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m ³	BDL(<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
12	Carbon Monoxide	mg/m ³	0.31	2	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified. #As per NAAQMS Guidelines 2009

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines

Note : NA

Analyzed By

Neha
 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY

Dr. Datta Mandhare
 Dr. Datta Mandhare
 (Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.



ULR:TC515026000003856F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmalabs Ltd.
 Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road, Dombivali
 (E).421204.,
 Maharashtra

REPORT NO : SAL/MSP19/FM01/02/AM(25-26-0662)

REPORT DATE : 17/02/2026

CUSTOMER REF : 4700021148

REF DATE : 04/02/2026

SAMPLE TYPE: Ambient Air

SAMPLE REGISTRATION NO. : 02/AM(25-26-0662)

LOCATION : D-60. Gate (Near Boiler)

SAMPLING PLAN & METHOD NO: As Per Reference Method

COORDINATES : NA

SAMPLING DATE : 11/02/2026

SAMPLING DURATION : 24 Hrs

SAMPLING TIME : 11:10:00

SAMPLE COLLECTED BY : Mr. Pramod Sudokar (Skylab)

ANALYSIS START DATE : 13/02/2026

AMBIENT TEMPERATURE : 26°C To 37°C

ANALYSIS COMPLETE DATE : 17/02/2026

HUMIDITY : 79% To 89%

Sr.No.	Test Parameters	Unit	Result	Norms #	Reference Method
1	Particulate Matter PM10	µg/m ³	61.4	100	IS 5182 (Part-23)
2	Particulate Matter PM 2.5	µg/m ³	29.6	60	IS:5182, (Part 24)
3	Sulphur Dioxide	µg/m ³	13.1	80	IS 5182 (Part 2)
4	Nitrogen Oxides	µg/m ³	30.4	80	IS: 5182, (Part-6)
5	Ozone	µg/m ³	BDL(<20)	180	Method 411, Methods of Air Sampling and Analysis, 3rd Edition
6	Ammonia	µg/m ³	26.8	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
7	Benzene	µg/m ³	BDL(<0.1)	5	IS 5182 (Part 11)
8	Benzo[a]Pyrene	ng/m ³	BDL(<1)	1	IS 5182 (Part 12)
9	Lead	µg/m ³	BDL(<0.1)	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
10	Arsenic	ng/m ³	BDL(<1)	6	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
11	Nickel	ng/m ³	BDL(<0.5)	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
12	Carbon Monoxide	mg/m ³	0.36	2	IS 5182 (Part 10)

ND: Not Detected. NS: Not Specified. #As per NAAQMS Guidelines 2009

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines

Note : NA

Analyzed By


 Neha

Analyst



For SKYLAB ANALYTICAL LABORATORY


 Dr.Datta Mandhare

(Authorized Signatory)

END OF REPORT

1. This report reflects finding only for the above sample tested/monitored and only for time and place of monitoring/testing.
2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SKYLAB Analytical Laboratory.

