



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Form - IV

(See rule 13)

Bio Medical Waste Annual Return for the Calender Year - 2024

Application Type: Industry	Calender Year 2024	Submit To SRO-Thane I
-----------------------------------	------------------------------	--------------------------

1) Particulars

i) First Name Suresh	ii) Middle Name Ladhabhai	iii) Last Name Khimasia
iv) Designation Unit Head	v) Aadhaar No 980182646930	vi) PAN No AHMPK3028M
vii) Address as per Aadhaar Card Opp. Jain Mandir,44,Siddhachalgiri,Ashok Nagar, Kandivali East, Mumbai, Maharashtra, 400101	viii) Tel. No. 7798880839	ix) Fax No. NA
x) e-mail suresh.khimasia@aartipharmaabs.com	xi) URL of website www.aartipharmaabs.com	

2) Details of the Industry

i) Name of the Industry Aarti Pharmalabs Limited	ii) Email suresh.khimasia@aartipharmaabs.com	iii) Name of the contact person Mr. Suresh Khimasia
iv) Contact No. 7798880839		

3) Address of the Industry

i) Building Name/Building No./Survey Number Plot No. K-17/18/19	ii) Street / Village MIDC Tarapur, Boisar	iii) City / Taluka Palghar
iv) District Palghar	v) Pin-Code Number 401506	vi) Near by Landmark
vii) Latitude coordinate 19.79838	viii) Longitude coordinate 72.72238	ix) Ownership Private

Details of valid Combined Consent and BMW Authorization (CCA)

i)Authorization No. UAN No. MPCB- CONSENT-0000230537/CR/2504003503	ii)Authorization validity Date Apr 30 2030 12:00:00:AM	
---	--	--

5) Status of Consents under Water Act and Air Act

i)Consent Number UAN No. MPCB- CONSENT-0000230537/CR/2504003503	ii)Consent validity Date Apr 30 2030 12:00:00:AM	
--	--	--

6) Total No of Beds (As per valid Authorization)	2
---	---

7) Registration Number (e.g. Bombay Nursing Home reg. no.,MSDC,MBTC)	38778
---	-------

8) Registration Expiry Date	Apr 30 2026 12:00:00:AM
------------------------------------	-------------------------

9) Faculty of Medicine Medical
--

10) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of M/s Touch 'N' Glow House Keeping Services , Palghar								
11) Details of BMW i) Authorized BMW Quantity Kg/month (as per valid CCA) <table border="1"> <tr> <td>Yellow 0.40000</td> <td>Red</td> <td>Blue</td> <td>White 0.20000</td> </tr> </table>				Yellow 0.40000	Red	Blue	White 0.20000	
Yellow 0.40000	Red	Blue	White 0.20000					
ii) Bio Medical Waste Generated (Kg/month) <table border="1"> <tr> <td>Yellow 0.04500</td> <td>Red</td> <td>Blue</td> <td>White</td> </tr> </table>				Yellow 0.04500	Red	Blue	White	
Yellow 0.04500	Red	Blue	White					
iii) Quantity of Biomedical waste given to CBMWTDF (kg/Month) <table border="1"> <tr> <td>Yellow 0.0450</td> <td>Red</td> <td>Blue</td> <td>White</td> <td>General Solid Waste</td> </tr> </table>				Yellow 0.0450	Red	Blue	White	General Solid Waste
Yellow 0.0450	Red	Blue	White	General Solid Waste				
12) Details trainings conducted on BMW i) Number of trainings conducted on BMW Management. 4								
ii) Number of personnel trained 9								
iii) Number of personnel trained at the time of induction 9								
iv) number of personnel not undergone any training so far								
v) whether standard manual for training is available? No								
vi) any other information Training conducted by Approved Factory Medical officer.								
13) Details of the accident occurred during the year i) Number of Accidents occurred								
ii) Number of the persons affected								
iii) Remedial Action taken (Please attach details if any) No								
iv) Any Fatality occurred, If yes details. No								
14) Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? No								
15) Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? No								
17) Whether HCE intended to Sale / Handover liquid BMW for R&D purpose No								
Place MIDC Tarapur, Boisar	Designation Unit Head	Date 03-06-2025						