

APL/IV/TR/26/10

To,
The Director ,
Ministry Of Environment & Forests and Climate Change ,
Regional Office,(WCZ),
Ground Floor,East Wing,
New Secretarial Building ,
Civil Lines,Nagpur -440001

Date: 28th May 2026

**Subject : Regarding the Half-Yearly compliance report for the period of
October 2025 to March 2026**

Reference : Environmental clearance F.No.IA-J-11011/324/2020-IA-II (I) Dated 25TH
January 2021 granted by EAC ,Govt.Of India

Dear Sir,

With reference the above mentioned subject ,We are enclosing herewith the
compliance report for the period of **October 2025 to March 2026** with respect to the
above mentioned Reference of environment Clearance for proposed expansion of
industrial project at plot E-59/1 MIDC Tarapur ,Dist -Palghar. SEAC-I considered the
project under screening category B2 of item 5(f) synthetic IC , EIA Notification 2006

The compliance report is support with required documents .

Thanking You

For Aarti Pharmalabs Ltd

(Formerly Known as Aarti Industries Ltd)


Authorized Signatory

CC - SRO Tarapur - I


01/06/26
SUB-REGIONAL OFFICE
MAHARASHTRA POLLUTION CONTROL BOARD
TARAPUR, MIDC. COLONY, BOISAR,
TALUKA & DIST. PALGHAR, PIN 401 504.

AARTI PHARMALABS LIMITED

www.aartipharmalabs.com | CIN : L24100GJ2019PLC110964 | Email : info@aartipharmalabs.com

Factory : Unit-IV, Plot No. E - 50, 50/1, 59/1, M.I.D.C., Tarapur, Taluka & District - Palghar, PIN 401 506, Maharashtra, INDIA, T : +91 89830 35452 / +91 252 568 2100
Admin Office : 204, Udyog Kshetra, 2nd Floor, Mulund - Goregaon Link Road, Mulund (W), Mumbai, PIN - 400 080, Maharashtra, INDIA, T : +91 22 67976666 | F : +91 22 25653234
Regd. Office : Plot No. 22-C/1 & 22-C/2, 1st Phase, G.I.D.C., Vapi 396 195, District - Valsad, Gujarat, INDIA, T : +91 260 2400467, +91 99099 94655

APL/IV/TR/26/11

To,
The Regional Directorate,
Central Pollution control Board,
Raw House No-1, Sanjivani Nisarg,
Balewadi, Pune -411045

Date: 28th May 2026

**Subject : Regarding the Half-Yearly compliance report for the period of
October 2025 to March 2026**

Reference : Environmental clearance F.No.IA-J-11011/324/2020-IA-II (I) Dated 25TH
January 2021 granted by EAC, Govt. Of India

Dear Sir,

With reference the above mentioned subject, We are enclosing herewith the compliance report for the period of **October 2025 to March 2026** with respect to the above mentioned Reference of environment Clearance for proposed expansion of industrial project at plot E-59/1 MIDC Tarapur, Dist -Palghar. SEAC-I considered the project under screening category B2 of item 5(f) synthetic IC, EIA Notification 2006

The compliance report is support with required documents.

Thanking You

For Aarti Pharmalabs Ltd

(Formerly Known as Aarti Industries Ltd)



Authorized Signatory

CC - SRO Tarapur-I

AARTI PHARMALABS LIMITED

www.aartipharmalabs.com | CIN : L24100GJ2019PLC110964 | Email : info@aartipharmalabs.com

Factory : Unit-IV, Plot No. E - 50, 50/1, 59/1, M.I.D.C., Tarapur, Taluka & District - Palghar, PIN 401 506, Maharashtra, INDIA, T : +91 89830 35452 / +91 252 568 2100
Admin Office : 204, Udyog Kshetra, 2nd Floor, Mulund - Goregaon Link Road, Mulund (W), Mumbai, PIN - 400 080, Maharashtra, INDIA, T : +91 22 67976666 | F : +91 22 25653234
Regd. Office : Plot No. 22-C/1 & 22-C/2, 1st Phase, G.I.D.C., Vapi 396 195, District - Valsad, Gujarat, INDIA, T : +91 260 2400467, +91 99099 94655

AARTI PAHARMALABS LIMITED

PLOT NO.E-59/1 MIDC TARAPUR BOISAR

	A. Specific Condition	
i	The SPCB shall follow the mechanism/protocol issued by the Ministry vide letter no. Q-16017/38/2018-CPA dated 24th October, 2019 and forwarded by Central Pollution Control Board vide letter dated 25th October, 2019 to the SPCB's, while issuing the CTE/CTO for the project, for improvement of environmental quality in the area.	Noted and Agreed
ii	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	EMP compliance report attached for your reference ANNEXURE-I
iii	Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out.	Complied, all tanks and pipelines are pressure tested. Double heat ex-changers are provided with effective chilling and super chilled modern utilities. Drawing details is attached as ANNEXURE- II
iv	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture.	Complied Zero Liquid Discharge diagram and details is attached as ANNEXURE -III
v	Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Complied, full fledged Occupation health center with Full time doctor is available Photograph of OHC and Ambulance is attached as ANNEXURE IV
vi	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	Complied , Fire -fighting system and equipment are available List of firefighting equipment is attached as ANNEXURE V

AARTI PAHARMALABS LIMITED

PLOT NO.E-59/1 MIDC TARAPUR BOISAR

vii	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Complied Displayed boards and picture ,training calender and records are maintained
viii	Total fresh water requirement shall not exceed 366 m ³ /day will be met from MIDC.Prior permission in this regard shall be obtained from the concerned regulatory I,e authority.	Complied ,CTO obtained ANNEXURE VI
ix	Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.	Complied
x	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Provision of stack monitoring provided ,Web camera & flow meter is Installed using the ZLD system & Server connected to SPCB & CPCB
xi	Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.	Complied Flow meter,condenser,Mechanical seal ,Tank farm,Earthing Patti, Breather valve and vent condenser provided

AARTI PAHARMALABS LIMITED

PLOT NO.E-59/1 MIDC TARAPUR BOISAR

xii	Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incineration. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Complied, TSDF MWML Membership taken. Photocopy is attached as ANNEXURE VII
xiii	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Complied. A separate team of Process development lab is deployed. ATFD Photocopy for drying filter press is attached as ANNEXURE VIII
xiv	The green belt of at least 5-10 m width shall be developed in nearly 40% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map	Complied 20 % green belt area is developed inside project area and for plot 20% letter submitted to MIDC for allotment ANNEXURE IX
xv	The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented.	Complied EMP compliance Attached ANNEXURE - I
xvi	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied organogram of Environment cell is attached as ANNEXURE X

AARTI PAHARMALABS LIMITED

PLOT NO.E-59/1 MIDC TARAPUR BOISAR

	General Condition:	
i	<p>No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.</p>	Noted & Agreed
ii	<p>The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.</p>	Complied List of LED fixtures attached for your reference ANNEXURE XI
iii	<p>The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).</p>	Complied, Noise monitoring report by MOEF approved lab attached for your reference. ANNEXURE XII
iv	<p>The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.</p>	Complied

AARTI PAHARMALABS LIMITED

PLOT NO.E-59/1 MIDC TARAPUR BOISAR

v	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Noted & Agreed
vi	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied, No any suggestions received while processing the proposal.
vii	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied, Six monthly compliance report attached as ANNEXURE XIII
viii	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail	We are regularly submitted environment statement (form -V) to MPCB

AARTI PAHARMALABS LIMITED

PLOT NO.E-59/1 MIDC TARAPUR BOISAR

ix	<p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p>	<p>Complied, Two Newspaper copies with Advertisement attached as ANNEXURE XIV</p>
x	<p>The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project</p>	<p>Noted & Agreed</p>
xi	<p>This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.</p>	<p>Noted & Agreed</p>

ANNEXURE - J

ENVIRONMENTAL MANAGEMENT PLAN REPORT

Sr.No	Impact category	Impact Mitigation Plan	Action Plan	Status
1	Air environment	Water sprinkler to reduce dusting.	Sprinkler system provided	complied
2	Air environment	Separate area will be earmarked for storage of solid wastes generated while hazardous wastes will be stored in existing covered area earmarked for the purpose.	Hazards waste storage provided and earmarked	complied
4	Air environment	Use proper loading and unloading procedures for construction materials and cover them wherever required.	Proper loading and unloading procedures displayed and materials were covered wherever required.	complied
5	Air environment	Use proper loading and unloading procedures for construction materials and cover them wherever required.	loading and unloading procedures Displayed	complied
6	Air environment	Use of cleaner fuel for construction machinery and vehicles.	Cleaner fuel used for construction machinery and vehicles.	complied
7	Air environment	Avoid use of internal roads of villages for transport vehicles.	MIDC roads used	complied
8	Air environment	Provision of barricading sheets, sprinkler, top soil preservation, Material storage precaution.	Barricading sheets, sprinkler system provided for Material storage precautions.	complied
9	Air environment	Construction and demolition waste safe disposal as per norms	Construction and demolition waste safe disposal to authorized party/MWML	complied
10	Air environment	PPEs for construction workers	PPEs Provided to construction workers	complied
11	Air environment	Separate space shall be earmarked for parking of construction trucks so that they do not clog road. Heavy material will be brought in during night time only at site.	Separate space earmarked for parking of construction trucks	complied
12	Air environment	Safe shelter for worker, Drinking water and sanitary facility	Drinking water and sanitary facility provided	complied
13	Water environment	During construction, water shall be consumed from MIDC supply.	During construction, water consumed from MIDC supply.	complied
14	Water environment	Vigilant check shall be kept avoiding wastage and No waste water shall be discharged during the construction period.	Regularly checked for avoiding wastage of water and No waste water discharged during the construction period.	complied
15	Water environment	Construction materials shall be stored on tarpaulin sheets	Construction materials stored on tarpaulin sheets	complied
16	Water environment	Leach ate from storages shall not be allowed to run-off but collected through temporary drains and disposed with domestic waste water after debris removal.	Drain provided at drainage lines	complied
18	Water environment	Toilets will be provided and connected to septic tanks discharging to soak pit.	Toilets provided with connected to septic tanks	complied
19	Water environment	Temporary arrangement of clean drinking water will be provided for workers	20 KI HDPE tank provided for drinking	complied
20	Noise	Night time construction shall be avoided as far as possible	Work permits system followed by limited period	complied
21	Noise	Unwanted material and solid bags shall be placed as noise barriers during major construction activities.	Done whenever required	complied
22	Noise	Internal village roads shall not be used for transport.	MIDC road used for transportation	complied
23	Noise	Ear muffs and Ear plugs shall be provided to labour and workers.	Ear muffs and Ear plugs provided for labour and workers for high noise working	complied
24	Noise	Use clean fuel for transport vehicles.	clean fuel used for transport vehicles.	complied
				complied
25	Land environment	Sewage wastes shall not be directly discharged into the land but will be treated in soak pit	soak pit provided for Sewage wastes	complied
26	Land environment	Plastic sheets or tarpaulin shall be used for storage of construction materials	Tarpaulin Used for storage of construction material	complied
27	Social environment	Adequate provision of PPE (helmets, safety shoes, harness, ear plugs, muffs, dust masks) for construction workers and adherence to safety norms	Adequate PPE provided to construction workers. safety watch arranged during working hours	complied
28	Social environment	First aid provisions for handling minor injuries	First aid box provided to each floor	complied
29	Social environment	Provision by labor contractor for medical treatment at nearest dispensary or hospital shall be assured	Provision done for labor contractor medical treatment at site	complied
30	Social environment	To instruct transporters and drivers for maintaining road safety and monitor adherence	instruction given to all transporter and drivers for maintaining road safety	complied
31	Social environment	Engage local contractors for non-specialized work	Engaged local contractors for non-specialized work	complied
32	Ecological Environment	The management of air, water, and land environment as proposed above shall ensure that there is no adverse impact on the terrestrial and aquatic ecology of the area.	We have provided ZLD facility as per EC and CTE	complied
33	Ecological Environment	Provide barriers around site with water sprinkling to reduce particulate dust generation	Barriers provided and sprinkler system provided	complied
34	Ecological Environment	Tree plantation around boundary and on roadsides adjoining plot	Tree plantaion done	complied
B) Operation phase of Plant				
35	Air environment	Emission from Boilers, DG sets and processes will be there at site. Adequate stack height and APC devices will be installed as per CPCB norms. Continuous online monitoring system will be installed & connected to MPCB, CPCB server. Third party analysis report by MoEFCC recognized laboratory will be carried out periodically.	Adequate stack height and APC devices installed as per CPCB norms. Analysis report by MoEF CC recognized lab will be carried out periodically.	complied
36	Air environment	Process emissions will be scrubbed before letting it out to atmosphere.	scrubber system provided to process equipments	complied


37	Fugitive emission control, Odour Control	Fugitive emissions over reactors, formulation areas, centrifuges, chemical loading, transfer areas, chemical storage area etc. are to be controlled through proper exhaust systems wherever required.	Adequate AHU system provided	complied
38	Fugitive emission control, Odour Control	Emphasis should be given to solvent management/solvent loss prevention.	solvent handling will be done closed loop	complied
39	Fugitive emission control, Odour Control	Stripping of effluents reduces fugitive emissions.	Stripping provision done	complied
40	Fugitive emission control, Odour Control	All reactors shall be closed and provided with primary and secondary condensers for vapor recovery.	All reactors are closed and provided with primary and secondary condensers for vapor recovery	complied
41	Fugitive emission control, Odour Control	Flame arrestors, Breather valves, N2 blanketing should be provided for storage tanks in accordance with	Flame arrestors, Breather valves, N2 blanketing provided for storage tanks	complied
42	Fugitive emission control, Odour Control	requirement of MSDS and applicable rules.	MSDS are provided	complied
43	Fugitive emission control, Odour Control	Closed handling systems will be provided for chemicals and solvent	Closed handling systems provided for chemicals and solvent	complied
44	Fugitive emission control, Odour Control	All open-ended intermediate vessels shall be covered securely during period of operation and storage	All open-ended intermediate vessels are provided to Cover securely during period of operation and storage	complied
45	Fugitive emission control, Odour Control	Mechanical seals will be provided for pumps/agitators for reactors handling volatile chemicals for reduction of fugitive emissions.	Mechanical seals provided to pump and Agitators	complied
46	Fugitive emission control, Odour Control	Separate storage areas for flammable and non-flammable chemicals	Separate storage areas provided for flammable and non-flammable chemicals	complied
47	Fugitive emission control, Odour Control	Leak Detection and Repair (LDAR) program for quantification and control of fugitive emissions at critical areas, tanks and vessels will be provided.	Leak Detection and Repair (LDAR) program implemented	complied
48	Fugitive emission control, Odour Control	Workplace monitoring Plan shall be implemented for regular monitoring work place environment.	Action Plan ready for work pace monitoring	complied
49	Fugitive emission control, Odour Control	Provided process scrubber as per process emission requirement.	scrubber system provided	complied
50	Fugitive emission control, Odour Control	Provision of closed handling system for various chemicals and products.	closed handling system provided for various chemicals and products.	complied
51	Fugitive emission control, Odour Control	Usage of seal less pumps for transferring of toxic/hazardous chemicals.	seal less pumps used for transferring of toxic/hazardous chemicals.	complied
52	Fugitive emission control, Odour Control	Provided mechanical seals for certain reactors to prevent leakage of hazardous chemicals.	Mechanical seals provided	complied
53	Fugitive emission control, Odour Control	Regular inspection and Preventive maintenance with reference to plant operations like pumps, valves, pipes.	Regular inspection and Preventive maintenance done	complied
54	Fugitive emission control, Odour Control	Online sensors / detectors with alarm provision for Hazardous gases.	Online sensors / detectors with alarm provided for Hazardous gases.	complied
55	Fugitive emission control, Odour Control	All pipelines and pipe fittings shall be well-maintained, and wear and tear shall be attended promptly	All pipelines and pipe fittings are well-maintained.	complied
56	Fugitive emission control, Odour Control	Liquid raw materials will be charged by pumping & closed loops and dosing will be done by metering system to avoid emission of odorous substances into atmosphere	Liquid raw materials charged by pumping & closed loops provided	complied
57	Fugitive emission control, Odour Control	Welded pipes to be used wherever feasible. Suitable gasket material to be used. Suitable gland packing to be used in valves.	Welded pipes, Suitable gasket material, Suitable gland packing are used in valves.	complied
58	Fugitive emission control, Odour Control	Green belt shall be developed and maintained in and around the plot area. Plantation in the green belt shall be in accordance to the guidelines of CPCB	20% Green belt developed inside plant and rest will be developed out side	complied
59	Water environment	Water for the project will be from MIDC. No ground water will be extracted.	MIDC water used for project	complied
60	Water environment	Waste water (Domestic as well as trade effluent) from the project will be treated onsite and recycled within site for process requirement. There will be no discharge outside. Unit will operate as ZLD.	ETP, MEE& ATFD followed by RO is provided to ensure ZLD condition	complied
61	Water environment	In house stage wise analysis of ETP will be carried out. External MoEFCC recognized laboratory analysis will be carried out periodically.	Inhouse LAB provided for anlysis and periodically analysis will be carried out by MOEF CC recognise laboratory	complied
62	Water environment	Rain water harvesting scheme will be implemented.	Rain water harvesting scheme implemented.	complied
63	Water environment	Storm water shall be collected and adequately drained to MIDC drain. Precautionary measures will be taken to prevent contaminated run-offs from mixing in storm water.	Precautionary measures taken to prevent contaminated run-offs from mixing in storm water.	complied
64	Noise	Ear muffs and ear plugs to operators and all contract workmen	Ear muffs and ear plugs provided to all contract workmen	complied

65	Noise	Preventive and predictive maintenance of pumps, machinery, and all rotating equipment	Preventive and predictive maintenance of pumps, machinery, and all rotating equipment have done as per schedule	complied
66	Noise	Demarcating high noise areas with visual displays.	Sign Board Displayed	complied
67	Noise	Audiometric testing for all factory workers.	Audiometric testing done for all factory workers	complied
68	Noise	Maintaining the greenbelt since it also helps in reducing noise.	20% Green belt developed inside plant and rest will be developed out side	complied
69	Noise	Use of acoustic enclosures for boilers, and DG installation.	Acoustic enclosures provided for DG installation.	complied
70	Noise	Storm water shall be collected and adequately drained to MIDC drain.	Separate storm drainage line provided	complied
71	Land environment	Implement pre-monsoon maintenance schedule for clearing all stormwater drains and take appropriate precautionary measures to prevent contaminated run-offs from mixing in storm water by regular analysis and necessary cordoning of process	precautionary measures sheduled	complied
72	Land environment	ETP and storage areas and all such areas which pose contamination of storm water should be provided with garland drains going to ETP.	provided	complied
73	Land environment	Wastes will be segregated and stored in separate areas having covered roof and concrete flooring.	Hazardus waste storage yard made	complied
74	Land environment	Distillation residue will be send for co-processing.	CHWTSDF membership acquired	complied
75	Land environment	Appropriate leachate collection system shall also be provided. Leachate shall be sent to ETP for treatment and Disposal.	Leachate Sump provided with pump arrangement.	complied
76	Land environment	Unit shall become member of nearby TSDF site for disposal of hazardous waste as per consent order.	CHWTSDF membership acquired	complied
77	Land environment	Distillation residue will be send for co-processing.	CHWTSDF	complied
78	Land environment	Characteristics of each waste will be periodically checked and storage and disposal methods will be implemented suitably.	CHWTSDF	complied
79	Land environment	Explore possibilities for reducing manual handling of hazardous wastes wherever possible – by packing the waste at place of generation, minimum transport distances, transport in closed containers, minimum inventory of wastes	Packing of hazardous waste is done at place of generation	complied
80	Land environment	All bulk storage tanks will be provided with adequate dyke walls to prevent spreading of spill or leaked chemicals causing contamination of soil.	Dyke wall provided	complied
81	Land environment	Boiler ash will be collected in silos & sold to brick manufacturers and cement manufacturers to the best possible extent and balance will be sent for landfilling at TSDF site.	Ash generated will be disposed to as per consent condition	complied
82	Land environment	All bulk storage tanks will be provided with adequate dyke walls to prevent spreading of spill or leaked chemicals causing contamination of soil.	Dyke wall provided to storage tanks	complied
83	Land environment	Necessary cleanup procedures (SOPs) for the specific area will be designed and implemented.	SOP are in place	complied
84	Land environment	HAZMAT guidelines will be followed for transport of all hazardous materials. All required safety & emergency equipment & materials will be provided on the transport vehicles.	Provided on the transport vehicles.	complied
85	Social environment	Manpower: company employees + on contract basis during construction activities and for material movement.	Complied	complied
86	Social environment	Technical as well as non-technical recruitment shall be generated for skilled and unskilled manpower.	Technical as well as non-technical recruitment generated for skilled and unskilled manpower as and when required.	complied
87	Social environment	Proponent is committed to give employment to local people based on skill and academic qualification.	Complied	complied
88	Social environment	Project specific training shall be imparted to enhance skills and increase employment of local people.	Toolbox training done on daily basis	complied
89	Social environment	Project will also provide opportunity for trade and commerce and development of ancillary businesses for the local people during construction phase and operational phase.	Provided as per demand	complied
90	Social environment	PPEs will be provided to all employees. Medical checkup of all employees will be carried out and records will be maintained.	PPEs provided and medical checkup done on regular basis	complied
91	Social	CER activities will be implemented suitably in nearby vicinity	CER activities will be implemented	complied
92	Ecological Environment	Green belt to be developed in scientific manner to give screening effect to surrounding environment from the facility.	20% Green belt developed inside plant and rest will be developed out side	complied
93	Ecological Environment	Green belt will be developed in two level- shorter plants will be planted towards inner periphery & taller plants will be planted towards outer periphery	20% Green belt developed inside plant and rest will be developed out side	complied
94	Ecological Environment	Green belt will be composed of native species. Species will be suitable for agro-climatic zone. Evergreen & quick growing species will be selected.	20% Green belt developed inside plant and rest will be developed out side	complied
95	Occupational health, safety and management	The materials involved are of toxic and flammable nature.	Training for handling toxic and flammable chemicals given to all concern person	complied
96	Occupational health, safety and management	Proper training to employees in handling chemicals mentioned by hiring trained personnel well versed in handling such chemicals.	Toolbox training done on daily basis	complied
97	Occupational health, safety and management	Preventive measures: Chilled water circulation, Flame proof fittings, Tank level control on DCS, Earthing and Bonding , Tank insulated with Urethane puff insulation , SOP for tanker unloading , Flame arrester provision on tank Top, Lightning arrester provided near to tank, Gas Leak Detectors.	Chilled water circulation, Flame proof fittings, Tank level control on DCS, Earthing and Bonding , Tank insulated with Urethane puff insulation , SOP for tanker unloading , Flame arrester provision on tank Top, and Lightning arrester near to tank provided	complied

98	Occupational health, safety and management	Suggested control Measures -> Fire Hydrant system, Portable Fire Extinguishers, Foam Tender, Water Hydrant and Monitor, Self-Contained Breathing Apparatus, Flame proof electricals, Dyke wall for containment, Shower & Eye Washer near Tank Farm Area	Fire hydrant system, Portable Fire Extinguishers, Foam Trolley, Water Hydrant, Self-Contained Breathing Apparatus, Flame proof electricals, Dyke wall for containment, and Eye wash Shower provided	complied
99	Occupational health, safety and management	Control of Exposure levels of hazardous chemicals: All measures taken for control of fugitive emissions of HC vapors and fugitive dust shall also ensure that the permissible exposure levels are not exceeded. Gas detectors and sensors shall also be installed at critical locations for early detection. Odour control plan shall also control exposure levels. Workplace monitoring shall be carried out.	1. Gas detectors and sensors installed at critical locations for early detection 2. work place monitoring carried out	complied
100	Occupational health, safety and management	Occupational health center will be established as per factory rules.	Occupational health center established as per factory rules at site	complied
101	Occupational health, safety and management	OHC shall have necessary equipment and arrangements for first-aid treatments in compliance with the requirements of Factories Act and Factories Rules.	OHC having necessary equipment and arrangements for first-aid treatments	complied
102	Occupational health, safety and management	Antidotes for major chemicals handled by the unit will be identified. These shall be made available at OHC.	Antidotes for major chemicals handled by the unit are identified, and available at OHC.	complied
103	Occupational health, safety and management	Onsite medical treatment and periodic health examination will be conducted,	Periodic health examination is conducted periodically	complied
104	Occupational health, safety and management	Medical examination practice: Pre-employment medical check-up of all employees and contract labor shall be carried out by PMO and records shall be maintained.	Pre-employment medical check-up of all employees and contract labor carried out and record maintained	complied
105	Occupational health, safety and management	Maintaining health status by organizing health check-up camps	health check up camps are being organised	complied
106	Occupational health, safety and management	Hazards shall be managed/control by implementation of safe work procedures, risk/hazard control /prevention measures and provision of PPEs for all employees as followed at the existing adjacent plants.	Safe work procedures, risk/hazard control /prevention measures are in place and PPEs are provided for all workers	complied
107	Occupational health, safety and management	The plant sections shall be built with proper safety features and safety equipment and devices at all required locations as per good engineering practice and code	safety equipment and devices provided as per good engineering practice and code	complied
108	Occupational health, safety and management	Safety and health of workers and all contract workmen shall be ensured through proper SOPs, safety devices, fail-safe instrumentation, interlocks, sound equipment, emergency control systems and procedures.	Safety and health of workers and all contract workmen is ensured through proper SOPs, safety devices, fail-safe instrumentation, interlocks, sound equipment, emergency control systems and procedures are available. Mockdrills conducted periodically.	complied
109	Disaster Management Plan	Onsite emergency management plan will be constituted during project execution stage at site, which will be communicated to District Authority for inclusion in DMP.	On site Emergency plan prepared	complied

FORMAT NO. EN/FM-159/02
SOP REFERENCE: ENS/153

P&ID OF R-801 FOR BLOCK-V.



DR.GD.	TYPE OF VALVE	SYMBOLS
1	BALL VALVE	
2	SHR LEASE	
3	ROUNDER	
4	PRESSURE SAFETY VALVE	
5	PRESSURE GAUGE (PG)	
6	FLAME ARRESTER	
7	COMPOUND GAUGE (CG)	
8	COMPOUND TRANSMITTER (CT)	
9	STEAM TRAP	
10	RESELL LAMP (RL)	
11	PTD	
12	COMPENSATOR VALVE	

PREPARED BY ENGINEERING
NAME: _____
SIGN & DATE: _____

CHECKED BY ENGINEERING
NAME: _____
SIGN & DATE: _____

CHECKED BY PROCESS ENGG.
NAME: _____
SIGN & DATE: _____

VERIFIED BY PRODUCTION
NAME: _____
SIGN & DATE: _____

REVIEWED BY Q.A.
NAME: _____
SIGN & DATE: _____

APPROVED BY Q.A.
NAME: _____
SIGN & DATE: _____

REV	DATE	DESCRIPTION
00	12/12/23	P & ID UPDATED AS PER CC-50, NC/PHS/23-028


This drawing is a property of Aarti Pharmalabs Ltd. Unauthorised disclosure to any third party or duplication is not permitted.



AARTI PHARMALABS LIMITED
UNIT-IV, PLOT NO. E-50, 50/1 & 50/1,
MIDC TARAPUR, TAL. & DIST. - PALGHAR,
PIN-401506, MAHARASHTRA INDIA.

TITLE : P&ID OF R-801 FOR BLOCK-V.
DWG. NO. APL/P&ID/R-801/02
DWN BY: SAITECH
SIGN & DATE: _____

ANNEXURE-II



ANNEXURE-III

Effluent Treatment & Disposal

ETP scheme description,

Effluent Treatment scheme will be as below-

- High COD / Low TDS Effluent from process along with washing will be collected in effluent collection tank & treatment through bio-degradation treatment.
- High COD / High TDS effluent fro process will be collected in separated tank and it will be send to stripper followed by MEE, ATFD & MVR.
- Treated effluent from ETP and utility water (Cooling water and boiler blow down) will be treated at RO unit.
- Spent solvent will be sent for reprocessing.
- Salt recovered will be sent to CHWTSDF for disposal.
- Bio sludge from ETP process will be sent to CHWTSDF for disposal.
- Permeate of RO unit will be utilized in cooling tower as make up and make to hot water tank .
- Domestic sewage will be treated in independent STP.

ANNEXURE - IV





FIRE EXTINGUISHER SERVICING REPORT

Sl.No	Code	Floor Level	Section	Location / Area	SR.NO	M/Year	Company Name	Type	Capacity	HPT On	HPT Due On	Refill On	Refill Due On	CA-Tag	Observation	Remarks
Ground Floor (Block -05, Plot No.E-59)																
1)	ABC/25/01	Ground	Warehouse	Material Entry & Exit Area	1.01	Jul-22	FIREMAX	ABC	25 Kg	12.07.2025	11.07.2028	14.07.2025	13.07.2028	2617-2625	Nil	Ok
2)	ABC/06/112			Passage Area Front Glid-Exit Door	109.01	Apr-22	FIREMAX	ABC	6 Kg	12.07.2025	11.07.2028	14.07.2025	13.07.2028	2617-2625	Nil	Ok
3)	ABC/06/113			Passage Area Material Entry Door	194.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok
4)	ABC/06/114			F.G Quarantine Room	189.02	Apr-22	FIREMAX	ABC	6 Kg	10.08.2024	09.08.2027	12.08.2024	11.08.2027	N/A	Nil	Ok
5)	ABC/06/115			F.G Quarantine Room	42.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok
6)	CA/04/01			Outside of Wash Room Area	18.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok
7)	CA/04/02			Repacking F.G Store Room	10.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok
8)	CO2/4.5/75		MCC and AHU Room Panel Room -3	Inside MCC Room Near Door	A-23355	Feb-22	FIREMAX	CO2	4.5 Kg	Feb-22	Feb-27	14.02.2025	13.02.2030	15.11	Nil	Ok
9)	ABC/06/116			Inside MCC Room Near Door	63.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok
10)	CO2/4.5/75			Inside MCC Room Near VUE-804	A-14968	Feb-22	FIREMAX	CO2	4.5 Kg	Feb-22	Feb-27	28.02.2022	27.02.2027	16.60	Nil	Ok
11)	ABC/06/117			Inside MCC Room Near VUE-804	27.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok
12)	ABC/06/118	Gents Lockers Room	Gents Lockers Room	40.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok	
13)	ABC/06/119	Hoist Area	Front Of Hoist-802	203.03	Jul-22	FIREMAX	ABC	6 Kg	02.07.2023	01.07.2026	04.07.2023	03.07.2026	N/A	Nil	Ok	
14)	ABC/06/120	Production Area	Near Entry Door Of Production	61.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok	
15)	ABC/06/142	Intermediate Level -1 Area	Inside Document Room	39.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok	
16)	MF/45/11		Near R-804	21.01	May-22	FIREMAX	M/Foam	45 Ltr	26.06.2024	25.06.2026	28.06.2024	27.06.2026	1444-1425	Nil	Ok	
17)	ABC/06/121		Near R-813	28.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok	
18)	MF/45/12		Near R-813	9.01	May-22	FIREMAX	M/Foam	45 Ltr	06.07.2024	05.07.2026	08.07.2024	07.07.2026	1444-1438	Nil	Ok	
19)	ABC/06/122		Near Electric Switch Box/ Emergency Exit	208.03	Apr-22	FIREMAX	ABC	6 Kg	10.08.2024	09.08.2027	12.08.2024	11.08.2027	N/A	Sent To refilling	Spare provided	
20)	MF/45/13		Near Electric Switch Box/ Emergency Exit	37.04	May-22	FIREMAX	M/Foam	45 Ltr	26.06.2024	25.06.2026	28.06.2024	27.06.2026	1520-1529	Nil	Ok	
21)	ABC/06/123	Utility Service Area	Near MLT-806	51.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok	
22)	ABC/06/124		Near MLT-809	58.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok	
23)	ABC/06/125		Near AHU	69.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok	
First Floor																
24)	ABC/06/126	Entrance Corridor Area	Front Of Hoist-802	46.01	Feb-22	FIREMAX	ABC	6 Kg	28.10.2024	27.10.2027	30.10.2024	29.10.2027	N/A	Nil	Ok	
25)	CA/04/03		Front Of Hoist	22.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok	
26)	ABC/06/127	Corridor Passage Area	Front Of Packing Material Area	72.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
27)	CA/04/04		Near PB-806	7.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok	
28)	ABC/06/128	Corridor Passage Area	Near Switch Button	65.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
29)	MF/45/14		Near Switch Button	15.01	May-22	FIREMAX	M/Foam	45 Ltr	26.06.2024	25.06.2026	28.06.2024	27.06.2026	1520-1530	Nil	Ok	
30)	ABC/06/129		Near R-813	35.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	

JR FIRE TECH LLP

501, Kudan Saiwadi, Pachamarg,
Next to CISF Colony, Boisar (West)

jrfiretech@gmail.com, Contact - 9673786820/ 8380906620

Client Name & Address

M/s. Aarti Pharnalabs Limited
E-59, Tarapur Industrial Area, Boisar
Tal. & Dist. Thane, Maharashtra - 401506
Inspection Check list of Fire Extinguisher

Date: March- (20.03.26 to 21.03.26)

31)	ME/45/15	Inside Intermed late Area	Near R-813	18.01	May-22	FIREMAX	M/Foam	45 Ltr	06.07.2024	05.07.2026	08.07.2024	07.07.2026	1440- 1452	Nil	Ok
32)	ABC/06/130		Near R-804	64.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok
33)	ME/45/16		Near R-804	17.01	May-22	FIREMAX	M/Foam	45 Ltr	26.06.2024	25.06.2026	28.06.2024	27.06.2026	1433.3 455	Nil	Ok
34)	ABC/06/131	Utility And AHU Service Area	Near AHU-811	45.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok
35)	ABC/06/132		Near VUE-807	55.01	Aug-22	FIREMAX	ABC	6 Kg	13.09.2025	12.09.2028	15.09.2025	14.09.2028	N/A	Nil	Ok
36)	ABC/06/133		Near AHU-808	57.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok
37)	CA/04/34	Level -III	Corridor Area Front OF Let Mill		2024	FIREMAX	Clean Agent	4 Kg	02.05.2024	01.05.2027	04.05.2024	03.05.2027	N/A	Nil	Ok
38)	CA/04/35		Corridor Area Front OF Let Mill		2024	FIREMAX	Clean Agent	4 Kg	02.05.2024	01.05.2027	04.05.2024	03.05.2027	N/A	Nil	Ok
39)	CA/04/36		Sampling Packing Room		2024	FIREMAX	Clean Agent	4 Kg	02.05.2024	01.05.2027	04.05.2024	03.05.2027	N/A	Nil	Ok
40)	CA/04/37		Sampling Packing Room		2024	FIREMAX	Clean Agent	4 Kg	02.05.2024	01.05.2027	04.05.2024	03.05.2027	N/A	Hook Req.	Provi ded
41)	ABC/06/136	First Floor	Near Staircase Door	24.01	Dec-22	FIREMAX	ABC	6 Kg	12.03.2023	11.03.2026	14.03.2023	13.03.2026	N/A	Sent to refilling	Spare provi ded
42)	CA/04/05		Near Staircase Door	1.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok
43)	ABC/06/137		Near Dust Collector	70.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok
44)	CO2/4.5/78	AHU Service Area	Near Staircase Door	A-23369	Feb-22	FIREMAX	CO2	4.5 Kg	Feb-22	Feb-27	28.02.2022	27.02.2027	16.47	Nil	Ok
45)	ABC/06/138		Near AHU-806	44.02	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok
46)	CO2/4.5/77		Near AHU-806	A-22898	Feb-22	FIREMAX	CO2	4.5 Kg	Feb-22	Feb-27	04.12.2024	03.12.2029	16.78	Nil	Ok
47)	CA/04/06	Level -III Area, Packing Material- III	Sampling And Packing Room-III	16.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok
48)	CA/04/07		Near Accessories Cleaning Room	26.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok
49)	CA/04/08		Man/Material Entry Passage Near Accessories Cleaning Room	20.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok
50)	CA/04/09		Entry Of Sampling And Packing Room	11.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok
51)	CA/04/10	Sampling And Packing Room	13.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok	
52)	CA/04/11	Near Accessories Cleaning Room	24.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok	
53)	ME/45/17	Mezzanin e Floor	Near HE-804 (B)	23.01	May-22	FIREMAX	M/Foam	45 Ltr	26.06.2024	25.06.2026	28.06.2024	27.06.2026	1432- 1553	Nil	Ok
54)	ABC/06/139		Near HE-805 (B)	47.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok
55)	ABC/06/140		Near Utility Header	48.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok
56)	ME/45/18		Near Utility Header	11.01	May-22	FIREMAX	M/Foam	45 Ltr	23.07.2024	22.07.2026	25.07.2024	24.07.2026	1434- 1444	Nil	Ok
57)	ABC/06/141		Near Staircase	60.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok
58)	ME/45/19		Near Staircase	14.01	May-22	FIREMAX	M/Foam	45 Ltr	06.07.2024	05.07.2026	08.07.2024	07.07.2026	1506- 1512	Nil	Ok
Second Floor															
59)	ABC/06/143	Entrance Corridor	Front Of Hoist-802	34.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok
60)	CA/04/12		Front Of Hoist-802	14.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok
61)	ABC/06/144	Corridor Passage Area	Front Of PB-809	190.02	Mar-22	FIREMAX	ABC	6 Kg	12.07.2025	11.07.2028	14.07.2025	13.07.2028	N/A	Nil	Ok
62)	CA/04/13		Near DCS Room	13.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok
63)	ABC/06/145		Near R-810	33.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok
64)	ME/45/20	Near R-810	20.01	May-22	FIREMAX	M/Foam	45 Ltr	26.06.2024	25.06.2026	28.06.2024	27.06.2026	1450- 1458	Nil	Ok	
65)	ME/45/21	Near R-811	22.01	May-22	FIREMAX	M/Foam	45 Ltr	06.07.2024	05.07.2026	08.07.2024	07.07.2026	1233- 1545	Nil	Ok	



JR FIRE TECH LLP

501, Kundan Saiwadi, Pachamarg
Next to CISF Colony, Boisar (West)
www.jrfiretech.com, Contact - 9673786820 / 8380906620

Client Name & Address

M/s. Aarti Pharmed Labs Limited
E-59, Tarapur Industrial Area, Boisar
Tal. & Dist. Thane, Maharashtra - 401506
Inspection Check list of Fire Extinguisher

Date: March- (20.03.26 to 21.03.26)

Sl. No.	Ref. No.	Location	Expiry	Inspected	Brand	Type	Capacity	Last Insp.	Next Insp.	Pressure	Weight	Remarks	Status			
66)	ABC/06/146	Intermediate Area	Near R-811	62.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
67)	MF/45/22		Near R-802	29.01	Mar-22	FIREMAX	M/Foam	45 Ltr	26.06.2024	25.06.2026	28.06.2024	27.06.2026	1190-1485	Nil	Ok	
68)	ABC/06/147		Near R-802	73.01	Mar-22	FIREMAX	ABC	6 Kg	28.02.2023	27.02.2026	02.03.2023	01.03.2026	N/A	Sent refilling	Space Provided	
69)	ABC/06/148	Mezzanine Floor	Near HE-810 A & B	0.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
70)	MF/45/23		Near HE-810 A & B	27.01	May-22	FIREMAX	M/Foam	45 Ltr	06.07.2024	05.07.2026	08.07.2024	07.07.2026	1140-1490	Nil	Ok	
71)	ABC/06/149		Near RC-801	67.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
72)	MF/45/24		Near RC-801	24.01	May-22	FIREMAX	M/Foam	45 Ltr	23.07.2024	22.07.2026	25.07.2024	24.07.2026	1226-1456	Nil	Ok	
73)	ABC/06/150		Near CP-R-802	43.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
74)	MF/45/25		Near CP-R-802	31.04	May-22	FIREMAX	M/Foam	45 Ltr	26.06.2024	25.06.2026	28.06.2024	27.06.2026	1128-1450	Nil	Ok	
75)	ABC/06/151	Utility AHU Service Area	Near AHU-816	59.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
76)	ABC/06/152		Front of R-812 Utility Header	41.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
77)	ABC/06/153		Near VUS-813	52.01	Feb-22	FIREMAX	ABC	6 Kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok	
78)	CA/04/14	Second Floor	Behind AGNFD-803 & 804	6.01	May-22	FIREMAX	Clean Agent	4 Kg	02.08.2025	01.08.2028	04.08.2025	03.08.2028	N/A	Nil	Ok	
79)	CA/04/15		Near Power pack of AGNFD-803	4.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok	
80)	CA/04/16		AGNFD-805 Room, Behind AGNFD-805	23.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok	
81)	CA/04/17		AGNFD-805 Room Near Staircase area	28.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok	
82)	CA/04/18		Behind AGNFD-807 808	31.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok	
83)	CA/04/19		Near Staircase	17.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok	
84)	CA/04/20		Near PB-810	8.04	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok	
85)	CA/04/21		Near Staircase	5.04	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok	
86)	ABC/06/154		SRP Area	Last side door	26.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok
87)	ABC/06/155			East side door	31.01	Jul-22	FIREMAX	ABC	6 Kg	28.01.2025	27.01.2028	30.01.2025	29.01.2028	N/A	Nil	Ok
88)	CO2/4.5/79	Near HWT-811		A23428	Feb-22	FIREMAX	CO2	4.5 Kg	Feb-22	Feb-27	28.02.2022	27.02.2027	16.45	Nil	Ok	
89)	ABC/06/156	Utility AHU Service Area	Near HWT-811	32.01	Jul-22	FIREMAX	ABC	6 Kg	12.07.2025	11.07.2028	14.07.2025	13.07.2028	N/A	Nil	Ok	
90)	ABC/06/157		Near MLT-807	138.01	Apr-22	FIREMAX	ABC	6 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok	
91)	CO2/4.5/80		Near MLT-808	A23008	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.48	Nil	Ok	
92)	ABC/06/158		Near AHU-813	49.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
93)	CO2/4.5/81	Near AHU-813	A22741	Feb-22	FIREMAX	CO2	4.5 Kg	Feb-22	Feb-27	28.02.2022	27.02.2027	16.30	Nil	Ok		
Third Floor																
94)	ABC/06/159	Entrance Corridor area	Front of Hoist	53.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
95)	CA/04/22		Corridor Passage Area.	Front of Hoist	9.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok
96)	ABC/06/160	Intermediate Area	Near PB-813	178.02	Apr-22	FIREMAX	ABC	6 Kg	23.04.2025	22.04.2028	25.04.2025	24.04.2028	N/A	Nil	Ok	
97)	CA/04/23		Near Electric supply point.	21.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok	
98)	MF/45/26		Near R-815	35.01	May-22	FIREMAX	M/Foam	45 Ltr	26.06.2024	25.06.2026	28.06.2024	27.06.2026	1138-1440	Nil	Ok	
99)	ABC/06/161		Near R-815	30.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
100)	MF/45/27		Near R-824	10.01	May-22	FIREMAX	M/Foam	45 Ltr	06.07.2024	05.07.2026	08.07.2024	07.07.2026	1340-1700	Nil	Ok	
101)	ABC/06/162		Near R-824	75.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
102)	ABC/06/163		Near R-806	78.01	Feb-22	FIREMAX	ABC	6 Kg	16.04.2024	15.04.2027	18.04.2024	17.04.2027	N/A	Nil	Ok	
103)	MF/45/28		Near R-806	34.01	May-22	FIREMAX	M/Foam	45 Ltr	26.06.2024	25.06.2026	28.06.2024	27.06.2026	1142	Nil	Ok	



JR FIRE TECH LLP

501, Kudan Saiwadi, Pachamarg,
Next to CISF Colony, Boisar (West)

jrfiretech@gmail.com, Contact - 9673786820 / 8380906620

Client Name & Address

M/s. Aarti Pharamalabs Limited
E-59, Tarapur Industrial Area, Boisar
Tal. & Dist. Thane, Maharashtra - 401506
Inspection Check list of Fire Extinguisher

Date: March- (20.03.26 to 21.03.26)

Sl. No.	Ref. No.	Location	Capacity	Exp. Date	Brand	Type	Weight	Inspected	Valid Until	Next Due	Remarks	Remarks	Remarks	Remarks	Remarks
104	ME/45/29	Near HE-809 A & B	30.1	May-22	FIREMAX	M/Foam	45 Ltr	06.07.2024	05.07.2026	08.07.2024	07.07.2026	1152-1485	Nil	Ok	
105	ABC/06/164	Near HE-809 A & B	34.01	Feb-22	FIREMAX	ABC	6 Kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok	
106	ABC/06/165	Near SSR-822	24.03	Apr-22	FIREMAX	ABC	6 Kg	23.04.2025	22.04.2028	25.04.2025	24.04.2028	N/A	Nil	Ok	
107	ME/45/30	Near SSR-822	25.01	May-22	FIREMAX	M/Foam	45 Ltr	23.07.2024	22.07.2026	25.07.2024	24.07.2026	1134-1451	Nil	Ok	
108	ABC/06/166	Near HE-806 A	202.03	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
109	ME/45/31	Near HE-806 A	28.01	May-22	FIREMAX	M/Foam	45 Ltr	23.07.2024	22.07.2026	25.07.2024	24.07.2026	1540-1560	Nil	Ok	
110	CA/04/24	Near GLR-807	19.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok	
111	CA/04/25	Near PB-811	12.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok	
112	CA/04/26	Near PB-812	27.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok	
113	CA/04/27	Near GLR-808	22.61	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok	
114	CA/04/28	Near DPB-805	31.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok	
115	CA/04/29	Near CR-814	30.01	May-22	FIREMAX	Clean Agent	4 Kg	05.06.2025	04.06.2028	07.06.2025	06.06.2028	N/A	Nil	Ok	
116	CA/04/30	Near connection Board	64.03	2024	FIREMAX	Clean Agent	4 Kg	02.05.2024	01.05.2027	04.05.2024	03.05.2027	N/A	Nil	Ok	
117	CA/04/31	Near staircase area	63.03	2024	FIREMAX	Clean Agent	4 Kg	02.05.2024	01.05.2027	04.05.2024	03.05.2027	N/A	Nil	Ok	
118	ABC/06/167	NA	196.02	Apr-22	FIREMAX	ABC	6 Kg	28.05.2024	27.05.2027	30.05.2024	29.05.2027	N/A	Nil	Ok	
119	ABC/06/168	NA	206.03	Apr-22	FIREMAX	ABC	6 Kg	06.04.2025	05.04.2028	08.04.2025	07.04.2028	N/A	Nil	Ok	
120	ABC/06/169	Near HWT-812	210.03	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
121	CO2/4.5/82	Near HWT-812	A32044	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.50	Nil	Ok	
122	ABC/06/170	Near AHU-814	201.03	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
123	CO2/4.5/83	Near AHU-814	A23604	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.55	Nil	Ok	
124	ABC/06/171	Near AHU-812	184.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
125	CO2/4.5/84	Near AHU-812	A23036	Apr-22	FIREMAX	CO2	4.5 Kg	Feb-22	Feb-27	04.04.2022	03.04.2027	16.75	New Hook Req	provided	
126	ABC/06/172	Near AHU-817	200.02	Jul-22	FIREMAX	ABC	6 Kg	02.07.2023	01.07.2026	04.07.2023	03.07.2026	N/A	Nil	Ok	
127	ABC/06/173	Near AHU-815	173.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
128	ABC/06/174	Near AHU-814	143.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
Fourth Floor															
129	ABC/06/175	Near Tank 101	180.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
130	CO2/4.5/85	Near Tank 101	A2299	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.33	Nil	Ok	
131	ABC/06/176	Near Distribution system	174.02	Apr-22	FIREMAX	ABC	6 Kg	23.04.2025	22.04.2028	25.04.2025	24.04.2028	N/A	Nil	Ok	
132	ABC/06/177	Near Airlock (FR-10)	175.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
133	ABC/06/178	Near CCTV Camwra.	179.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
134	CA/04/32	Inside Airlock area near Accessories room.	30.01	May-22	FIREMAX	Clean Agent	4 Kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok	
135	CA/04/33	Inside Airlock area near Accessories room.	25.01	May-22	FIREMAX	Clean Agent	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok	
136	ABC/06/179	Near Entrance door	186.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
137	CO2/4.5/86	Near Entrance door	A23314	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.20	Nil	Ok	
138	ABC/06/180	Towards North side door	176.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	



JR FIRE TECH LLP

501, Kundan Schwadi, Pachamarg
Next to CISF Colony, Boisar (West)

jrfiretech@gmail.com, Contact - 9673786820/ 8380906620

Client Name & Address

M/s. Aarti Pharamalabs Limited
E-59, Tarapur Industrial Area, Boisar
Tal. & Dist. Thane, Maharashtra - 401506
Inspection Check list of Fire Extinguisher

Date: March- (20.03.26 to 21.03.26)

139	CO2/4.5/87	Fourth Floor	Open raw material store	Towards North side door	A22968	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.35	Nil	Ok	
140	ABC/06/181			On backside wall.	166.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
141	ABC/06/182		Open Terrace area	On pipe rack support, near AHU-	165.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
142	ABC/06/183			Near backside staircase	182.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
143	ABC/06/184			Near Utility side staircase	205.03	Apr-22	FIREMAX	ABC	6 Kg	08.01.2025	07.01.2028	10.01.2025	09.01.2028	N/A	Nil	Ok	
144	ABC/06/185			Near Clean filter storage room	135.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
145	ABC/06/186		AHU Service area	Near VUE-817	172.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
146	CO2/09/11		MCC Panel room	Near Entrance door.	A1859	May-22	FIREMAX	CO2	9 Kg	May-22	May-27	12.05.2022	11.05.2027	30.27	Nil	Ok	
147	CO2/09/12			Near South side Entrance	A1164	May-22	FIREMAX	CO2	9 Kg	May-22	May-27	12.05.2022	11.05.2027	31.53	Nil	Ok	
148	CO2/4.5/88			Near R-811 MCC Panel	A23105	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.85	Nil	Ok	
149	CO2/09/13	AHU Service area	Near VUE-817	A1919	May-22	FIREMAX	CO2	9 Kg	May-22	May-27	12.05.2022	11.05.2027	30.25	Nil	Ok		
Fifth Floor (Terrace)																	
150	ABC/06/187	Fourth Floor	On Terrace	Near south side staircase area	168.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
151	CO2/4.5/89		Near Lift Pannel room.	Near Lift Pannel room	A49087	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.60	Nil	Ok	
Utility Building																	
152	ABC/06/188	Ground floor	Chiller room	Near Entry door.	28.01	Apr-22	FIREMAX	ABC	6 Kg	30.03.2023	29.03.2026	01.04.2023	31.03.2026	N/A	Sent to refilling	Space provided	
153	CO2/4.5/89			Near Entry door.	A23013	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.03.2025	03.03.2030	16.36	Nil	Ok	
154	ABC/06/189		Compressor area	Near MEE Side ramp	178.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
155	CO2/4.5/90			Near MEE Side ramp	A22901	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.48	Nil	Ok	
156	ABC/06/190		Mezzanine floor	Near staircase area	77.01	Aug-22	FIREMAX	ABC	6 Kg	13.09.2025	12.09.2028	15.09.2025	14.09.2028	N/A	Nil	Ok	
157	ABC/06/191		Compressor area	U/G Solvent side door.	167.02	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
158	CO2/4.5/91			U/G Solvent side door.	A23222	Feb-22	FIREMAX	CO2	4.5 Kg	Feb-22	Feb-27	10.01.2025	09.01.2030	16.50	Nil	Ok	
159	ABC/06/210		Compressor area	U/G Solvent Out side	195.03	Feb-22	FIREMAX	ABC	6 kg	12.02.2025	11.02.2028	14.02.2025	13.02.2028	N/A	Nil	Ok	
Utility First Floor																	
160	ABC/06/192	First floor	Wash room area	Front of wash room	188.02	Aug-22	FIREMAX	ABC	6 kg	13.09.2025	12.09.2028	15.09.2025	14.09.2028	N/A	Nil	Ok	
161	ABC/06/193		Store room	Training Hall	17.03	Oct-22	FIREMAX	ABC	6 kg	04.10.2022	03.10.2025	06.10.2022	05.10.2025	N/A	Nil	Ok	
162	CO2/09/14		Panel room	Inside panel room	A1934	May-22	FIREMAX	CO2	9 Kg	May-22	May-27	12.05.2022	11.05.2027	30.39	Nil	Ok	
163	ABC/06/194			Inside panel room	182.02	Apr-22	FIREMAX	ABC	6 kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok	
164	CO2/22.5/07		Inside panel room	19757	2017	Vintex	CO2	22.5 kg	Aug-22	Aug-27	04.08.2022	03.08.2027	N/A	Nil	Ok		
165	CO2/09/15		Near API side staircase	A1957	May-22	FIREMAX	CO2	9 Kg	May-22	May-27	12.05.2022	11.05.2027	16.48	Nil	Ok		
166	ABC/06/195		Near Entry Door.	204.03	Apr-22	FIREMAX	ABC	6 kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok		
167	CO2/4.5/72	DCS Room	Near Entry Door.	UE-42121	Sep-22	Vintex	CO2	4.5 Kg	Jan-23	Jan-28	19.01.2023	18.01.2028	17.4	Nil	Ok		
168	Utility Second Floor																



JR FIRE TECH LLP

501, Kudan Saiwadi, Pachamarg,
Next to CISE Colony, Boisar (West)
P/11/2023/1@gmail.com, Contact - 9673786820/ 8380906620

Client Name & Address

M/s. Aarti Pharmed Labs Limited
E-59, Tarapur Industrial Area, Boisar
Tal. & Dist. Thane, Maharashtra - 401506
Inspection Check list of Fire Extinguisher

Date: March- (20.03.26 to 21.03.26)

169)	ABC/06/200	Second Floor	Engg. Office	Near Engg Office	191.02	Apr-22	FIREMAX	ABC	6 Kg	28.10.2024	27.10.2027	30.10.2024	29.10.2027	N/A	Nil	Ok
170)	CO2/4.5/92			Near Engg Office	A23094	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.44	Nil	Ok
171)	CO2/4.5/93		Utility Pump House	Near Entry Door	A22995	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.34	Nil	Ok
172)	ABC/06/196			Near Entrance Door	207.03	Apr-22	FIREMAX	ABC	6 kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok
173)	CO2/4.5/94			Near Entrance Door	A230	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.53	Nil	Ok
174)	ABC/06/197			Near Entrance door of API Side	183.02	Apr-22	FIREMAX	ABC	6 kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok
175)	ABC/06/198		Finish Goods Store Room	Finish Goods Store Room	187.02	Apr-22	FIREMAX	ABC	6 kg	02.06.2025	01.06.2028	04.06.2025	03.06.2028	N/A	Nil	Ok
176)	CO2/4.5/95			Finish Goods Store Room	A23067	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	15.09.2025	14.09.2030	16.38	Nil	Ok
Utility Terrace Floor																
177)	ABC/06/224	Terrace floor	Terrace area	Near Entry Door.	164.03	Apr-22	FIREMAX	ABC	6 kg	13.09.2025	12.09.2028	15.09.2024	14.09.2028	N/A	Nil	Ok
178)	CO2/4.5/96			Near Entry Door.	19774	2017	Videa	CO2	22.5 kg	Aug-22	Aug-27	04.09.2022	03.09.2027	N/A	Nil	Ok
179)	CO2/4.5/97		Upper Terrace	Near Hoist Panel	168990		FIREMAX	CO2	4.5 Kg	Dec-24	Dec-29	20.05.2025	19.05.2030	N/A	Nil	Ok
Hydrant Pump House Area																
180)	CO2/4.5/97	Ground Floor	Pump House	Inside Primary water treatment plant near entry door.	A22958	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.80	Nil	Ok
181)	ABC/06/201			Inside Office of Primary water treatment plant near entry door.	353.04	Feb-22	FIREMAX	ABC	6 kg	02.03.2025	01.03.2028	04.03.2025	03.03.2028	N/A	Nil	Ok
182)	CO2/4.5/98			Inside Primary water treatment plant near Pump House Staircase	A23087	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.30	Nil	Ok
183)	ABC/06/202			Inside Primary water treatment plant near Pump House Staircase	9	Apr-22	FIREMAX	ABC	6 kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok
184)	CO2/4.5/99		Purified water	U/G Pump House near Diesel Pump.	A22997	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.30	Nil	Ok
185)	ABC/06/203			U/G Pump House near Diesel Pump.	199.03	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok
MEE Building MEE And ETP																
186)	ABC/06/205	Ground Floor	MEE Building	Central Entrance area on column.	50.01	Feb-22	FIREMAX	ABC	6 kg	26.04.2025	25.04.2028	28.04.2025	27.04.2028	N/A	Nil	Ok
187)	CO2/4.5/100			Central Entrance area on column.	A49084	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.80	Nil	Ok
188)	ABC/06/206	First Floor	MEE Building	Near M.S. Staircase	35.01	Apr-22	FIREMAX	ABC	6 kg	10.06.2024	09.06.2027	12.06.2024	11.06.2027	N/A	Nil	Ok
189)	CO2/4.5/101			Near M.S. Staircase	A23016	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.51	Nil	Ok
190)	ABC/06/207			MEE Entrance area	361.01	Jul-22	FIREMAX	ABC	6 kg	27.03.2025	26.03.2028	29.03.2025	28.03.2028	N/A	Nil	Ok
191)	CO2/4.5/102			MEE Entrance area	A22993	Apr-22	FIREMAX	CO2	4.5 Kg	Apr-22	Apr-27	04.04.2022	03.04.2027	16.61	Nil	Ok
192)	ABC/06/209			MEE Entrance area	181.02	Apr-22	FIREMAX	ABC	6 kg	27.03.2025	26.03.2028	29.03.2025	28.03.2028	N/A	Nil	Ok
193)	CO2/4.5/103	Second Floor	MEE Building	MEE Entrance area	A49212	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.60	Nil	Ok
194)	ABC/06/211			MEE Entrance area	339.02	Jul-22	FIREMAX	ABC	6 kg	27.03.2025	26.03.2028	29.03.2025	28.03.2028	N/A	Nil	Ok
195)	CO2/4.5/104			MEE Entrance area	A49299	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.55	Nil	Ok
ETP Building																
196)	ABC/06/212			Near Filter Press.	74.01	Feb-22	FIREMAX	ABC	6 kg	28.10.2024	27.10.2027	30.10.2024	29.10.2027	N/A	Nil	Ok
197)	CO2/4.5/107			Near Filter Press.	A.49181	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.68	Nil	Ok
198)	CO2/4.5/108	Ground	ETP Building	MEE Side Exit. (Inside room)	A49154	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.66	Nil	Ok
199)	ABC/06/213			Inside R.O. Plant room.	369.09	Jul-22	FIREMAX	ABC	6 Kg	22.07.2025	21.07.2028	24.07.2025	23.07.2028	N/A	Nil	Ok
200)	CO2/4.5/109			Inside R.O. Plant room.	A49394	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.34	Nil	Ok



JR FIRE TECH LLP

501, Kudan Saiwadi, Pachamarg
 Next to CISF Colony, Boisar (West)
 jrfiretech@gmail.com, Contact - 9673786820 / 8380906620

Client Name & Address

M/s. Aarti Pharmalabs Limited
 E-59, Tarapur Industrial Area, Boisar
 Tal. & Dist. Thane, Maharashtra - 401506
 Inspection Check list of Fire Extinguisher

Date: March- (20.03.26 to 21.03.26)

Sl. No.	ABC No.	Floor	Area	Weight	Year	Brand	Type	Capacity	Inspected	Valid Until	Next Due	Remarks	Body Rusted	Pressure	
201)	ABC/06/236	Roof	Ro Panel Room	349.02	2025	FIREMAX	ABC	4 Kg	18.12.2025	17.12.2026	20.12.2025	19.12.2026	N/A	Nil	
202)	CO2/4.5/110	ETP Building near Boiler	Near Pannel room of Boiler	A49241	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.81	Nil	
203)	ABC/06/214		Near Pannel room of Boiler	355.04	Jul-22	FIREMAX	ABC	6 kg	12.07.2025	11.07.2026	14.07.2025	13.07.2026	N/A	Nil	
204)	CO2/4.5/111	Boiler area	Boiler backside area	A491.53	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	26.04.2025	27.04.2030	16.04	Nil	
205)	CO2/4.5/112	Boiler area	Chemical storage room	A48963	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.46	Nil	
206)	ABC/06/215		Near ETP Entrance	365.04	Jul-22	FIREMAX	ABC	6 kg	26.04.2025	25.04.2026	28.04.2025	27.04.2026	N/A	Nil	
207)	MF/09/07	First floor	Near Boiler Bio Diesel and water Tank	6.01	Feb-22	FIREMAX	M/Foam	9 Ltr	23.07.2024	22.07.2025	25.07.2024	24.07.2026	N/A	Nil	
208)	ABC/06/216		Near Boiler Bio Diesel and water Tank	354.04	Jul-22	FIREMAX	ABC	6 Kg	12.07.2025	11.07.2026	14.07.2025	13.07.2026	N/A	Nil	
209)	ABC/06/217	Second floor	Near Settler Tank	A49026	Jul-22	FIREMAX	ABC	6 Kg	13.09.2025	12.09.2026	15.09.2025	14.09.2026	N/A	Nil	
210)	CO2/4.5/113	ETP Building	Near Settler Tank	363.04	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.62	Nil	
211)	ABC/06/218		MCC Room Entry area.	A1976	Jul-22	FIREMAX	ABC	9 Kg	12.07.2025	11.07.2026	14.07.2025	13.07.2026	N/A	Nil	
212)	CO2/09/17	Third floor	MCC Room Entry area.	A49026	May-22	FIREMAX	CO2	9 Kg	May-22	May-27	12.05.2022	11.05.2027	30.44	Nil	
213)	ABC/06/219		Near Air Blower	A368.04	Jul-22	FIREMAX	ABC	6 Kg	10.06.2024	09.06.2027	12.06.2024	11.06.2027	N/A	Nil	
214)	CO2/4.5/114	Third floor	Near Air Blower	A49640	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.75	Nil	
215)	ABC/06/222		MCC Room Entry area.	397.61	Jul-22	FIREMAX	ABC	6 Kg	10.08.2024	09.08.2027	12.08.2024	11.08.2027	N/A	Nil	
HT Yard															
216)	ABC/25/03	H.T. Yard	Inside H.T. Yard near Entrance	4.01	Apr-22	FIREMAX	ABC	25 Kg	26.04.2025	25.04.2026	28.04.2025	27.04.2026	2730-2700	Nil	
217)	CO2/4.5/115		Inside H.T. Yard near Entrance	A22884	Feb-22	FIREMAX	CO2	4.5 Kg	Feb-22	Feb-27	28.02.2022	27.02.2027	16.43	Nil	
218)	ABC/25/02	Ground floor	11 KV. H.T. Yard	4.02	Apr-22	FIREMAX	ABC	25 Kg	12.07.2025	11.07.2026	14.07.2025	13.07.2026	2730-2700	Nil	
219)	ABC/06/204		33 KV. CRP Room	Entry area of 33 KV. CRP Room	38.01	Oct-22	FIREMAX	ABC	6 Kg	28.05.2024	27.05.2027	30.05.2024	29.05.2027	N/A	Nil
220)	CO2/4.5/116	Ground floor	33 KV. CRP Room	Entry area of 33 KV. CRP Room	A22891	Feb-22	FIREMAX	CO2	4.5 Kg	Feb-22	Feb-27	28.02.2022	27.02.2027	16.03	Nil
221)	ABC/25/10		33 KV.	Nr.33 KV HT Yard		Apr-22	FIREMAX	ABC	25 Kg	01.05.2025	30.04.2026	03.05.2025	02.05.2026	N/A	Nil
Surrounding Area															
222)	MF/45/32	Solvent Tankfarm area	Near Weighing balance	16.01	May-22	FIREMAX	M/Foam	45 Ltr	26.06.2024	25.06.2026	28.06.2024	27.06.2026	1454-1410	Nil	
223)	CO2/4.5/117		Near Weighing balance	A49507	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	14.07.2022	13.07.2027	16.40	Nil	
224)	ABC/25/04		Near Weighing balance	2.01	Jul-22	FIREMAX	ABC	25 Kg	12.07.2025	11.07.2026	14.07.2025	13.07.2026	2724-2240	Nil	
225)	MF/09/06	Ground floor	Under Ground Solvent Tankfarm area	5.01	Apr-22	FIREMAX	M/Foam	9 Ltr	02.03.2025	01.03.2027	04.03.2025	03.03.2027	N/A	Nil	
226)	CO2/4.5/118		Under Ground Solvent Tankfarm area	On wall of Purified water area.	A49296	Jul-22	FIREMAX	CO2	4.5 Kg	Jul-22	Jul-27	26.04.2025	27.04.2030	16.55	Nil
227)	ABC/06/220	Solvent Drum Storage Area	Under Ground Solvent Tankfarm area	60.01	Apr-22	FIREMAX	ABC	6 Kg	30.03.2023	29.03.2026	01.04.2023	31.03.2026	N/A	Sent to Refilling	
228)	MF/45/33		Near M.L.C. Pannel Room	5.04	May-22	FIREMAX	M/Foam	45 Ltr	22.07.2026	22.07.2026	25.07.2024	24.07.2026	1462-1460	Nil	
229)	MF/45/36	Solvent Drum Storage Area	Near Corner Of Utility Building Entrance	16.04	05/202	FIREMAX	M/Foam	45 Ltr	06.07.2024	05.07.2026	08.07.2024	07.07.2026	1433-1460	Nil	
D.G. And Transformer Area															
230)	CO2/4.5/114	HT Yard	Near Transformer												
231)	CO2/06/15	Ground floor	Near Transformer	Near Transformer entry area	A1998	May-22	FIREMAX	CO2	4.5 Kg	May-22	May-27	13.05.2022	11.05.2027	30.52	Nil
232)	ABC/25/05		Near Transformer	Near Transformer entry area	4.01	Jul-22	FIREMAX	ABC	25 Kg	12.07.2025	11.07.2026	14.07.2025	13.07.2026	2582-2090	Nil
233)	ABC/06/221	Ground floor	Near D.G.	353.04	Apr-22	FIREMAX	ABC	6 Kg	26.04.2025	25.04.2026	28.04.2025	27.04.2026	N/A	Nil	
234)	CO2/4.5/119		Near D.G.	Inside Transformer Caps	A19979	Feb-22	FIREMAX	CO2	4.5 Kg	Feb-22	Feb-27	28.02.2022	27.02.2027	16.39	Nil
Solvent Yard															
235)	MF/45/33	Ground floor	Solvent Storage area (Godown)	19001	Mar-22	FIREMAX	M/Foam	45 Ltr	26.04.2025	27.04.2027	30.04.2025	29.04.2027	1553-1560	Nil	
236)	MF/06/60		Solvent Storage area	30.05	Feb-22	FIREMAX	M/Foam	45 Ltr	12.07.2025	11.07.2026	14.07.2025	13.07.2026	N/A	Nil	



JR FIRE TECH LLP

501, Kudan Saiwadi, Pachamang,
Next to CISF Colony, Boisar (West)
www.jrfiretech.com, Contact - 9673786820 / 8380906620

Client Name & Address
M/s. Aarti Pharamalabs Limited
E-59, Tarapur Industrial Area, Boisar
Tal. & Dist. Thane, Maharashtra - 401506
Inspection Check list of Fire Extinguisher

Date: March- (20.03.26 to 21.03.26)

Sl. No.	Extinguisher ID	Floor	Location	Extinguisher Type	Weight	Inspected On	Inspected By	Pressure	Expiry Date	Next Service Date	Weight	Weight	Weight	Weight	Weight	Weight	Weight	
237)	MF/45/34	Ground floor	Near Gate No.2	Solvent Storage area (Godown)	37.03	Feb-22	FIREMAX	M/Foam	45 Ltr	15.03.2024	14.03.2026	17.03.2024	16.03.2026	1580-1550	Nil	Ok		
238)	MF/09/70					Nov-22	FIREMAX	M/Foam	9 Ltr	06.01.2025	07.01.2027	10.01.2025	09.01.2027	N/A	Nil	Ok		
239)	ABC/25/05					Mar-22	FIREMAX	ABC	25 Kg	26.04.2025	27.04.2027	30.04.2025	29.04.2027	2120-2195	Nil	Ok		
240)	ABC/02/05	Ground floor	conference Room	Office Area														
				Production Office	10.04	Mar-22	FIREMAX	ABC	2 Kg	28.02.2023	27.02.2026	02.03.2023	01.03.2026	N/A	Sent to refilling	Spare provided		
241)	ABC/02/06	Second floor	Utility	Engg/ Utility Office	9.04	May-22	FIREMAX	ABC	2 Kg	12.07.2025	11.07.2028	14.07.2025	13.07.2028	N/A	Nil	Ok		
242)	ABC/02/07	Ground floor	vide Building	811 LAB	14.04	Apr-22	FIREMAX	ABC	4 Kg	25.05.2025	24.05.2028	27.05.2025	26.05.2028	N/A	Nil	Ok		
Block No.05 APL Building/ East Side																		
243)	CLD/06/04	Ground floor	Block No.05 Cryo Reactor Area	Near staircase No.4				CLD	6 Kg	03.11.2025	02.11.2030	05.11.2025	04.11.2030	N/A	Nil	Ok		
244)	ABC/06/221			Near staircase No.4				ABC	6 Kg	12.07.2025	11.07.2028	14.07.2025	13.07.2028	N/A	Nil	Ok		
245)	ABC/06/228			Near staircase No.4	515-11	2023	FIREMAX	ABC	6 Kg	18.12.2023	17.12.2026	20.12.2023	19.12.2026	N/A	Nil	Ok		
246)	CLD/06/03			Near staircase No.4		2025	FIREMAX	CLD	6KGg	03/11/25	02/11/30	05/11/25	04/11/30	N/A	Nil	Ok		
247)	CLD/06/05			Near staircase No.4		2025	FIREMAX	CLD	6KGg	03/11/25	02/11/30	05/11/25	04/11/30	N/A	Nil	Ok		
248)	CO2/4.5/120			Near staircase No.4	A829630	2023	FIREMAX	CO2	4.5 Kg	Aug-23	Aug-26	20.08.2023	19.08.2026	16.73	Nil	Ok		
249)	ABC/06/229			Near staircase No.4	513-11	2023	FIREMAX	ABC	6 kg	18.12.2023	17.12.2026	20.12.2023	19.12.2026	N/A	Nil	Ok		
250)	CO2/4.5/121			Near staircase No.4	A424606	2023	FIREMAX	CO2	4.5 Kg	Aug-23	Aug-26	20.08.2023	19.08.2026	16.70	Nil	Ok		
251)	ABC/06/230			First floor		Near staircase No.5	912-11	2023	FIREMAX	ABC	6 kg	18.12.2023	17.12.2026	20.12.2023	19.12.2026	N/A	Nil	Ok
252)	CO2/4.5/01					Near staircase No.4		2026	FIREMAX	CO2	4.5 Kg	05/01/26	04/01/31	08/01/26	07/01/31	N/A	Nil	Ok
253)	ABC/06/02	Third floor	Block No.05 Cryo Reactor Area	Near staircase No.4		2026	FIREMAX	ABC	6 kg	05/01/26	04/01/29	08/01/26	07/01/29	N/A	Nil	Ok		
254)	CTD/06/02			Near staircase No.4		2025	FIREMAX	CTD	4 Kg	09/11/26	04/11/30	09/11/26	07/11/30	N/A	Nil	Ok		
255)	CO2/4.5/122			Near staircase No.5	A825966	2023	FIREMAX	CO2	4.5 Kg	Aug-23	Aug-26	20.08.2023	19.08.2026	16.50	Nil	Ok		
256)	ABC/06/231			Near staircase No.4	517-11	2023	FIREMAX	ABC	6 kg	18.12.2023	17.12.2026	20.12.2023	19.12.2026	N/A	Nil	Ok		
257)	CO2/4.5/123			Near staircase No.4	A825989	2023	FIREMAX	CO2	4.5 Kg	Aug-23	Aug-26	20.08.2023	19.08.2026	16.72	Nil	Ok		
258)	ABC/06/232			Near staircase No.5	510-11	2023	FIREMAX	ABC	6 kg	13.09.2025	12.09.2028	15.09.2025	14.09.2028	N/A	Nil	Ok		
259)	CO2/4.5/124			Near staircase No.5	A834845	2023	FIREMAX	CO2	4.5 Kg	Aug-23	Aug-26	20.08.2023	19.08.2026	15.90	Nil	Ok		
260)	CLD/06/01			Near staircase No.5		2025	FIREMAX	CLD	06 kg	09/11/25	04/11/30	09/11/25	07/11/30	N/A	Nil	Ok		
261)	ABC/06/233			Near staircase No.4	519-11	2023	FIREMAX	ABC	6 kg	18.12.2023	17.12.2026	20.12.2023	19.12.2026	N/A	Nil	Ok		
262)	CO2/4.5/125			Near staircase No.4	A826042	2023	FIREMAX	CO2	4.5 Kg	Aug-23	Aug-26	20.08.2023	19.08.2026	16.45	Nil	Ok		
263)	ABC/06/234	Near staircase No.5	518-11	2023	FIREMAX	ABC	6 kg	18.12.2023	17.12.2026	20.12.2023	19.12.2026	N/A	Nil	Ok				
264)	CO2/4.5/126	Near staircase No.5	A826089	2023	FIREMAX	CO2	4.5 Kg	Aug-23	Aug-26	20.08.2023	19.08.2026	16.80	Nil	Ok				
(East Side Stored)																		
265)	MF/09/70	Ground	Godown	G59 Godown				M/F	9 Ltr	06.01.2025	07.01.2027	10.01.2025	09.01.2027	N/A	Nil	Ok		
266)	MF/45/02			G59 Godown				M/F	50 Ltr	18.11.2025	17.11.2027	20.11.2025	19.11.2027	N/A	Nil	Ok		
267)	MF/09/01			G59 Godown				M/F	9 Ltr	26.11.2024	25.11.2026	28.11.2024	27.11.2026	N/A	Nil	Ok		
268)	MF/09/03			G59 Godown				M/F	9 Ltr	26.11.2024	25.11.2026	28.11.2024	27.11.2026	N/A	Nil	Ok		
269)	ABC/06/235			G59 Godown	103213	2025		ABC	6 Kg	01.05.2025	30.04.2028	03.05.2025	02.05.2028	168-160	Nil	Ok		
270)	MF/09/01			G59 Godown				M/F	9 Ltr	02.12.2024	01.12.2026	04.12.2024	03.12.2026	130-130	Nil	Ok		
271)	MF/50/01			G59 Godown				M/F	50 Ltr	02.12.2024	01.12.2026	04.12.2024	03.12.2026	1725-1810	Nil	Ok		
272)	ABC/06/98			G59 Godown				ABC	6 Kg	13.09.2025	12.09.2028	15.09.2025	14.09.2028	#	Nil	Ok		
273)	ABC/06/71			G59 Godown				ABC	6 Kg	13.09.2025	12.09.2028	15.09.2025	14.09.2028	#	Nil	Ok		
	MF/09/02			G59 Godown				M/F	9 Ltr	02.12.2024	01.12.2026	04.12.2024	03.12.2026	521-530	Nil	Ok		
274)	MF/09/03			G59 Godown				M/F	9 Ltr	02.12.2024	01.12.2026	04.12.2024	03.12.2026	542-554	Nil	Ok		
275)	MF/50/02			G59 Godown				M/F	50 Ltr	02.12.2024	01.12.2026	04.12.2024	03.12.2026	1600-1626	Nil	Ok		



JR FIRE TECH LLP

501, Kudan Saitwadi, Pachamarg,
Next to CISF Colony, Boisar (West)
jrfiretech@gmail.com, Contact - 9673786820/ 8380906620

Client Name & Address

M/s. Aarti Pharmalabs Limited
E-59, Tarapur Industrial Area, Boisar
Tal. & Dist. Thane, Maharashtra - 401506
Inspection Check list of Fire Extinguisher

Date: March- (20.03.26 to 21.03.26)

276)	ABC/09/254	First Floor	PM Store EF	61.06	2024		ABC	6 Kg	18.10.2025	17.10.2028	20.10.2025	19.10.2028	#	Nil	Ok
277)	CO2/4.5/132		PM Store EF	50966	2024		CO2	4.5 Kg	May-24	May-29	20.10.2024	19.10.2029	#	Nil	Ok
278)	ABC/09/255		PM Store EF	64.06	2024		ABC	6 Kg	18.10.2025	17.10.2028	20.10.2025	19.10.2028	#	Nil	Ok
279)	CO2/4.5/133		PM Store EF	51223	2024		CO2	4.5 Kg	May-24	May-29	20.10.2024	19.10.2029	#	Nil	Ok
280)	ABC/09/256		PM Store EF	65.06	2024		ABC	6 Kg	18.10.2025	17.10.2028	20.10.2025	19.10.2028	#	Nil	Ok
281)	CO2/4.5/134		PM Store EF	51085	2024		CO2	4.5 Kg	May-24	May-29	20.10.2024	19.10.2029	#	Nil	Ok

Done By,	Verify By,	Department
JR FIRE TECH LLP	AARTI PHARMALABS LIMITED.	<i>[Signature]</i> Safety officer





JR FIRE TECH LLP

501, Kudan Saiwadi, Pachamarg,
Next to CISF Colony, Boisar (West)
jrfiretech@gmail.com, Contact - 9673786820/ 8380906620

Client Name & Address
M/s. Aarti Pharamalabs Limited
E-59, Tarapur Industrial Area, Boisar
Tal. & Dist. Thane, Maharashtra - 401506
Inspection Check list of Hydrant System

Date: March (24.03.26 to 25.03.26)

Fire Hydrant System Inspection Report - 2026) Plot .E-59

Sl.No	Hose Box No.	Hydrant No.	Location	Type	Valve	Nozzle	Hose Pipe	Hose Box	Hammer	Door Glass Size	Observation	Remarks
1	HB-45	SH-16	Boiler Hose Front Side	Double	Ok	Ok	Ok	Ok	Ok	Nil	Nil	OK
2	HB-46	SH-17	MEE Front Side On Road Side	Double	Ok	Ok	Ok	Ok	Ok	Nil	Nil	OK
3	HB-47	SH-18	Utility Front Side	Double	Ok	Ok	Ok	Ok	Ok	Nil	Nil	OK
4	HB-48	SH-19	Garden Front Side Near ETP	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
5	HB-49	SH-20	Near Gate No-01 Side On Road	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
6	HB-50	SH-21	Near HT Yard	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
7	HB-51	SH-22	Store Front Side Wall	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
8	HB-52	SH-23	Near STP Plant	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Door hinges Req.	Provided
9	HB-53	SH-24	Backside Of Store	Double	Ok	Ok	Ok	Ok	Ok	Nil	Nil	OK
10	HB-54	SH-25	Ware House Corner On Roadside Wall	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
11	HB-55	SH-26	Front Side Of API	Double	Ok	Ok	Ok	Ok	Ok	Nil	Nil	OK
12	HB-56	SH-27	Near Solvent Tank Farm Area	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Hose Hanging Hook Req.	
13	HB-57	SH-28	Near U/G Solvent Storage Area	Double	Ok	Ok	Ok	Ok	Ok	Nil	Nil	OK
14	HB-58	SH-29	Backside Of Pump Hose On Boundary Wall	Double	Ok	Ok	Ok	Ok	Ok	Nil	Nil	OK
15	HB-59	SH-30	Boiler Back Side On Boundary Wall	Double	Ok	Ok	Ok	Ok	Ok	Nil	Nil	OK
16	HB-60	SH-31	Near Utility Ramp Front Of MEE	Double	Ok	Ok	Ok	Ok	Ok	Nil	Nil	OK
17	HB-61	SH-32	Between Store And Garden Roadside	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
18	HB-62	SH-33	API Building East Side Between Store And API Building	Double	Ok	Ok	Ok	Ok	Ok	Nil	Nil	OK
19	HB-63	RH-28	Staircase No-01 Ground Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
20	HB-64	RH-29	Staircase No-01 First Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
21	HB-65	RH-30	Staircase No-01 Second Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
22	HB-66	RH-31	Staircase No-01 Third Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
23	HB-67	RH-32	Staircase No-01 Fourth Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
24	HB-68	RH-33	Staircase No-02 Ground Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
25	HB-69	RH-34	Staircase No-02 First Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
26	HB-70	RH-35	Staircase No-02 Second Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
27	HB-71	RH-36	Staircase No-02 Third Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
28	HB-72	RH-37	Staircase No-02 Fourth Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
29	HB-73	RH-38	Staircase No-03 Ground Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
30	HB-74	RH-39	Staircase No-03 First Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
31	HB-75	RH-40	Staircase No-03 Second Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
32	HB-76	RH-41	Staircase No-03 Third Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
33	HB-77	RH-42	Staircase No-04 Ground Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Key Req.	OK
34	HB-78	RH-43	Staircase No-04 First Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
35	HB-79	RH-44	Staircase No-04 Second Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
36	HB-80	RH-45	Staircase No-04 Third Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
37	HB-81	RH-46	Staircase No-04 Fourth Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
38	HB-82	RH-47	Staircase No-05 Ground Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
39	HB-83	RH-48	Staircase No-05 First Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
40	HB-84	RH-49	Staircase No-05 Second Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Sticker Req.	
41	HB-85	RH-50	Staircase No-05 Third Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
42	HB-86	RH-51	Staircase No-05 Third Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
43	HB-87	RH-52	Utility Staircase Ground Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
44	HB-88	RH-53	Utility Staircase First Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
45	HB-89	RH-54	Utility Staircase Second Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
46	HB-90	RH-55	Utility Staircase Terrace Floor	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Nil	OK
47	HB-91	RH-56	Staircase No-02 Terrace	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Box Key/sticker Req.	
48	HB-99	RH-57	Staircase No-04 Terrace	Double	Ok	Ok	Ok	Ok	Hammer Req.	Nil	Box Key/sticker Req.	

Fire Hose Reel Location List

Sr.No.	Hose Reel No	Location	Type	Valve	Drum	Hose Pipe	Nozzle	Hose Reel Fitting	Other	Observation	Remarks
1	HR-18	Staircase No-01 Ground Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
2	HR-19	Staircase No-01 First Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
3	HR-20	Staircase No-01 Second Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
4	HR-21	Staircase No-01 Third Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
5	HR-22	Staircase No-01 Fourth Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
6	HR-23	Staircase No-02 Ground Floor	Swing	Ok	Drum Lick	Ok	Ok	Ok	N/A	Nil	OK
7	HR-24	Staircase No-02 First Floor	Swing	Ok	Drum Lick	Ok	Ok	Ok	N/A	Nil	Ok
8	HR-25	Staircase No-02 Second Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	OK
9	HR-26	Staircase No-02 Third Floor	Swing	Ok	Drum Lick	Ok	Ok	Ok	N/A	Nil	Ok
10	HR-27	Staircase No-02 Fourth Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
11	HR-28	Staircase No-03 Ground Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	OK
12	HR-29	Staircase No-03 First Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
13	HR-30	Staircase No-03 Second Floor	Swing	Ok	Hose Pipe Leakage	Ok	Ok	Ok	N/A	Nil	OK
14	HR-31	Staircase No-03 Third Floor	Swing	Ok	Drum Lick	Ok	Ok	Ok	N/A	New Req.	
15	HR-32	Staircase No-04 Ground Floor	Swing	Ok	Drum Lick	Ok	Ok	Ok	N/A	Nil	OK
16	HR-33	Staircase No-04 First Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	OK
17	HR-34	Staircase No-04 Second Floor	Swing	Ok	Drum Lick	Ok	Ok	Ok	N/A	Nil	OK
18	HR-35	Staircase No-04 Third Floor	Swing	Ok	Drum Lick	Ok	Ok	Ok	N/A	Nil	OK
19	HR-36	Staircase No-04 Fourth Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
20	HR-37	Staircase No-05 Ground Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	OK
21	HR-38	Staircase No-05 First Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
22	HR-39	Staircase No-05 Second Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
23	HR-40	Staircase No-05 Third Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
24	HR-41	Utility Staircase Ground Floor	Swing	Ok	Drum Lick/Drum Req.	Ok	Ok	Ok	N/A	New Req.	
25	HR-42	Utility Staircase First Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
26	HR-43	Utility Staircase Second Floor	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok
27	HR-44	Utility Staircase Terrace Floor	Swing	Ok	Drum Painting Req.	Ok	Ok	Ok	N/A	Nil	OK
28	HR-45	Staircase No-05 Terrace	Swing	Ok	Drum Lick	Ok	Ok	Ok	N/A	Nil	OK
29	HR-46	Staircase No-04 Terrace	Swing	Ok	Ok	Ok	Ok	Ok	N/A	Nil	Ok

Done By,	Verify By,	Department
JR FIRE TECH	AARTI PHARMALABS LIMITED.	<i>Juani</i> Safety officer



 Authorized Signatory

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
 and 4th floor, Opp. Cine
 Planet Cinema, Near Sion
 Circle, Sion (E),
 Mumbai-400022

RED/L.S.I (R58)/ Rev. RED/I.S./ (123.1)
 No:- Format1.0/CAC/UAN
 No.0000262190/CR/2604001043

Date: 14/04/2026

To,
 Aarti Pharmalabs Ltd. (Unit-IV),
 E-50,50/1& E-59/1, MIDC Tarapur,
 Tal. & Dist. - Palghar.



Sub: Consent to 1st Operate (part) for expansion along with renewal of existing Consent to Operate with amalgamation, under RED category.

- Ref:**
1. Earlier Renewal of consent amalgamation vide No:- Format1.0/CAC/UAN No.0000199278/CR/2407002918 dated 30/07/2024.
 2. Earlier Consent to Establish (Exp) vide No:- Format1.0/CAC/UAN No.0000220978/CE/2503001423 dated 09/03/2025.
 3. Environmental Clearance accorded by the MoEF & CC, Govt. of India vide No. vide EC No. IA -J-11011 /324 /2020-IA-II (I), Date. 25.01.2021.
 4. Minutes of 16th CAC meeting dated 26/02/2026.

Your application No.MPCB-CONSENT-0000262190 Dated 27.09.2025

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to renewal is granted for a period up to 30/11/2028**
2. **The capital investment of the project is Rs.400 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 153.51 Crs. + Expansion/Increase in C.I. - Rs. 246.49 Crs.)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
Products					
1	Quinapril Hydrochloride	1.6	0	1.6	MT/M
2	Bambuterol Hydrochloride	1.5	0	1.5	MT/M
3	Venlafaxine Hydrochloride	30	5	35	MT/M
4	Ramipril	4	0	4	MT/M
5	Capecitabine	1.7	0	1.7	MT/M

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
6	Benazepril Hydrochloride	5.1	0	5.1	MT/M
7	Perindopril Erbumine	2.5	0	2.5	MT/M
8	Budesonide	0.5	0	0.5	MT/M
9	Bicalutamide	1	0	1	MT/M
10	Fluticasone Propionate	0.8	0	0.8	MT/M
11	Mometasone Furoate	0.5	0	0.5	MT/M
12	Triamcinolone Acetonide	0.5	0	0.5	MT/M
13	Ifosamide	2	0.5	2.5	MT/M
14	Irinotecan Hydrochloride Trihydrate	0.01	0	0.01	MT/M
15	Mercaptopurine	3.48	0.5	3.98	MT/M
16	Mesna	1	0	1	MT/M
17	Ranolazine	20.9	2	22.9	MT/M
18	Lacidipine	0.1	0	0.1	MT/M
19	R-Salbutamol Sulphate	0.05	0	0.05	MT/M
20	Levalbuteral Hydrochloride	0.25	0	0.25	MT/M
21	Salmeterol Xinafoate	0.101	0	0.101	MT/M
22	Ipratropium Bromide	0.5	0	0.5	MT/M
23	Quetiapine Fumarate	15.5	2	17.5	MT/M
24	Adapalene	0.5	0	0.5	MT/M
25	Bupropion Hydrochloride	8	0	8	MT/M
26	Temozolomide	0.02	0	0.02	MT/M
27	Azathioprine	2.5	0	2.5	MT/M
28	Benazapril Hydrochloride polymorph B.	1	0	1	MT/M
29	Ciclesonide	0.05	0	0.05	MT/M
30	Cyclophosphamide	1.5	0	1.5	MT/M
31	Diflunisal	1.8	0	1.8	MT/M
32	Loteprednol Etabonate	2.25	0	2.25	MT/M
33	Mometasone Furoate Monohydrate	0.101	0	0.101	MT/M
34	Phenylephrine HCL	12.5	3	15.5	MT/M
35	Perindopril Arginine	0.5	0	0.5	MT/M
36	Desonide	0.1	0	0.1	MT/M
37	Leval Buterol Tartrate	0.25	0	0.25	MT/M
38	Perindopril A.Polymers	1	0	1	MT/M
39	Other Bulk Drugs :	0.5	0	0.5	MT/M
40	Formoterol Fumarate Dihydrate	2	0	2	MT/M

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
41	Olopatadine Hydrochloride	2	0	2	MT/M
42	Tofacitinib	2	0	2	MT/M
43	Cinacalcet Hydrochloride	2	1	3	MT/M
44	Montelukast Sodium	2.5	2	4.5	MT/M
45	Apixaban	2	0.5	2.5	MT/M
46	Betrixaban	2.5	0	2.5	MT/M
47	Rivaroxaban	2.5	0	2.5	MT/M
48	Edoxaban Tosylate, Edoxaban Tosylate Monohydrate	2.5	0	2.5	MT/M
49	Aminophylline	5	3	8	MT/M
50	Umeclidinium	5	0	5	MT/M
51	Vilanterol	5	0	5	MT/M
52	Abemaciclib	1	0.5	1.5	MT/M
53	Acalabrutinib	1	0.5	1.5	MT/M
54	Apalutamide	1	1	2	MT/M
55	Ibrutinib	1	0.5	1.5	MT/M
56	Nilotinib Hydrochloride anhydrous, Nilotinib Hydrochloride Monohydrate	1	0	1	MT/M
57	Niraparib Hydrochloride	1	0	1	MT/M
58	Nintedanib Esylate	1	0	1	MT/M
59	Palbociclib	1	0	1	MT/M
60	Ribociclib	1	0	1	MT/M
61	venetoclax	1	0	1	MT/M
62	Dapagliflozin	4.5	0	4.5	MT/M
63	Canagliflozin Hemihydrate	4.5	0	4.5	MT/M
64	Empagliflozin	4.5	0	4.5	MT/M
65	Deferiprone	3	1	4	MT/M
66	Deferasirox	3	1	4	MT/M
67	Sitagliptin HCL, Phosphate & Monohydrate	5	0	5	MT/M

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	152.92	As per Schedule-I	Recycle 100% to achieve ZLD
2.	Domestic effluent	24	As per Schedule-I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	301	BLOCK-II SCRUBBER-301	1	As per Schedule -II
2	302	BLOCK-II SCRUBBER-302	1	As per Schedule -II
3	401	BLOCK-III SCRUBBER-401	1	As per Schedule -II
4	402	BLOCK-III SCRUBBER-402	1	As per Schedule -II
5	403	BLOCK-III SCRUBBER-403	1	As per Schedule -II
6	404	BLOCK-III SCRUBBER-404	1	As per Schedule -II
7	501	BLOCK-IV SCRUBBER-501	1	As per Schedule -II
8	502	BLOCK-IV SCRUBBER-502	1	As per Schedule -II
9	601	BLOCK-V SCRUBBER-601	1	As per Schedule -II
10	602	BLOCK-V SCRUBBER-602	1	As per Schedule -II
11	603	BLOCK-V SCRUBBER-603	1	As per Schedule -II
12	1	Thermic fluid heater -1	1	As per Schedule -II
13	2	Boiler -1	1	As per Schedule -II
14	2	Boiler -2	1	As per Schedule -II
15	3	DG SET-1	1	As per Schedule -II
16	4	DG SET-2	1	As per Schedule -II
17	5	DG SET-3	1	As per Schedule -II
18	101	BLOCK-I SCRUBBER-101	1	As per Schedule -II
19	102	BLOCK-I SCRUBBER-102	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Glass Scrap	4511	Kg/Annum	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
2	Grabage	3150	Kg/Annum	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
3	Wood Pallets	1750	Kg/Annum	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
4	Paper	1100	Kg/Annum	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
5	GI scrap	4500	Kg/Annum	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
6	Rubber	1000	Kg/Annum	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
7	Cotton waste	100	Kg/M	Recycle/Reuse	Sale to scrap Merchant/ Authorized party

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
8	MS Scrap	220	MT/A	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
9	SS Scrap	75	MT/A	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
10	Used Apron	0.1	MT/M	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
11	Briquette Ash	2500	MT/M	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
12	Corrugated Box	3100	No/M	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
13	Empty Drum	1500	No/M	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
14	Fiber drum	500	No/M	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
15	MS Drum	500	No/M	Recycle/Reuse	Sale to scrap Merchant/ Authorized party
16	Empty Carboys	500	No/M	Recycle/Reuse	Sale to scrap Merchant/ Authorized party

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	28.3 Spent carbon	18	MT/M	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
2	37.3 Concentration or evaporation residues	95.1	MT/M	Co-processing/Pre-processing/Incineration/Landfill after treatments	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
3	26.3 Spent acid	107	MT/M	Recycle/Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
4	28.1 Process Residue and wastes	26.3	MT/M	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
5	28.5 Date-expired products	0.5	MT/M	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
6	28.6 Spent organic solvents	516	KL/M	Recycle/Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
7	28.2 Spent catalyst	0.5	MT/M	Recycle/Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
8	5.2 Wastes or residues containing oil	100	Kg/M	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
9	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	6460	No/M	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
10	28.4 Off specification products	0.5	MT/M	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
11	5.1 Used or spent oil	400	Ltr/M	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
12	35.3 Chemical sludge from waste water treatment	7.6	MT/M	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
13	20.2 Spent solvents	90	MT/M	Recycle/Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF
14	1.7 Oil from wastewater treatment	200	Ltr/M	Co-processing/Pre-processing/Incineration	Co-processing through MPCB/CPCB authorized pre-processor/CHWTSDF

8. **Conditions under Plastic Waste Management Rules, 2016 (Notification dtd. 18/03/2016):**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Plastic waste	0.50	MT/M	Sale to authorized recycler.
2	Used PPE	3.00	MT/M	Sale to authorized recycler.

9. **Conditions under E-Waste Management:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E-Waste	342.00	Kg/M	Sale to authorized recycler.

10. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Microbiology Biotechnology and other clinical laboratory waste	150.00	Yellow colored non-chlorinated plastic bags containers	CBMWTSDF
2	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF
3	Blue	a) Glassware	20.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDF

- The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- This consent is issued pursuant to the decision of the 16th Consent Appraisal Committee Meeting held on 26/02/2026.
- The applicant shall comply with the conditions of the Environmental Clearance accorded by the MoEF & CC, Govt. of India vide No. vide EC No. IA -j-11011 /324 /2020-IA-II (I), Date. 25.01.2021.
- Industry shall install online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server .

16. The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent. (Operate/Renewal)
17. Industry shall submit/extend bank guarantee of Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions
18. The industry shall create an Environment Cell by appointing an Environmental Engineer OR Expert for looking after day-to-day activities related to Environment OR Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



cc46f099
db0f6a31
40bc6ec0
50329e36
8aa40670
d249ebcd
120d6361
2fc11e3d

Signed by: Shri. Rahul Rekhawar
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2026-04-14 00:32:31 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	2811000.00	TXN2510000204	01/10/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Thane and Sub-Regional Officer, MPCB, Tarapur I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC-CAC updating.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have segregated trade effluent into weak stream & strong stream and provided Effluent Treatment Plant (ETP) comprising of:
 - i) **Strong COD/TDS stream of 71.43 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Primary Clarifier/Primary Settling Tank, Primary after stmt) , Stripper, Multi effect evaporator followed by ATFD.
 - ii) **Weak COD/TDS stream of 81.49 CMD** - Treatment system comprising of Primary (Neutralization tank, Equalization tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter), Advance treatment (Reverse osmosis, MVR) .
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.
 - C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
 - D] The treated effluent shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, effluent shall find its way for gardening / outside factory premises.
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 48 CMD for the treatment of 24 CMD of sewage.
 - B] Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1B of schedule I.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
 5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	320.00
2.	Domestic purpose	30.00

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	151.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	15

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
301	BLOCK-II SCRUBBER-301	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³
302	BLOCK-II SCRUBBER-302	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³
401	BLOCK-III SCRUBBER-401	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³
402	BLOCK-III SCRUBBER-402	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³
403	BLOCK-III SCRUBBER-403	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³
404	BLOCK-III SCRUBBER-404	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³
501	BLOCK-IV SCRUBBER-501	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³
502	BLOCK-IV SCRUBBER-502	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³
601	BLOCK-V SCRUBBER-601	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³

Stack No.	Source	APC System provided/proposed	Stack Height(In mtr)	Type of Fuel	Sulphur Content(In %)	Pollutant	Standard
602	BLOCK-V SCRUBBER-602	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³
603	BLOCK-V SCRUBBER-603	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³
1	Thermic fluid heater -1	Stack	15.00	Bio Fuel 15 Kg/Hr	-	TPM	50 Mg/Nm ³
						NOX	50 Mg/Nm ³
						SOX	-
2	Boiler -1	Stack	40.00	Bio Fuel 500 Kg/Hr	-	TPM	50 Mg/Nm ³
						NOX	50 Mg/Nm ³
						SOX	-
2	Boiler -2	Stack	40.00	Briquette 2000 Kg/Hr	-	TPM	50 Mg/Nm ³
						NOX	50 Mg/Nm ³
						SOX	-
3	DG SET-1	Acoustic Enclosure Stack	14.00	Diesel 80 Kg/Hr	-	TPM	50 Mg/Nm ³
						NOX	50 Mg/Nm ³
						SOX	-
4	DG SET-2	Acoustic Enclosure Stack	14.00	Diesel 100 Kg/Hr	-	TPM	50 Select
						NOX	50 Select
						SOX	-
5	DG SET-3	Acoustic Enclosure Stack	30.00	Diesel 350 Kg/Hr	-	TPM	50 Select
						NOX	50 Select
						SOX	-
101	BLOCK-I SCRUBBER-101	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³
102	BLOCK-I SCRUBBER-102	Stack	25.00	-	-	Acid Mist	35 Mg/Nm ³

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards (unit)	
Total Particulate Matter	Not to exceed	30 mg/ Nm ³

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III
Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to 1st O (Part) & C to R	2500000	15 days/extend	Towards O & M of pollution control systems and compliance of consent conditions.	30/11/2028	30/11/2028

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV
General Conditions:

1. The waste generator shall.-
 - a) take steps to minimize generation of plastic waste and segregate plastic waste at source in accordance with the Plastic Waste Management Rules, 2016 or as amended from time to time.
 - b) not litter the plastic waste and ensure segregated storage of waste at source and handover segregated waste to urban local body or gram panchayat or agencies appointed by them or registered waste pickers', registered recyclers or waste collection agencies;
2. All institutional generators of plastic waste, shall segregate and store the waste generated by them in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time and handover segregated wastes to authorized waste processing or disposal facilities or deposition centers either on its own or through the authorized waste collection agency.
3. All waste generators shall pay such user fee or charge as may be specified in the byelaws of the local bodies for plastic waste management such as waste collection or operation of the facility thereof, etc.;
4. Every person responsible for organizing an event in open space, which involves service of food stuff in plastic or multilayered packaging shall segregate and manage the waste generated during such events in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time.

5. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
6. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
7. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
8. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
9. Specific Conditions for storage, Handling and Disposal of Waste from Electrical & Electronic equipment (WEEE):
 1. **Collection of WEEE** - The applicant must provide appropriate and dedicated vehicles duly identified as per the norms for transportation of Hazardous Waste. The applicant shall obtain all the required permits for transportation of WEEE from competent authority. The applicant shall ensure the safe transport of the WEEE without any spillage during transportation.

Storage for disassembled parts: The applicant must provide appropriate storage for disassembled spare parts from WEEE. Some spare parts (e.g. motors and compressors) will contain oil and/or other fluids. Such part must be appropriately segregated and stored in containers that are secured such that oil and other fluids cannot escape from them. These containers must be stored on an area with an area with an impermeable surface and a sealed drainage system.
 2. **Storage for other components and residues:** Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with them.
 3. **Balances :** WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste". The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.
 4. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDF.

5. Ferrous and nonferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.
 6. CFCS should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDF.
 7. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
 8. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDF.
 9. Mercury recovery and lead recycling facilities from batteries fall under the Hazardous & Other Wastes (M & TM) Rules, 2016.
 10. Existing environmental regulations for air; water; noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDF.
 11. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.
10. The Energy source for lighting purpose shall preferably be LED based
 11. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
 12. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
 13. The applicant shall maintain good housekeeping.
 14. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

15. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
16. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
17. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
18. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
19. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
20. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
21. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
22. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
23. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
24. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
25. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
26. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
27. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

28. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
29. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
30. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
31. The industry should not cause any nuisance in surrounding area.
32. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
33. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
34. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
35. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
36. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
37. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
38. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
39. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
40. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.

41. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
42. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
43. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
44. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
45. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
46. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.





सत्यमेव जयते

Speed Post/Online

F.No. IA-J-11011/324/2020-IA-II(I)
 Government of India
 Ministry of Environment, Forest and Climate Change
 Impact Assessment Division

Indira Paryavaran Bhavan,
 Vayu Wing, 3rd Floor, Aliganj,
 Jor Bagh Road, New Delhi-110 003

Dated: 25th January, 2021

To,

M/s Aarti Industries Limited located,
 Plot no E-59-1, MIDC Tarapur,
 Maharashtra
 Email: narendra.salvi@aarti-industries.com

Sub: Setting up of Active Pharmaceutical Ingredient (API's), Bulk Drugs manufacturing facility of capacity 210 TPM by M/s Aarti Industries Limited located at Plot no E-59-1, MIDC Tarapur, Maharashtra - Environmental Clearance regarding.

Sir,

This has reference to your online proposal No. IA/MH/IND2/188082/2020 dated 15th December, 2020 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for Setting up of Active Pharmaceutical Ingredient (API's), Bulk Drugs manufacturing facility of capacity 210 TPM by M/s Aarti Industries Limited located at Plot no E-59-1, MIDC Tarapur, Maharashtra.

3. The project/activities are covered under Category 'B2' of item 5 (f) 'Synthetic, Organic Chemicals Industry' of the schedule to the Environment Impact Assessment (EIA) Notification, 2006 (amendments on 27.03.2020). Due to applicability of general condition (located within 5 km of CPA), the project requires appraisal at central level by the sectoral Expert Appraisal Committee (EAC) in the Ministry. Public hearing is exempted since the proposed project falls under category B2 and the site is located in industrial area. It was informed that no litigation is pending against the proposal.

4. The details of products and capacity are as under:-

Existing Products

S. No.	Product*	Quantity as per Consent
1	Injection (API formulation activity with Chemical storage & Packing activity)	6000000 Nos./Month
2	Ofloxacin (Size reduction by grinding, packing & dispatch activity)	300 MT/Month

* Formulation, storage, packing & dispatch activity

Proposed Products

S. No.	Quantity in Group (TPM)	Product	Quantity (TPM)	CAS No.
1.	2	Ramipril	2	87333-19-5
2.	25	Ranolazine	25	95635-56-6
3.	2	Formoterol Fumarate Dihydrate	2	183814-30-4
4.	35	Venlafaxine Hydrochloride	35	99300-78-4
5.	2	Olopatadine Hydrochloride	2	140462-76-6
6.	10	Phenylephrine Hydrochloride	10	61-76-7
7.	2	Loteprednol Etabonate	2	82034-46-6
8.	2	Capecitabine	2	154361-50-9
9.	5	Tofacitinib	5	540737-29-9
10.	5	Cinacalcet hydrochloride	5	364782-34-3
11.	5	Montelukast Sodium	5	151767-02-1
12.	10	Apixaban	2.5	480449-71-6
		Betrixaban	2.5	936539-80-9
		Rivaroxaban	2.5	366789-02-8
		Edoxaban Tosylate, Edoxaban Tosylate mono-hydrate	2.5	480449-71-6; 1229194-11-9
13.	20	Quetiapine Fumarate	20	111974-72-2
14.	25	Aminophylline	25	317-34-0
15.	10	Umeclidinium	5	869185-19-3
		Vilanterol	5	503070-58-4
16.	20	Ifosfamide	1.5	3778-73-2
		Cyclophosphamide	1.5	6055-19-2; 50-18-0
		Mercaptopurine	1.5	50-44-2
		Abemaciclib	1.5	1231929-97-; 1231930-82-7
		Acalabrutinib	1.5	1420477-60-6
		Apalutamide	2	956104-40-8

		Ibrutinib	1.5	936563-96-1
		Nilotinib Hydrochloride anhydrous, Nilotinib Hydrochloride monohydrate	1.5	641571-10-0; 923288-90-8
		Niraparib Hydrochloride	1.5	1038915-60-4; 1038915-64-8
		Nintedanib Esylate	1.5	656247-18-6
		Palbociclib	1.5	359886-84-3
		Ribociclib	1.5	1211441-98-3 1374639-75-4
		Venetoclax	1.5	1257044-40-8
17.	15	Dapagliflozin	5	461432-26-8; 960404-48-2
		Canagliflozin Hemihydrate	5	842133-18-0
		Empagliflozin	5	864070-44-0
18.	10	Deferiprone	5	30652-11-0
		Deferasirox	5	201530-41-8
19.	5	SitagliptinHCl, Phosphate & monohydrate	5	486459-71-6
	210	--	210	--

5. PP reported that existing land area is 15,088 sq. m. Industry will develop Green belt in an area of 6816.36 sq. m (45.17%) out of total area of the project. Out of 6816.36 sq. m of green belt, 3209.82 sq. m will be developed within plot & 3606.54 sq. m will be developed on outside plot adjacent to the plot area.

6. The estimated proposed project cost is Rs.45 Crores. Total capital cost earmarked towards environmental pollution measures is Rs.5.44 Crores & the Recurring cost (operation & maintenance) will be about Rs.2.07 Crores per annum. Total employment will be 280 persons as direct & 1400 persons indirect for proposed project. Industry proposes to allocate Rs.90 Lakhs towards Corporate Environment Responsibility.

7. There are no National parks, Wildlife sanctuaries, Biosphere Reserves, Tiger/ Elephant Reserves, Wildlife Corridors etc. lies within 10 km distance. Nalla outside plot passes along east to southwest plot boundary. Banganga River is flowing at a distance of 1.8 km in North-West direction.

8. Total water requirement is 510 m³/day out of which fresh water requirement of 366 m³/day will be met from MIDC and balance 144 m³/day will be met from recycling treated effluent. Trade Effluent of 142 m³/day will be treated through ETP, RO, MEE & ATFD. Treated effluent will be fully recycled back within facility. No effluent will be discharged outside facility. Proposed project is Zero Liquid Discharge facility. Domestic sewage of 12 m³/day will be treated in STP. Treated sewage will be used for green belt maintenance

within site.

9. Power requirement for proposed project will be 5500 kVA and will be met from Maharashtra State Electricity Distribution Company Limited (MSEDCL). 1 no. of 625 kVA & 1 no. of 1250 kVA DG sets will be used as standby during power failure. Stack height (7 m each above building) will be provided as per CPCB norms to the proposed DG sets. Existing unit has 2 TPH Furnace oil fired boiler as per Consent to Establish. For proposed project, 1 no. of 14 TPH Biofuel (Biodiesel)/ Natural Gas fired boiler & 1 no. of 14 TPH Coal/ Briquette fired boiler will be installed. Existing Boiler as per CTE will not be installed on site as capacity of higher boilers are proposed. Lime treatment with Cyclone separator followed by bag filter will be installed for controlling the Particulate emissions within limit of 150 mg/Nm³. Common stack height of 40 m will be provided for proposed boilers.

10. Details of Process emissions generation and its management:

Details	Scrubber- 1	Scrubber- 2	Scrubber- 3	Scrubber- 4
Scrubbing Media	Caustic	Caustic	Acid	Acid
Packing Type	PP Pall Rings	PP Pall Rings	PP Pall Rings	PP Pall Rings
MOC	PP FRP	PP FRP	PP FRP	PP FRP
Shape	Cylindrical	Cylindrical	Cylindrical	Cylindrical
Diameter	500 mm	500 mm	500 mm	500 mm
Pollutant	Acid mist	Acid mist	Alkali mist	Alkali mist
Stack height	6 m	6 m	6 m	6 m
Gas Temperature	Ambient	Ambient	Ambient	Ambient
Control Equipment	Temperature Transmitter/ Pressure transmitter/ pH sensor	Temperature Transmitter/ Pressure transmitter/ pH sensor	Temperature Transmitter/ Pressure transmitter/ pH sensor	Temperature Transmitter/ Pressure transmitter/ pH sensor

11. Details of Solid waste & Hazardous waste generation and its management:

A. Solid waste generation & it's disposal:

Particulars	Total Quantity	UOM	Method of Disposal
Used Apron	1600	No/month	Sell to scrap merchant/ Authorized party
Hand gloves	3200	No/month	Sell to scrap merchant/ Authorized party

Particulars	Total Quantity	UOM	Method of Disposal
Paper/Files	150	Kg/month	Sell to scrap merchant/ Authorized party
Metal scrap	150	MT/A	Sell to scrap merchant/ Authorized party
Glass scrap	3600	Kg/A	Sell to scrap merchant/ Authorized party
Corrugated box	4500	No/A	Sell to scrap merchant/ Authorized party
Garbage	4500	Kg/A	Sell to scrap merchant/ Authorized party
Fibre drums	2200	No/Month	Sell to scrap merchant/ Authorized party
MS drums	1000	No/Month	Sell to scrap merchant/ Authorized party
Wood pallets & packing material	2500	Kg/A	Sell to scrap merchant/ Authorized party
Coal ash	90	MT/Month	Sell to Authorized party/ brick manufacturer
E waste	500	Kg/ Month	Sell to Authorized party

B. Hazardous waste generation & it's disposal:

S. No.	Hazardous Waste	Category	Existing Qty.	Proposed add. Qty.	Total Qty.	UOM	Disposal
1	Used oil	5.1	41	759	800	L/month	Sale to Authorized party
2	Spent Acid	26.3	--	150	150	Tons/M	Sale to Authorized party
3	Process residue & Waste	28.1	--	35	35	Tons/M	CHWTSDF
4	Spent catalyst	28.2	--	1	1	Tons/M	send for activation
5	Spent Carbon	28.3	--	30	30	Tons/M	CHWTSDF/Sent to coprocessor industries
6	Off specification products	28.4	--	1000	1000	Kg/A	CHWTSDF
7	Date Expired Material	28.5	--	1000	1000	Kg/A	CHWTSDF

S. No.	Hazardous Waste	Category	Existing Qty.	Proposed add. Qty.	Total Qty.	UOM	Disposal
8	Spent solvent	28.6	56	725	781	KL/M	Authorized reprocessor/ CHWTSDF
9	Empty barrels/ containers/ Plastic bags & fibres	33.1	500	7200	7700	Nos/M	Authorized recycler
10	Sludge from ETP	35.3	0.5	6	6.5	Tons/M	CHWTSDF
11	Oil & Grease Skimming	35.4	--	100	100	Kg/A	CHWTSDF
12	Concentration residue /MEE salts	37.3	0.5	120	120.5	Tons/M	CHWTSDF

12. The proposal was considered by the **EAC (Industry-3) in its 3rd meeting** held during **29-30 December, 2020**. The project proponent and their consultant M/s Aditya Environmental Services Pvt Ltd, made a detailed presentation through Video Conferencing (VC) and have presented the PFR/EMP report. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with PFR & EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent. The Committee has appreciated the quality of the presentation and technical knowledge of the consultant, and recommended to rate at excellent level.

The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the PFR & EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent. The Committee noted that the PFR/EMP report reflects the present environmental concerns and the projected scenario for all the environmental components. The committee deliberated the action plan and budget allocation for green belt development, mitigation measure towards Air, Water, Noise and Soil pollution. The committee found that only 20% land is available for the green belt development. As informed by the PP additional green belt development will be done in nearby area. The committee convinced that EC can be granted only if additional land will be approved by the MIDC for green belt development by PP. The Committee has also deliberated on the activities/ action plan and found to be addressing the issues in the study area. The Committee has also deliberated the activities/action plan and it's mitigation plan with respect to critically polluted area. The Committee has suggested that the storage of toxic/explosive raw material/products shall be undertaken with utmost precautions and following safety norms and best practices.

The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time

EC for M/s Aarti Industries Limited.

and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have recommended for grant of environmental clearance.

13. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

14. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-3), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **Setting up of Active Pharmaceutical Ingredient (API's), Bulk Drugs manufacturing facility of capacity 210 TPM by M/s Aarti Industries Limited, located at Plot no E-59-1, MIDC Tarapur, Maharashtra**, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

A. Specific Condition

- (i). The SPCB shall follow the mechanism/protocol issued by the Ministry vide letter no. Q-16017/38/2018-CPA dated 24th October, 2019 and forwarded by Central Pollution Control Board vide letter dated 25th October, 2019 to the SPCB's, while issuing the CTE/CTO for the project, for improvement of environmental quality in the area.
- (ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (iii). Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out.
- (iv). As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture.
- (v). Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (vi). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.
- (vii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (viii). Total fresh water requirement shall not exceed 366 m³/day will be met from MIDC. Prior permission in this regard shall be obtained from the concerned regulatory authority.

- (ix). Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.
- (x). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (xi). Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
- (xii). Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.
- (xiii). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (xiv). The green belt of at least 5-10 m width shall be developed in nearly 40% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- (xv). The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented.
- (xvi). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

B. General Condition:

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

15. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

16. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

17. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

18. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

19. This issues with the approval of the competent authority.

25/01/2021
(Dr. R. B. Lal)

Scientist 'E'/Additional Director
Email: rb.lal@nic.in
Tele-fax: +91-11-24695362

(डा. आर. बा. लाल)
(Dr. R. B. LAL)
वैज्ञानिक 'ई'/Scientist 'E'
पर्यावरण, वन एवं जलवायु परिवर्तन विभाग
Min. of Environment, Forest and Climate Change
भारत सरकार, नई दिल्ली
Govt. of India, New Delhi

Copy to: -

1. Deputy Director General of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office (WCZ), Ground Floor, East Wing, New Secretariat Building Civil Lines, Nagpur-440001
2. Office of the Principal Chief Conservator of Forests (Head of Forests Force) M.S. Nagpur 3rd Floor Van Bhavan Ramgiri Road Civil Lines Nagpur 440 001
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
4. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. PVR Cinema, Sion Circle, Mumbai-400 022.
5. The District Collector, Palghar, Mumbai
6. Guard File/Monitoring File/Website/Record File/Parivesh Portal

(Dr. R. B. Lal)

Scientist 'E'/Additional Director



Re Sustainability Limited
(Mumbai Waste Management Project)

Certificate

— of Membership —

M/s. Aarti Pharmed Labs Limited

With Plot No - E - 50


is a registered member of
CHW-TSDF at MIDC -Taloja for
safe and secure disposal of
Hazardous waste with
Membership No: ReSL - HZW - TAR - 1631

Certificate No: 3101 - 170

This Certificate is valid up to: 31st March 2027



Onkar Kulkarni
Head - MBD




Abhishek Kumar Pandey
Project Head



Somnath Malgar
Cluster Head

ANNEXURE - VIII



Annexure - IX

Aarti Pharmalabs Limited
Plot No E-59/1 MIDC Tarapur Tal/Dist Palghar

Green Belt

Aarti Pharmalabs ltd Plot No. E-59/1, MIDC Tarapur, Tal / Dist -Palghar.

We had developed green belt inside and out side the premises and details are provided as below table .


Sr.No.	Particular	Total Green belt area Area
1	Total Plot area of E-59/1	15088 M ²
2	Total Green belt area inside the plant	3209.82 M ²
3	Total Green belt area outside the plant	3606.54 M ²
4	Total Green belt area Inside & out Side the plant	6816.36 M ²
5	% of Green belt Area	45.17 %

Regards




Authorized Signatory
Mr. Gulab Patil
Senior General Manager Works

ENVIRONMENTAL MANAGEMENT CELL



Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
 ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT				
ULR No :-	TC103672500007996F	Report Date	02.12.2025	
Sample ID :-	GESEC/ANLM/2025-26/11/1379-1388			
Name & Address of the Customer	M/s. Aarti Pharmalabs Ltd. (Unit-IV), E-50,50/1& E-59/1, MIDC Tarapur, Tal. & Dist. - Palghar.			
Ambient Noise Sample Details				
Type	Ambient Noise			
Sampling done by	M/s. Shree Swami Samarth Enviro Consultant Pvt. Ltd.			
Standard method	CPCB protocol for ambient level noise monitoring : 2015			
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date	
25.11.2025	25.11.2025	25.11.2025	25.11.2025	
Name of Instrument	SEC/TAR/SL-4030	Date of Calibration	07.10.2025	
Instrument ID No.	EI/ME/4558	Due Date of Calibration	06.10.2026	
Test Location	Unit	Average Noise Level Readings		CPCB Standards dB(A)
		Day	Night	
Near Main Gate	dB(A)	63.4	60.2	During Day time = 75 dB (A) During Night time = 70 dB (A)
Near ETP Area	dB(A)	69.6	67.5	
Near Compressor Room	dB(A)	65.4	62.7	
D.G Set Running Condition	dB(A)	72.7	69.3	
Near Boiler Area	dB(A)	70.3	67.4	
Near Material Gate	dB(A)	67.6	65.2	
FBD-502 Inlet	dB(A)	68.7	66.5	
FBD-502 Outlet	dB(A)	69.9	67.7	
Near Gate No.2	dB(A)	63.6	59.9	
Near Utility Area	dB(A)	65.7	62.6	
Note :- ➤ All above Noise level results are within Central Pollution Control Board Standards limit. ➤ Day/Night -75/70 dB (A)				
			 Ms. Sneha Hande (Quality Manager) Reviewed & Authorized By	

End Of Report

Page 1 of 1

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- If on site their is no proper sampling location, Source or port available the results of testing are not challenge.
- MoEF approved Lab by Govt. of India. till 28/02/2026 and NABL approved by Quality Council of India. till 28/02/2026.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT				
Test Report No: -	GESEC/WNLM/2025-26/11/1412-1429	Report Date	02.12.2025	
Sample ID: -	GESEC/WNLM/2025-26/11/1412-1429			
Name & Address of the Customer	M/s. Aarti Pharmalabs Ltd. (Unit-IV), E-50,50/1& E-59/1, MIDC Tarapur, Tal. & Dist. - Palghar.			
Work Zone Noise Sample Details				
Type	Work Zone Noise			
Sampling done by	M/s. Shree Swami Samarth Enviro Consultant Pvt. Ltd.			
Standard method	CPCB protocol for ambient level noise monitoring: 2015			
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date	
25.11.2025	25.11.2025	25.11.2025	25.11.2025	
Name of Instrument	SEC/TAR/SL-4030	Date of Calibration	07.10.2025	
Instrument ID No.	EI/ME/4558	Due Date of Calibration	06.10.2026	
Test Location	Unit	Average Noise Level Readings		The Factories Act 1948, standards
		Day	Night	
Block No.3 Reaction Area Line A Ground Floor	dB(A)	65.7	61.5	<90
Block No.3 Reaction Area Line A 1 st Floor	dB(A)	68.4	63.2	
Block No.3 Reaction Area Line B Ground Floor	dB(A)	69.5	64.7	
Block No.3 Reaction Area Line B 1 st Floor	dB(A)	67.7	63.2	
Block No.3 Reaction Area Line C Ground Floor	dB(A)	66.5	63.6	
Block No.3 Reaction Area Line C 1 st Floor	dB(A)	65.3	62.4	
Block No.4 Reaction Area 1 st Floor	dB(A)	68.4	61.7	
Block No.4 Reaction Area 2 nd Floor	dB(A)	66.9	63.2	
Block No.4 Reaction Area Level II FBD	dB(A)	69.2	64.1	
Block No.1 Reaction Area 1 st Floor	dB(A)	64.6	60.7	
Block No.1 Reaction Area Level 2 nd Floor	dB(A)	66.4	62.3	
Block No.1 Reaction Area Level 3 rd Ground Floor	dB(A)	63.8	60.2	
Block No.2 Reaction Area 1 st Floor	dB(A)	68.5	66.3	
Block No.2 Reaction Area Ground Floor	dB(A)	67.3	62.9	
Block No.5 Reaction Area 1 st Floor	dB(A)	68.7	64.5	
Block No.5 Reaction Area 2 nd Floor	dB(A)	69.4	65.3	
Block No.5 Reaction Area 3rd Floor	dB(A)	67.3	64.4	
Block No.5 Reaction Ground Floor	dB(A)	66.2	61.1	
Note: -				
➤ The Factories Act, 1948, has prescribed 90 dB (A) as an upper limit of noise level for 8 hours exposure.				



Hande
Ms. Sneha Hande
(Quality Manager)

Reviewed & Authorized By

Page 1 of 1

End Of Report

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- If on site there is no proper sampling location, source or port available the results of testing are not challenge.
- MoEF approved lab by Govt. of India, till 28/02/2026 and NABL approved by Quality Council of India, till 28/02/2026.

TEST REPORT						
ULR No: -	TC103672500008013F			Report Date	02.12.2025	
Sample ID: -	GESEC/DIL/2025-26/11/1405					
Name & Address of the Customer	M/s. Aarti Pharmalabs Ltd. (Unit-IV), E-50,50/1& E-59/1, MIDC Tarapur, Tal. & Dist. - Palghar.					
DG Noise Monitoring Report						
Type	DG Noise					
Sampling done by	M/s. Shree Swami Samarth Enviro Consultant Pvt. Ltd.					
Sampling Method	CPCB protocol for ambient level noise monitoring: 2015					
Date of Sampling	Sample Receipt Date	Analysis Start Date		Analysis End Date		
25.11.2025	25.11.2025	25.11.2025		25.11.2025		
Name of Instrument	SEC/TAR/SL-4030	Date of Calibration		07.10.2025		
Instrument ID No.	EI/ME/4558	Due Date of Calibration		06.10.2026		
Test Location	Reading in dB(A) 0.5 mtr. Away from DG				Avg.	Difference dB(A)
	North Side	East Side	South Side	West Side		
2. DG. SET No.102 - 625 KVA						
Without Enclosure	82.5	83.2	81.8	80.8	80.0	25.6
With Enclosure	58.3	54.7	57.5	55.4	56.4	
Note:-						
➤ Maharashtra Pollution Control Board has prescribed minimum 25 dB (A) Noise as DG Insertion loss difference during With and Without enclosure of DG						



End Of Report



Hande
Ms. Sneha Hande
(Quality Manager)

Reviewed & Authorized By
Page 1 of 1

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- If on site their is no proper sampling location, Source or port available the results of testing are not challenge.
- MoEF approved Lab by Govt. of India. till 28/02/2026 and NASL approved by Quality Council of India. till 28/02/2026.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT						
ULR No: -	TC103672500008012F			Report Date	02.12.2025	
Sample ID: -	GESEC/DIL/2025-26/11/1404					
Name & Address of the Customer	M/s. Aarti Pharmalabs Ltd. (Unit-IV), E-50,50/1& E-59/1, MIDC Tarapur, Tal. & Dist. - Palghar.					
DG Noise Monitoring Report						
Type	DG Noise					
Sampling done by	M/s. Shree Swami Samarath Enviro Consultant Pvt. Ltd.					
Sampling Method	CPCB protocol for ambient level noise monitoring: 2015					
Date of Sampling	Sample Receipt Date	Analysis Start Date		Analysis End Date		
25.11.2025	25.11.2025	25.11.2025		25.11.2025		
Name of Instrument	SEC/TAR/SL-4030	Date of Calibration		07.10.2025		
Instrument ID No.	EI/ME/4558	Due Date of Calibration		06.10.2026		
Test Location	Reading in dB(A) 0.5 mtr. Away from DG				Avg.	Difference dB(A)
	North Side	East Side	South Side	West Side		
1. DG. SET No.105 -500 KVA						
Without Enclosure	82.4	78.6	80.8	79.7	80.3	25.3
With Enclosure	59.6	55.4	52.6	52.5	55.0	
Note:-						
➤ Maharashtra Pollution Control Board has prescribed minimum 25 dB (A) Noise as DG insertion loss difference during With and Without enclosure of DG						



End Of Report



Sneha Hande
Ms. Sneha Hande
(Quality Manager)
Reviewed & Authorized By

Page 1 of 1

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- If on site their is no proper sampling location, Source or port available the results of testing are not challenge.
- MoEF approved Lab by Govt. of India, till 28/02/2026 and NABL approved by Quality Council of India, till 28/02/2026.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT						
ULR No. -	TC103672500008014F			Report Date	02.12.2025	
Sample ID: -	GESEC/DIL/2025-26/11/1406					
Name & Address of the Customer	M/s. Aarti Pharmalabs Ltd. (Unit-IV), E-50,50/1& E-59/1, MIDC Tarapur, Tal. & Dist. - Palghar.					
DG Noise Monitoring Report						
Type	DG Noise					
Sampling done by	M/s. Shree Swami Samarth Enviro Consultant Pvt. Ltd.					
Sampling Method	CPCB protocol for ambient level noise monitoring: 2015					
Date of Sampling	Sample Receipt Date	Analysis Start Date		Analysis End Date		
25.11.2025	25.11.2025	25.11.2025		25.11.2025		
Name of Instrument	SEC/TAR/SL-4030	Date of Calibration		07.10.2025		
Instrument ID No.	EI/ME/4558	Due Date of Calibration		06.10.2026		
Test Location	Reading in dB(A) 0.5 mtr. Away from DG				Avg.	Difference dB(A)
	North Side	East Side	South Side	West Side		
3. DG. SET No.106 - 1250 KVA						
Without Enclosure	82.5	79.5	81.7	80.9	81.1	25.7
With Enclosure	58.2	55.7	54.2	53.6	55.4	
Note:-						
➤ Maharashtra Pollution Control Board has prescribed minimum 25 dB (A) Noise as DG Insertion loss difference during With and Without enclosure of DG						



End Of Report



Sande
Ms. Sneha Hande
(Quality Manager)
Reviewed & Authorized By
Page 1 of 1

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- If on site their is no proper sampling location, Source or part available the results of testing are not challenge.
- MoEF approved Lab by Govt. of India. till 28/02/2026 and NABL approved by Quality Council of India. till 28/02/2026.

TEST REPORT				
ULR No :-	TC1036726000001900F	Report Date	05.03.2026	
Sample ID :-	GESEC/ANLM/2025-26/02/1498-1507			
Name & Address of the Customer	M/s. Aarti Pharamalabs Ltd. (Unit-IV), E-50,50/1& E-59/1, MIDC Tarapur,Tal. & Dist. - Palghar.			
Ambient Noise Sample Details				
Type	Ambient Noise			
Sampling done by	M/s. Shree Swami Samarth Enviro Consultant Pvt. Ltd.			
Standard method	CPCB protocol for ambient level noise monitoring : 2015			
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date	
25.02.2026	25.02.2026	25.02.2026	25.02.2026	
Name of Instrument	SEC/TAR/SL-4030	Date of Calibration	07.10.2025	
Instrument ID No.	EI/ME/4558	Due Date of Calibration	06.10.2026	
Test Location	Unit	Average Noise Level Readings		CPCB Standards dB(A)
		Day	Night	
Near Main Gate	dB(A)	65.2	62.5	During Day time = 75 dB (A) During Night time = 70 dB (A)
Near ETP Area	dB(A)	68.4	66.3	
Near Compressor Room	dB(A)	64.8	61.6	
D.G Set Running Condition	dB(A)	70.7	68.4	
Near Boiler Area	dB(A)	68.2	65.8	
Near Material Gate	dB(A)	66.8	62.5	
FBD-502 Inlet	dB(A)	67.9	65.7	
FBD-502 Outlet	dB(A)	68.5	66.8	
Near Gate No.2	dB(A)	62.2	58.1	
Near Utility Area	dB(A)	67.6	64.3	
Note :-				
<ul style="list-style-type: none"> > All above Noise level results are within Central Pollution Control Board Standards limit. > Day/Night -75/70 dB (A) 				
 Mr. Akshay Deshmukh (Sr. Environment Engineer) Reviewed By		 Ms. Sneha Hande (Quality Manager) Authorized By		

End Of Report




Page 1 of 1



Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- If on site their is no proper sampling location, Source or port available the results of testing are not challenge.
- NABL approved by Quality Council of India. till 28/03/2026.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT				
Test Report No: -	GESEC/WNLM/2025-26/02/1531-1548		Report Date	05.03.2026
Sample ID: -	GESEC/WNLM/2025-26/02/1531-1548			
Name & Address of the Customer	M/s. Aarti Pharmalabs Ltd. (Unit-IV), E-50,50/1& E-59/1, MIDC Tarapur, Tal. & Dist. - Palghar.			
Work Zone Noise Sample Details				
Type	Work Zone Noise			
Sampling done by	M/s. Shree Swami Samarth Enviro Consultant Pvt. Ltd.			
Standard method	CPCB protocol for ambient level noise monitoring: 2015			
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date	
25.02.2026	25.02.2026	25.02.2026	25.02.2026	
Name of Instrument	SEC/TAR/SL-4030	Date of Calibration	07.10.2025	
Instrument ID No.	EI/ME/4558	Due Date of Calibration	06.10.2026	
Test Location	Unit	Average Noise Level Readings		The Factories Act 1948, standards
		Day	Night	
Block No.3 Reaction Area Line A Ground Floor	dB(A)	66.8	63.7	<90
Block No.3 Reaction Area Line A 1 st Floor	dB(A)	66.9	65.4	
Block No.3 Reaction Area Line B Ground Floor	dB(A)	68.2	63.4	
Block No.3 Reaction Area Line B 1 st Floor	dB(A)	66.5	64.7	
Block No.3 Reaction Area Line C Ground Floor	dB(A)	69.2	65.3	
Block No.3 Reaction Area Line C 1 st Floor	dB(A)	66.7	63.9	
Block No.4 Reaction Area 1 st Floor	dB(A)	67.3	62.5	
Block No.4 Reaction Area 2 nd Floor	dB(A)	68.4	64.6	
Block No.4 Reaction Area Level II FBD	dB(A)	70.4	66.2	
Block No.1 Reaction Area 1 st Floor	dB(A)	65.9	63.8	
Block No.1 Reaction Area Level 2 nd Floor	dB(A)	67.2	64.6	
Block No.1 Reaction Area Level 3 rd Ground Floor	dB(A)	64.6	59.8	
Block No.2 Reaction Area 1 st Floor	dB(A)	67.3	65.2	
Block No.2 Reaction Area Ground Floor	dB(A)	69.4	63.7	
Block No.5 Reaction Area 1 st Floor	dB(A)	67.3	61.1	
Block No.5 Reaction Area 2 nd Floor	dB(A)	66.6	60.7	
Block No.5 Reaction Area 3rd Floor	dB(A)	69.1	65.2	
Block No.5 Reaction Ground Floor	dB(A)	68.4	63.3	
Note: - ➤ The Factories Act, 1948, has prescribed 90 dB (A) as an upper limit of noise level for 8 hours exposure.				
 Mr. Akshay Deshmukh (Sr. Environment Engineer) Reviewed By				
		 Ms. Sneha Hande (Quality Manager) Authorized By		



End Of Report

Page 1 of 1

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- If on site their is no proper sampling location, Source or part available the results of testing are not challenge.
- NABL approved by Quality Council of India. till 28/03/2026.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company


TEST REPORT						
Test Report No	GESEC/DIL/2025-26/02/1524				Report Date	05.03.2026
Sample ID: -	GESEC/DIL/2025-26/02/1524					
Name & Address of the Customer	M/s. Aarti Pharmalabs Ltd. (Unit-IV), E-50,50/1& E-59/1, MIDC Tarapur, Tel. & Dist. - Palghar.					
DG Noise Monitoring Report						
Type	DG Noise					
Sampling done by	M/s. Shree Swami Samarth Enviro Consultant Pvt. Ltd.					
Sampling Method	CPCB protocol for ambient level noise monitoring: 2015					
Date of Sampling	Sample Receipt Date	Analysis Start Date			Analysis End Date	
25.02.2026	25.02.2026	25.02.2026			25.02.2026	
Name of Instrument	SEC/TAR/SL-4030	Date of Calibration			07.10.2025	
Instrument ID No.	EI/ME/4558	Due Date of Calibration			06.10.2026	
Test Location	Reading in dB(A) 0.5 mtr. Away from DG				Avg.	Difference dB(A)
	North Side	East Side	South Side	West Side		
2. DG. SET No.102 - 625 KVA						
Without Enclosure	82.5	79.5	81.5	80.9	81.1	25.7
With Enclosure	58.2	55.7	54.2	53.6	55.4	
Note:-						
➤ Maharashtra Pollution Control Board has prescribed minimum 25 dB (A) Noise as DG Insertion loss difference during With and Without enclosure of DG						
Reviewed By	 Mr. Akshay Deshmukh (Sr. Environment Engineer)				 Ms. Sneha Hande (Quality Manager) Authorized By	

End Of Report

Page 1 of 1

Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- If on site their is no proper sampling location, Source or port available the results of testing are not challenge.
- NABL approved by Quality Council of India. till 28/03/2026.

TEST REPORT						
Test Report No	GESEC/DIL/2025-26/02/1523			Report Date	05.03.2026	
Sample ID: -	GESEC/DIL/2025-26/02/1523					
Name & Address of the Customer	M/s. Aarti Pharmalabs Ltd. (Unit-IV), E-50,50/1& E-59/1, MIDC Tarapur, Tal. & Dist. - Palghar.					
DG Noise Monitoring Report						
Type	DG Noise					
Sampling done by	M/s. Shree Swami Samarth Enviro Consultant Pvt. Ltd.					
Sampling Method	CPCB protocol for ambient level noise monitoring: 2015					
Date of Sampling	Sample Receipt Date	Analysis Start Date		Analysis End Date		
25.02.2026	25.02.2026	25.02.2026		25.02.2026		
Name of Instrument	SEC/TAR/SL-4030	Date of Calibration		07.10.2025		
Instrument ID No.	EI/ME/4558	Due Date of Calibration		06.10.2026		
Test Location	Reading in dB(A) 0.5 mtr. Away from DG				Avg.	Difference dB(A)
	North Side	East Side	South Side	West Side		
1. DG. SET No.105 -500 KVA						
Without Enclosure	82.5	83.2	81.8	80.8	82.0	25.4
With Enclosure	58.3	54.7	57.5	55.9	56.6	
Note:-						
➤ Maharashtra Pollution Control Board has prescribed minimum 25 dB (A) Noise as DG Insertion loss difference during With and Without enclosure of DG						
Mr. Akshay Deshmukh (Sr. Environment Engineer) Reviewed By					Ms. Sneha Hande (Quality Manager) Authorized By	




End Of Report



Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- If on site their is no proper sampling location, Source or port available the results of testing are not challenge.
- NABL approved by Quality Council of India. till 28/03/2026.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT						
Test Report No	GESEC/DIL/2025-26/02/1525				Report Date	05.03.2026
Sample ID: -	GESEC/DIL/2025-26/02/1525					
Name & Address of the Customer	M/s. Aarti Pharmalabs Ltd. (Unit-IV), E-50,50/1& E-59/1, MIDC Tarapur, Tal. & Dist. - Palghar.					
DG Noise Monitoring Report						
Type	DG Noise					
Sampling done by	M/s. Shree Swami Samarth Enviro Consultant Pvt. Ltd.					
Sampling Method	CPCB protocol for ambient level noise monitoring: 2015					
Date of Sampling	Sample Receipt Date	Analysis Start Date			Analysis End Date	
25.02.2026	25.02.2026	25.02.2026			25.02.2026	
Name of Instrument	SEC/TAR/SL-4030	Date of Calibration			07.10.2025	
Instrument ID No.	EI/ME/4558	Due Date of Calibration			06.10.2026	
Test Location	Reading in dB(A) 0.5 mtr. Away from DG				Avg.	Difference dB(A)
	North Side	East Side	South Side	West Side		
3. DG. SET No.106 - 1250 KVA						
Without Enclosure	82.1	83.5	81.4	81.7	82.1	25.9
With Enclosure	58.2	54.6	57.9	54.1	56.2	
Note:-						
➤ Maharashtra Pollution Control Board has prescribed minimum 25 dB (A) Noise as DG Insertion loss difference during With and Without enclosure of DG						
 Mr. Akshay Deshmukh (Sr. Environment Engineer) Reviewed By					 Ms. Sneha Hande (Quality Manager) Authorized By	

End Of Report

Page 1 of 1



Terms and conditions

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirement.
- If on site their is no proper sampling location, Source or port available the results of testing are not challenge.
- NABL approved by Quality Council of India. sll 28/03/2026.



APL/IV/TR/25/18

To,
The Director ,
Ministry Of Environment & Forests and Climate Change,
Regional Office, (WCZ),
Ground Floor, East Wing,
New Secretariat Building,
Civil Lines, Nagpur -440001

Date: 8th Nov 2025.

Subject : Regarding the Half-Yearly compliance report for the period of April 2025
to September 2025 .

Reference : Environmental clearance F.No.IA-J-11011/324/2020-IA-II (I) Dated 25TH
January 2021 granted by EAC ,Govt.Of India

Dear Sir,

With reference the above mentioned subject, We are enclosing herewith the compliance report for the period of April 2025 to September 2025. with respect to the above mentioned Reference of environment Clearance for proposed expansion of industrial project at plot E-59/1 MIDC Tarapur, Dist -Palghar. SEAC-I considered the project under screening category B2 of item 5(f) synthetic IC , EIA Notification 2006

The compliance report is support with required documents.

Thanking You

For Aarti Pharmalabs Ltd
(Formerly Known as Aarti Industries Ltd)

Authorized signatory

SRO Tarapur I

17/11/2025
SUB-REGIONAL OFFICE
MAHARASHTRA POLLUTION CONTROL BOARD
TARAPUR, MIDC. COLONY, BOISAR,
TALUKA & DIST. PALGHAR, PIN 401 504.

AARTI PHARMALABS LIMITED

www.aartipharmalabs.com | CIN : L24100GJ2019PLC110964 | Email : info@aartipharmalabs.com

Factory : Unit-IV, Plot No. E - 50, 50/1, 59/1, M.I.D.C., Tarapur, Taluka & District - Palghar, PIN 401 506, Maharashtra, INDIA, T : +91 89830 35452 / +91 252 588 2100
Admin Office : 204, Udyog Kshetra, 2nd Floor, Mulund - Goregaon Link Road, Mulund (W), Mumbai, PIN - 400 080, Maharashtra, INDIA, T : +91 22 67976666 | F : +91 22 25653234
Regd. Office : Plot No. 22-C/1 & 22-C/2, 1st Phase, G.I.D.C., Vapi 396 195, District - Valsad, Gujarat, INDIA, T : +91 260 2400467, +91 99099 94655



APL/IV/TR/25/17

To,
The Regional Directorate,
Central Pollution Control Board,
Row House No-1, Sanjivani Nisarg,
Balewadi, Pune -411045

Date: 8th Nov 2025.

Subject : Regarding the Half-Yearly Compliance Report for the period of April 2025 to September 2025.

Reference : Environmental clearance F.No.IA-J-11011/324/2020-IA-II (I) Dated 25TH January 2021 granted by EAC ,Govt.Of India

Dear Sir,

With reference the above mentioned subject ,We are enclosing herewith the Compliance report for the period of **April 2025 to September 2025**. with respect to the above mentioned Reference of environment Clearance for proposed expansion of industrial project at plot E-59/1 MIDC Tarapur ,Dist -Palghar. SEAC-I considered the project under screening category B2 of item 5(f) synthetic IC , EIA Notification 2006

The compliance report is support with required documents.

Thanking You

For Aarti Pharmalabs Ltd
(Formerly Known as Aarti Industries Ltd)


Authorized signatory

AARTI PHARMALABS LIMITED

www.aartipharmalabs.com | CIN : L24100GJ2019PLC110964 | Email : info@aartipharmalabs.com

Factory : Unit-IV, Plot No. E - 50, 50/1, 59/1, M.I.D.C., Tarapur, Taluka & District - Palghar, PIN 401 506, Maharashtra, INDIA, T : +91 89830 35452 / +91 252 568 2100
Admin Office : 204, Udyog Kshetra, 2nd Floor, Mulund - Goregaon Link Road, Mulund (W), Mumbai, PIN - 400 080, Maharashtra, INDIA, T : +91 22 67976686 | F : +91 22 25653234
Regd. Office : Plot No. 22-C/1 & 22-C/2, 1st Phase, G.I.D.C., Vapi 396 195, District - Valsad, Gujarat, INDIA, T : +91 260 2400467, +91 99099 94655

 <p>Ph: 011-43583500 Web: www.trackon.in</p> <p>SWIFT · SAFE · SURE</p> <p>A-64, Naraina Industrial Area, Phase-I, New Delhi-110028 CIN : U63013DL2002PTC113971</p>		 100325259962		 <p>Track your shipment</p>			
CONSIGNOR Harti Pharma E-59/1		CONSIGNEE The Regional Director Pune - 411005		ORIGIN Bazar Pune		DESTINATION	
DOX / N.DOX		PCS.		WEIGHT		AIR / SURFACE	
COURIER CHARGES		RISK SURCHARGE		GST		TOTAL 120	
CASH <input type="checkbox"/>		CREDIT <input type="checkbox"/>		Premium Express Trackon Delivery Solutions			
SHIPPER'S COPY Received by TCPL DATE: 16/11/14 TIME:		I warrant that all details given herein are true and correct. I accept the terms of carriage. Name: Parv Sender's Signature Date: Time:		Received Pkt(s)/Parcel(s) in order & good Condition Name: (Please affix your stamp) Signature:			
If not covered by special risk surcharges, claim value on this shipment shall in no circumstances exceed Rs. 2000/- (Rupees Two Thousand Only) For parcels and Rs. 100/- (Rupees One Hundred Only) For Packet of Documents. READ TERMS & CONDITIONS PRINTED OVERLEAF CAREFULLY							
FOR YOUR PERSONAL AND VALUABLE ITEMS, USE OUR EXPRESS SERVICE - PRIME TRACK.							

 <p>Ph: 011-43583500 Web: www.trackon.in</p> <p>SWIFT · SAFE · SURE</p> <p>A-64, Naraina Industrial Area, Phase-I, New Delhi-110028 CIN : U63013DL2002PTC113971</p>		 100325259998		 <p>Track your shipment</p>			
CONSIGNOR Harti Pharma E-59		CONSIGNEE The Director Ministry of Environment Nagpur 440001		ORIGIN Bazar Nagpur		DESTINATION	
DOX / N.DOX		PCS.		WEIGHT		AIR / SURFACE	
COURIER CHARGES		RISK SURCHARGE		GST		TOTAL 120	
CASH <input checked="" type="checkbox"/>		CREDIT <input type="checkbox"/>		Premium Express Trackon Delivery Solutions			
SHIPPER'S COPY Received by TCPL DATE: 16/11/14 TIME:		I warrant that all details given herein are true and correct. I accept the terms of carriage. Name: Parv Sender's Signature Date: Time:		Received Pkt(s)/Parcel(s) in order & good Condition Name: (Please affix your stamp) Signature:			
If not covered by special risk surcharges, claim value on this shipment shall in no circumstances exceed Rs. 2000/- (Rupees Two Thousand Only) For parcels and Rs. 100/- (Rupees One Hundred Only) For Packet of Documents. READ TERMS & CONDITIONS PRINTED OVERLEAF CAREFULLY							
FOR YOUR PERSONAL AND VALUABLE ITEMS, USE OUR EXPRESS SERVICE - PRIME TRACK.							

जाहीर नोटीस

सर्व संबंधितांना माहिती देण्यात येते की,
 "आरती इंडस्ट्रीज लिमिटेडद्वारा भूखंड क्र.
 इ-५९/१, एमआयडीसी तारापूर, तालुका
 पालघर, जिल्हा पालघर महाराष्ट्र येथे
 सक्रिय औषध निर्माण घटक (एपीआय),
 बल्कड्रग्स निर्मिती सुविधेच्या" प्रस्तावित
 प्रकल्पास पर्यावरण, वन मंत्रालय व
 पर्यावरण बदल यांनी पत्र संख्या-
 IA-J-11011/ 324/ 2020-IA-II(D)
 दिनांक २५ जानेवारी २०२१ द्वारे मंजुरी
 दिली आहे.

सदर पर्यावरणीय संमतिपत्राची प्रत महाराष्ट्र
 प्रदूषण नियंत्रण मंडळाकडे तसेच
 वन मंत्रालयाच्या <https://parivesh.nic.in>
 वेबसाइटवर उपलब्ध आहे.

दिनांक : २९ जानेवारी २०२१ सही/-
 अधिकृत सहीधारक
 आरती इंडस्ट्रीज

मुंबई

लोकसत्ता - २९/०१/२०२१